

Biennial Addendum to the Fishing Log Program Report



Compiled by Fisheries and Data Services Sections  
Montana Fish, Wildlife & Parks  
June 26, 2012

## **Summary and Purpose**

This biennial report is intended to provide an in-depth look at information collected from Fishing Logs kept by anglers that frequent Montana rivers and lakes. Summary statistics and data presented in this report are intended to provide both a coarse and fine-scale look at angling trends over time for major waterbodies that support a high amount of angling pressure from Fishing Log participants.

## **Background**

The Fishing Log program receives angling data annually from anglers across Montana and the country who regularly fish Montana waters. Fishing Log holder participants are asked to record the waterbody fished, time spent fishing, number caught for each species, and average length of fish captured each time they go fishing. These creel data, when compiled with results from other anglers, can provide trend information that offers insight into fishing pressure, waterbody preferences, fish availability, and fish catchability.

In November, FWP recalls Fishing Logs to record and process data that anglers collected. At this time, Fishing Log Holders also receive a summary of the previous year's data and a fish log decal when the logbook is returned. Summary information typically includes data on most fished waterbodies, most captured species, and trends in capture rates for popular sport species. This report compiles the summary newsletter sent to participants along with additional information on specific waterbodies and their catch rates over the last ten years.

### **As such, contents of this report are as follows:**

Section 1. Fishing Log Annual Newsletter sent to participants with 2010 data.

Section 2. Addendum report with summary statistics for 2011 data.

Section 3a. Map displaying waterbody section information used by Fishing Log holders to record specific location fished.

Section 3b. Scatter plots displaying catch rates versus time for selected species and waterbodies with high amounts of angling pressure.

Section 4. Tabular data displaying catch rates over time by species, waterbody, and FWP administrative region.

## Methods

Fishing Log Holder data was summarized using MS Access for relevant creel metrics (number of trips, hours fished, number captured, catch rates) to provide a look at potential trends in angler participation and catch rates for selected species and waterbodies.


Data were summarized to provide information on the most recent annual data (Section 1 and 2) as well as the most recent data from the last ten years (Section 3 and 4). The last ten years of Fishing Log participation were compiled to plot average annual catch rates (fish caught per hour) for the most fished waterbodies from Jan 1, 2001 through Dec. 31, 2011 in each Fisheries Administrative Region. Only the most fished waterbodies in each region and most caught species for each particular waterbody were considered because most other waterbodies had too few data. Chosen waterbodies were selected to represent opportunities for both warm and cold-water sport fish species and reflect angler preferences in each particular region, based on days fished and species reported as being captured.

*To access fishing log data for waterbodies not mentioned in this report , please visit  
<http://fwp.mt.gov/fishing/mfish/default.aspx>*

## Section 1. Fishing Log Annual Newsletter sent to participants with 2010 data.


### Summary of the Fishing Log Program

Montana's fishing log program began in 1951 when the Dingell-Johnson program (Federal Aid in Sport Fish Restoration) first provided funding to Montana for sport fish restoration work. Initially, about 350 anglers kept logs. Currently there are 889 log holders. The Fishing Log Program continues to grow. This past year 94 new anglers joined the program.



Fisheries biologists continue to recognize the value of recreational catch rate information from fish diaries. An enhanced web application implemented by Montana Fish, Wildlife & Parks (FWP) in 2008 continues to facilitate the biologists' access to and use of this information to supplement more formally collected data. A summary of the Fishing Log Program is distributed to the biologists biannually indicating trends in logholder participation, angler pressure and catch rates. To access this fish log data visit <http://fwp.mt.gov/fishing/mFish>. Online enrollment is now available for new participants at <http://fwp.mt.gov/fishing/guide/fishingLog>. Participants receive a summary report of the previous year(s) data along with a new decal and logbook when their old logbook is returned.

Information from fishing logs has always been valuable as demonstrated by the following examples. In the late 1950s, fishing log data provided the basis for many of the lake and stream



water quality classifications required by the 1955 Water Pollution Act. If log holders reported catching trout, the waterbody was classified as suitable for salmonids. The logbook of a Pennsylvania angler helped fisheries managers deduce that whirling disease may have first shown up in the Madison River as early as 1987. Anglers fish many waters that FWP does not sample so log reports are sometimes the only fish data available. Logs often reach back more than 50 years on popular waters, showing changes in the fishery. In fact it is very impressive to report we have 21 logholders who have been actively participating in the program and submitting fishing data to FWP for more than 41 years as shown by this historic 1957 logbook.

We would like to increase the representation of reporting statewide so we have a better sample size of fishing for warm water species. There are fewer warmwater angler reports from east of the Divide. 2010 fishing log pressure by FWP fisheries management regions shows that Region 1 waterbodies comprised 23% of the total pressure followed by Region 2 with 11%, Region 3 with 15%, Region 4 with 31%, Region 5 with 9%, Region 6 with 10% and Region 7 with 1%.




In 2010 we obtained a 52% return rate of logbooks from active logholders; an increase from last year. In order to continue to add substantive data from our logholders and reduce mailing costs we will continue to only mail recall letters to the new participants and to those who have submitted data within the last five years. On the back of the recall letter we would like your opinion on the opportunity to submit your fishing log data using an online application in the future. If you receive this letter but no longer want to participate in the Fishing Log program, please indicate on the back of the letter provided or contact us at (406) 444-2449. You can continue to receive the annual Fishing Newsletter without participating in the Fishing Log program.


## 2010 Fish Log Data Summary Report

- Fort Peck Reservoir was the waterbody most frequently fished by fish log participants throughout the summer, followed in order by Canyon Ferry Reservoir, Missouri River, Yellowstone River, Holter Reservoir, Big Hole River, Rock Creek, Hauser Reservoir, Fresno Reservoir, and Tiber Reservoir.
- Canyon Ferry Reservoir was most frequently fished by fish log participants throughout the winter, followed in order by Missouri River, Flathead Lake, Little Bitterroot Lake, Bitterroot River, Bighorn River, Hauser Reservoir, Clark Fork River, Holter Reservoir, and the Yellowstone River.
- The largest game fish recorded during the summer months was a paddlefish measuring 50 inches from the Missouri River.
- The largest game fish recorded during the winter months was a northern pike measuring 35 inches from the Clark Fork River.
- The most frequently caught game fish during the summer season statewide was rainbow trout. Rainbow trout comprised about 22% of all fish reported.
- The most frequently caught game fish during the winter season statewide was yellow perch. Yellow perch comprised about 38% of all fish reported.

**Most Frequently Caught Fish**  
Summer 2010




**Most Frequently Caught Fish**  
Winter 2010




Section 1. Fishing Log Annual Newsletter sent to participants with 2010 data.


Annual Catch Rate Comparisons  
Rainbow Trout




Annual Catch Rate Comparisons  
Yellow Perch



Annual Catch Rate Comparisons  
Brown Trout



Annual Catch Rate Comparisons  
Walleye



## Section 2. Addendum report with summary statistics for 2011 data

### Log Holder Participation

In 2011, data was collected from 279 angler log holders. On average, 242 anglers per year provide fishing log data from across the State (Table 1). There are 883 active log holders enrolled in the program. As of the date of publication, there are 488 active participants that have provided data within the last ten years. On any given year, roughly half of active log holders return Fishing Logs.

Table 1. Number of angling logs returned per year over the period 2001 - 2010

YEAR	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011
# LOGS RETURNED	268	261	264	149	214	223	234	242	287	274	279

Log participation has varied from region to region, with more anglers submitting data for waterbodies in the western part of the state (Table 2).

Table 2. Number of waterbodies with angling log information by FWP Fisheries Region, 2011.

REGION	1	2	3	4	5	6	7
Waterbodies with data	167	99	123	100	72	14	9
# of Trips Recorded	1360	676	1071	1145	509	289	82

### Angling Pressure and Catch Rates

Anglers participating in the Fishing Log Program report hours fished for each day they fish a waterbody. Anglers in the Fishing Log Program spend about four hours per trip and catch between one and two fish per hour, regardless of whether they fish a stream or lake. Few differences are noted between lakes and streams when comparing catch rates and fish caught per trip (Table 3).

Table 3. Comparison of Fishing Log participant angling pressure on streams and lakes, 2011.

TYPE	TRIPS	FISH PER TRIP		HOURS PER TRIP		CATCH RATE (FISH / HOUR)	
		AVE	SD	AVE	SD	AVE	SD
LAKES	2669	7.6	13.8	4.3	2.6	1.8	3.7
STREAMS	2463	5.6	9.9	3.5	2.2	1.6	3.2

In 2011, fishing pressure data collected by log holders show that Region 1 waterbodies comprised 23% of the total pressure followed by Region 2 with 11%, Region 3 with 15%, Region 4 with 31%, Region 5 with 9%, Region 6 with 10% and Region 7 with 1%.

Fishing pressure for each waterbody typically varies by season. Holter Reservoir was the waterbody most frequently fished by fish log participants throughout the summer, followed in order by Canyon Ferry Reservoir, Fort Peck Lake, the Missouri River, Yellowstone River, Rock Creek, Flathead Lake, Big Hole River, Noxon, and the Madison River. Canyon Ferry Reservoir was most frequently fished by fish log participants throughout the winter, followed in order by Missouri River, Flathead Lake, Hauser Reservoir, Holter Reservoir, Bighorn River, Lake Mary Ronan, the Clark Fork River, and the Bitterroot River. An annual summary for the most fished waterbodies is shown in Table 4.

Table 4. Top ten waterbodies in terms of annual fishing pressure (# trips) for 2011 and associated catch rates (fish / hr), compared to average catch rates using data from all years.

REGION	WATERBODY NAME	# Trips 2011	2011 Catch rate (fish/hr)	Ave. Catch rate (fish/hr) 1957 -2011
4	CANYON FERRY RESERVOIR	364	0.74	1.25
4	HOLTER LAKE	356	0.92	1.51
6	FORT PECK RESERVOIR	187	0.92	0.48
2	ROCK CREEK SEC 01	174	1.22	1.39
4	MISSOURI RIVER SEC 08	171	1.26	1.01
3	GALLATIN RIVER SEC 02	162	1.41	1.69
4	MISSOURI RIVER SEC 09	145	1.42	1.10
4	HAUSER LAKE	141	0.62	1.01
1	FLATHEAD LAKE	133	1.18	1.79
3	MADISON RIVER SEC 01	112	2.29	1.33

High catch rates were reported for a number of waterbodies (Table 5). For the 2011 season on lakes or reservoirs, Fishing Log Program participants reported the best catch rates in Glen Lake and the highest catch rates in rivers were reported in the Gallatin River, Section 3.

Table 6. Top ten waterbodies in terms of annual catch rates (fish / hour), as reported by 2011 Fishing Log participants. Only waterbodies with a minimum of 20 trips were included.

REGION	WATERBODY NAME	# Trips 2011	2011 Catch rate (fish/hr)	Ave. Catch rate (fish/hr) 1957 -2011
1	GLEN LAKE	32	5.66	2.39
1	LAKE KOOCANUSA	49	5.61	2.34
1	LAKE MARY RONAN	83	4.46	2.06
1	ASHLEY LAKE	29	3.92	3.36
3	GALLATIN RIVER SEC 03	29	3.51	1.61
3	BIG HOLE RIVER SEC 03	87	2.93	2.29
2	CLARK FORK RIVER SEC 02	88	2.48	1.23
2	CLARK FORK RIVER SEC 05	33	2.42	1.51
3	MADISON RIVER SEC 01	112	2.29	1.33
3	BOULDER RIVER	21	2.25	1.75

### Species Results

Fishing Log data shows that participants target different species during different times of the year (Table 6). For many of the Regions within Montana, anglers shift their focus from rivers to lakes during winter, and the composition of species reported by Log Holders shifts accordingly.

Table 6. Principal species captured by Fishing Log holders by season, 2011.


Region	Winter	% of catch	Summer	% of catch
1 - Northwestern Montana	Yellow Perch	42.0	Arctic grayling	22.5
2 - Western Montana	Yellow Perch	63.0	Cutthroat trout	45.2
3 - Southwestern Montana	Rainbow trout	60.0	Rainbow trout	44.6
4 - North Central Montana	Rainbow Trout	54.9	Rainbow trout	38.5
5 - South Central Montana	Brown Trout	64.6	Brown trout	36.7
6 - Northeastern Montana	Yellow perch	60.1	Walleye	37.4
7- Southeastern Montana	N/A		Walleye	31.0
<b>Statewide</b>	<b>Yellow Perch</b>		<b>Rainbow trout</b>	

Section 3a. Waterbody section information used by log holders to record location.

We need information on all waters fished in Montana, not just the waters included on these maps.

Please use the maps below to find river sections for commonly fished waterbodies.


For waters other than those indicated on a map, please be very specific as to name, nearby towns, access points, or tributaries.



Section 3b. Scatter plots displaying catch rates versus time for selected species and waterbodies with high amounts of angling pressure.


### Region 1 - Flathead River upstream of Flathead Lake

#### Average Catch Rates for Cutthroat Trout, 2001 - 2011




## Region 1 - Flathead Lake

### Average Catch Rates for Lake Trout and Lake Whitefish, 2001 - 2011




## Region 1 - Noxon Reservoir

### Average Catch Rates for Smallmouth Bass, Northern Pike and Yellow Perch, 2001 - 2011




## Region 1 - Lake Mary Ronan

### Average Catch Rates for Yellow Perch, 2001 - 2011




## Region 2 - Bitterroot River (Big Cr. to Headwaters)

### Average Catch Rates for Rainbow, Brown, and Cutthroat Trout, 2001 - 2011




## Region 2 - Blackfoot River

### Average Catch Rates for Brown, Rainbow and Westslope Cutthroat Trout, 2001 - 2011




## Region 2 - Clark Fork River (Flathead to Bitterroot River)

### Average Catch Rates for Cutthroat and Rainbow Trout, 2001 - 2011




## Region 2 - Georgetown Lake

### Average Catch Rate for Kokanee and Rainbow Trout, 2001 - 2011




## Region 2 - Rock Creek (Hogback Cr to Forks)

### Average Catch Rates for Brown, Rainbow and Cutthroat Trout, 2001 - 2011




## Region 3 - Beaverhead River

### Average Catch Rates for Brown and Rainbow Trout, 2001 - 2011




## Region 3 - Big Hole River Section 2

Average Catch Rates for Brown and Rainbow Trout,  
2001 - 2011




## **Region 3 - Madison River (Ennis to Quake Lake)**

**Average Catch Rates for Brown and Rainbow Trout,  
2001 - 2011**




## Region 4 - Canyon Ferry Reservoir

### Average Catch Rates for Walleye, Yellow Perch and Rainbow Trout, 2001 - 2011




## Region 4 - Lake Frances

Average Catch Rates for Walleye and Yellow Perch,  
2001 - 2011




## Region 4 - Holter Reservoir

### Average Catch Rates for Rainbow Trout, Walleye and Yellow Perch, 2001 - 2011




**Region 4 - Missouri River (Holter Dam to Cascade)**

**Average Catch Rates for Rainbow and Brown Trout,  
2001 - 2011**




**Region 4 - Missouri River (Marias R. to Ft Peck)**

**Average Catch Rates for Channel Catfish and Goldeye,  
2001 - 2011**




## Region 4 - Tiber Reservoir

Average Catch Rates for Walleye and Yellow Perch,  
2004 - 2011




**Region 5 - Bighorn River (Access Creek to Afterbay Dam)**

**Average Catch Rates for Brown and Rainbow Trout,  
2001 - 2011**




## Region 5 - Stillwater River (mouth to Nye)

Average Catch Rates for Rainbow and Brown Trout,  
2001 - 2011




## Region 5 - Yellowstone River (Columbus to Reed Point)

### Average Catch Rates for Brown and Rainbow Trout, 2001 - 2011




## Region 6 - Fort Peck Reservoir

### Average Catch Rates for Northern Pike and Walleye, 2001 - 2011




## Region 6 - Nelson Reservoir

### Average Catch Rates for Walleye and Yellow Perch, 2001 - 2011




## Region 7 - Tongue River Reservoir

### Average Catch Rate for Black and White Crappie, 2001 - 2011



**Region 7 - Yellowstone River (Custer to Fallon)**

**Average Catch Rates for Sauger and Smallmouth Bass,  
2001 - 2011**



## Fishing Log Holder Catch Rates for Selected Waterbodies, 2001 - 2011

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	ALVORD LAKE	LARGEMOUTH BASS	2001	3	3	1.00
			2002	3	14	0.21
			2004	2	2.5	0.80
			2007	2	4	0.50
			2008	5	9.3	0.54
		YELLOW PERCH	2002	44	14	3.14
			2003	7	2	3.50
			2004	1	2.5	0.40
			2005	1	6	0.17
			2007	23	4	5.75
			2008	38	9.3	4.09
			2009	45	4	11.25
		PUMPKINSEED	2002	7	14	0.50
			2008	16	9.3	1.72
			2010	1	6.5	0.15
ASHLEY LAKE	RAINBOW TROUT	KOKANEE	2001	197	57.3	0.02
			2005	3	97	0.03
			2009	1	98.75	0.01
			2010	9	145	0.06
			2011	1	82	0.01
		WHITEFISH	2001	1	57.3	0.02
			2008	5	47.5	0.11
		LONGNOSE SUCKER	2010	9	145	0.06
			2011	11	82	0.13
		WHITE SUCKER	2001	1	57.3	0.02
		PYGMY WHITEFISH	2005	4	97	0.04
			2006	1	38.5	0.03
			2008	1	47.5	0.02
			2009	3	98.75	0.03
SALMON	SALMON		2011	10	82	0.12
			2006	21	38.5	0.55
			2007	31	61.5	0.50
			2008	163	47.5	3.43
			2009	178	98.75	1.80
			2010	93	145	0.64
			2011	46	82	0.56

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	BEAVER LAKE	RAINBOW TROUT	2005	1	3.5	0.29
			2005	1	20.5	0.05
			2006	1	3	0.33
			2007	2	14	0.14
		KOKANEE	2001	26	15.5	1.68
			2001	13	10.5	1.24
			2002	9	11	0.82
			2005	52	20.5	2.54
		YELLOW PERCH	2006	25	5.5	4.55
			2006	12	3	4.00
			2007	4	14	0.29
			2008	1	4.3	0.23
		SALMON	2010	1	6.5	0.15
			2011	31	26.5	1.17
		BIG CREEK	2001	150	10.5	14.29
			2006	17	3	5.67
			2001	4	0.5	8.00
			2002	14	2.9	4.83
			2003	16	1.2	13.33
			2004	4	1.8	2.22
			2011	23	4	5.75
			2010	2	2	1.00
			BROOK TROUT	2	2	1.00
			BULL TROUT	1	2	0.50
		BITTERROOT LAKE	KOKANEE	2	4	0.50
			RAINBOW TROUT	1	34	0.03
			2008	2	134	0.01
			2010	2	213	0.01
			KOKANEE	99	65.5	1.51
			2005	35	34	1.03
			2006	352	165	2.13
			2007	212	80	2.65
			2008	78	134	0.58
			2009	67	120.5	0.56
			2010	59	213	0.28
			2011	125	91.5	1.37
		WHITEFISH	2009	1	120.5	0.01
			2006	6	165	0.04
			2010	1	213	0.00
		SMALLMOUTH BASS	2011	1	91.5	0.01
		PYGMY WHITEFISH	2010	3	213	0.01
		SALMON	2005	110	34	3.24
			2007	52	80	0.65
			2008	189	134	1.41
			2009	144	120.5	1.20
			2010	248	213	1.16
		BLACK LAKE	RAINBOW TROUT	112	20.5	5.46
			2009	17	14.7	1.16
			2009	4	3	1.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	BLACK LAKE	RAINBOW TROUT	2010	1	2	0.50
			2010	35	11	3.18
			2011	2	5.5	0.36
		CUTTHROAT TROUT	2008	36	20.5	1.76
			2009	9	14.7	0.61
			2009	3	3	1.00
			2010	5	11	0.45
		BROOK TROUT	2008	12	20.5	0.59
			2009	57	14.7	3.88
			2010	14	2	7.00
			2010	61	11	5.55
		ARCTIC GRAYLING	2011	7	5.5	1.27
			2011	1	5.5	0.18
	BLANCHARD LAKE	RAINBOW TROUT	2010	1	14	0.07
		LARGEMOUTH BASS	2010	12	14	0.86
		SUNFISH	2002	19	38	0.50
		YELLOW PERCH	2001	2	19	0.11
			2002	9	38	0.24
			2004	15	5	3.00
			2005	49	32.5	1.51
			2009	15	15	1.00
			2010	10	14	0.71
			2011	5	43	0.12
	CRAPPIE	CRAPPIE	2010	3	14	0.21
		2011	4	43	0.09	
		NORTHERN PIKE	2001	7	19	0.37
			2002	4	38	0.11
			2003	4	17.5	0.23
			2004	1	5	0.20
			2005	2	32.5	0.06
			2006	1	4	0.25
			2009	1	15	0.07
		PUMPKINSEED	2001	1	19	0.05
			2004	3	5	0.60
			2010	2	14	0.14
			2011	3	43	0.07
	BLACK CRAPPIE	BLACK CRAPPIE	2002	32	38	0.84
		RAINBOW TROUT	2001	53	34.5	1.54
			2001	27	12.5	2.16
		2002	1	4	0.25	
			2002	48	47.5	1.01
		2003	2	18	0.11	
			2003	2	10	0.20
		2004	2	11	0.18	
			2004	30	30	1.00
		2005	6	7	0.86	
			2005	5	1	5.00
		2006	68	25.25	2.69	
			2007	47	18.2	2.58

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	BOOT JACK LAKE	RAINBOW TROUT	2008	3	4.5	0.67
			2009	15	9.5	1.58
			2010	7	2	3.50
			2011	1	4	0.25
			2011	6	8.5	0.71
		CUTTHROAT TROUT	2001	21	34.5	0.61
			2001	28	12.5	2.24
			2002	7	47.5	0.15
			2003	2	10	0.20
			2003	2	18	0.11
			2004	10	11	0.91
			2004	22	30	0.73
			2005	3	7	0.43
			2006	4	25.25	0.16
			2007	6	18.2	0.33
			2008	5	4.5	1.11
			2009	6	9.5	0.63
			2010	1	2	0.50
BULL LAKE	BULL LAKE	RAINBOW TROUT	2002	2	61	0.03
			2006	1	13.5	0.07
			2008	2	3.5	0.57
			2010	3	52.5	0.06
			2011	7	53.5	0.13
		CUTTHROAT TROUT	2002	5	30	0.17
			2002	1	61	0.02
			2006	1	13.5	0.07
			2009	2	5.5	0.36
		BROOK TROUT	2002	1	61	0.02
			2008	2	21.5	0.09
		BULL TROUT	2001	2	39.5	0.05
			2005	1	6.5	0.15
			2007	2	7	0.29
			2008	1	21.5	0.05
KOKANEE	KOKANEE	KOKANEE	2001	21	39.5	0.53
			2002	128	30	4.27
			2002	42	61	0.69
			2003	10	15	0.67
			2003	4	6	0.67
			2005	20	6.5	3.08
			2006	44	13.5	3.26
			2007	5	4.5	1.11
			2010	178	52.5	3.39
			2011	70	53.5	1.31
		LARGEMOUTH BASS	2001	11	39.5	0.28
			2002	15	61	0.25
			2004	1	1.5	0.67
			2007	4	7	0.57
			2008	1	21.5	0.05
			2010	32	16	2.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	BULL LAKE	SUNFISH	2007	12	7	1.71
			2008	1	21.5	0.05
		YELLOW PERCH	2001	5	39.5	0.13
			2002	4	61	0.07
			2004	6	1.5	4.00
			2007	7	7	1.00
			2008	3	21.5	0.14
			2009	2	5.5	0.36
		NORTHERN PIKE	2010	1	16	0.06
		PEAMOUTH	2002	1	61	0.02
			2008	5	21.5	0.23
			2009	6	5.5	1.09
		SMALLMOUTH BASS	2002	2	61	0.03
		BLUEGILL	2010	1	52.5	0.02
		PUMPKINSEED	2010	1	16	0.06
		SALMON	2011	11	53.5	0.21
BULL RIVER	RAINBOW TROUT		2007	1	14.5	0.07
			2009	1	15	0.07
			2011	2	3	0.67
	CUTTHROAT TROUT		2001	2	15	0.13
			2007	13	14.5	0.90
			2009	2	15	0.13
	BROOK TROUT		2002	1	15	0.07
			2003	531	92.3	5.75
			2004	32	23.4	1.37
			2005	31	11.5	2.70
			2006	156	20.5	7.61
			2007	30	14.5	2.07
			2008	100	20	5.00
			2009	75	15	5.00
		BROWN TROUT	2001	2	15	0.13
			2002	14	15	0.93
CABINET GORGE RESERVOIR	LARGEMOUTH BASS		2003	13	92.3	0.14
			2006	1	20.5	0.05
			2007	1	14.5	0.07
			2009	1	15	0.07
		BULL TROUT	2001	1	15	0.07
			2003	1	92.3	0.01
		WHITEFISH	2003	2	92.3	0.02
			2005	2	11.5	0.17
			2007	1	14.5	0.07
		SUNFISH	2005	7	11.5	0.61
	YELLOW PERCH		2005	2	11.5	0.17
		NORTHERN PIKE	2003	7	92.3	0.08
	YELLOW PERCH	LARGEMOUTH BASS	2004	1	6.5	0.15
			2006	3	12.5	0.24
			2007	2	6	0.33
	YELLOW PERCH		2002	2	4.5	0.44
			2009	3	8	0.38

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	CABINET GORGE RESERVOIR	YELLOW PERCH	2011	34	22	1.55
		SMALLMOUTH BASS	2002	1	4.5	0.22
			2004	4	6.5	0.62
			2006	5	12.5	0.40
			2007	1	6	0.17
			2009	1	8	0.13
			2011	5	22	0.23
		RAINBOW TROUT	2010	1	106	0.01
		LARGEMOUTH BASS	2001	16	19.5	0.82
			2002	3	8	0.38
CLARK FORK RIVER SEC 01	CHURCH SLOUGH		2003	3	12	0.25
			2004	5	6	0.83
			2005	77	42.5	1.81
			2006	56	28.5	1.96
			2007	47	49.5	0.95
			2008	56	51.5	1.09
			2009	61	38.5	1.58
			2010	94	106	0.89
			2011	7	125.5	0.06
		YELLOW PERCH	2010	20	106	0.19
CLARK FORK RIVER SEC 01	CUTTHROAT TROUT		2011	12	125.5	0.10
		CRAPPIE	2010	46	106	0.43
		NORTHERN PIKE	2003	4	12	0.33
			2004	5	6	0.83
			2005	4	42.5	0.09
			2006	1	28.5	0.04
			2007	32	49.5	0.65
			2008	29	51.5	0.56
			2009	8	38.5	0.21
			2010	6	106	0.06
CLARK FORK RIVER SEC 01	BROWN TROUT		2011	2	125.5	0.02
		PUMPKINSEED	2010	1	106	0.01
		RAINBOW TROUT	2001	74	133	0.56
			2002	32	101	0.32
			2003	43	37.5	1.15
			2004	4	20.5	0.20
			2005	72	93.5	0.77
			2006	2	11.55	0.17
			2009	15	83	0.18
			2010	6	63.5	0.09
CLARK FORK RIVER SEC 01	BROWN TROUT	CUTTHROAT TROUT	2001	87	133	0.65
			2002	55	101	0.54
			2003	4	37.5	0.11
			2005	32	93.5	0.34
			2008	1	18	0.06
			2009	9	83	0.11
			2010	4	63.5	0.06
			2011	2	61.5	0.03
		BROWN TROUT	2001	7	133	0.05

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	CLARK FORK RIVER SEC 01	BROWN TROUT	2002	3	101	0.03
			2003	1	37.5	0.03
			2004	21	20.5	1.02
			2005	3	93.5	0.03
			2009	2	83	0.02
			2010	1	63.5	0.02
		BULL TROUT	2010	1	63.5	0.02
		LAKE TROUT	2002	1	101	0.01
		WHITEFISH	2002	2	101	0.02
			2003	1	37.5	0.03
			2006	1	11.55	0.09
			2008	1	18	0.06
			2009	1	83	0.01
		SUNFISH	2007	1	21	0.05
		YELLOW PERCH	2002	6	101	0.06
			2007	6	21	0.29
			2011	3	61.5	0.05
		NORTHERN PIKE	2001	8	133	0.06
			2002	10	101	0.10
			2007	1	21	0.05
			2008	1	18	0.06
			2009	2	83	0.02
			2010	20	63.5	0.31
			2011	10	61.5	0.16
		PEAMOUTH	2002	6	101	0.06
			2009	4	83	0.05
		YELLOW BULLHEAD	2010	2	63.5	0.03
		SMALLMOUTH BASS	2001	2	133	0.02
			2002	4	101	0.04
			2005	1	93.5	0.01
			2006	13	11.55	1.13
			2007	14	21	0.67
			2009	19	83	0.23
			2010	16	63.5	0.25
	COLD LAKE	CUTTHROAT TROUT	2001	42	12	3.50
			2002	49	12	4.08
			2003	46	13.2	3.48
			2004	16	8.5	1.88
			2005	10	4.5	2.22
			2006	31	12.5	2.48
			2007	2	1	2.00
			2007	8	4	2.00
			2008	6	2.25	2.67
			2010	16	5.5	2.91
	CRYSTAL LAKE	RAINBOW TROUT	2001	1	69	0.01
			2003	1	112	0.01
			2006	4	100.5	0.04
			2010	28	22	1.27
			2011	9	32.5	0.28

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	CRYSTAL LAKE	CUTTHROAT TROUT	2001	34	5	6.80
			2002	15	2.5	6.00
			2006	3	3	1.00
			2011	1	2.5	0.40
		BROOK TROUT	2011	5	32.5	0.15
		KOKANEE	2001	191	69	2.77
			2002	144	74.5	1.93
			2003	398	112	3.55
			2004	151	57.5	2.63
			2005	251	81	3.10
			2006	260	100.5	2.59
			2007	90	44.5	2.02
			2008	200	46.25	4.32
			2009	1	2.5	0.40
			2010	15	22	0.68
			2011	35	32.5	1.08
		YELLOW PERCH	2001	7	69	0.10
			2007	1	44.5	0.02
			2008	0	46.25	0.00
			2010	1	22	0.05
			2011	30	32.5	0.92
			2011	15	2.5	6.00
E FK BULL RIVER	CHINOOK SALMON	CUTTHROAT TROUT	2003	20	112	0.18
			2006	5	100.5	0.05
			2002	8	6.5	1.23
			2005	67	7	9.57
			2009	2	0.5	4.00
		BROOK TROUT	2002	1	6.5	0.15
		BROWN TROUT	2002	3	6.5	0.46
			2005	1	7	0.14
			2006	1	4.5	0.22
		RAINBOW TROUT	2004	7	1.5	4.67
E FK YAAK RIVER	ECHO LAKE		2009	6	0.25	24.00
			2002	8	88	0.09
			2003	3	25.5	0.12
			2010	1	90	0.01
		BROOK TROUT	2007	1	51.5	0.02
		KOKANEE	2002	5	88	0.06
			2003	10	25.5	0.39
			2005	44	30.5	1.44
			2006	3	43.5	0.07
			2009	4	17	0.24
E FK YAAK RIVER	WHITEFISH		2010	51	90	0.57
			2011	99	87.5	1.13
		WHITEFISH	2006	6	43.5	0.14
			2009	1	17	0.06
			2010	1	90	0.01
		LAKE WHITEFISH	2003	9	25.5	0.35
			2006	1	43.5	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	ECHO LAKE	LAKE WHITEFISH	2007	8	51.5	0.16
			2009	5	17	0.29
			2010	33	90	0.37
			2011	19	87.5	0.22
		LARGEMOUTH BASS	2001	6	20	0.30
			2002	60	88	0.68
			2003	3	25.5	0.12
			2004	5	3	1.67
			2005	2	30.5	0.07
			2007	48	51.5	0.93
			2008	24	26	0.92
			2010	8	90	0.09
			2011	4	87.5	0.05
		SUNFISH	2001	2	20	0.10
			2007	60	51.5	1.17
			2008	4	26	0.15
			2010	25	90	0.28
		YELLOW PERCH	2001	2	20	0.10
			2002	69	88	0.78
			2003	152	25.5	5.96
			2005	60	30.5	1.97
			2006	75	43.5	1.72
			2007	49	51.5	0.95
			2008	28	26	1.08
			2009	44	17	2.59
			2010	128	90	1.42
			2011	52	87.5	0.59
		NORTHERN PIKE	2002	1	88	0.01
		SMALLMOUTH BASS	2010	1	90	0.01
			2011	5	87.5	0.06
		PUMPKINSEED	2011	2	87.5	0.02
		SALMON	2006	81	43.5	1.86
			2008	0	26	0.00
	EGAN SLOUGH	YELLOW PERCH	2003	19	17	1.12
			2009	15	9	1.67
			2010	31	12	2.58
			2011	20	8	2.50
		NORTHERN PIKE	2003	27	13	2.08
			2003	4	17	0.24
			2004	3	3	1.00
			2007	16	11.5	1.39
			2008	3	3	1.00
			2009	18	9	2.00
			2010	12	12	1.00
			2011	3	8	0.38
	FINGER LAKE	RAINBOW TROUT	2007	37	13	2.85
			2008	12	4.8	2.50
			2009	17	9.5	1.79
			2009	35	7	5.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	FINGER LAKE	RAINBOW TROUT	2010	45	12.5	3.60
			2010	30	10.5	2.86
			2011	10	5.5	1.82
			2011	21	14.5	1.45
		REDSIDE SHINER	2008	2	4.8	0.42
	FISH LAKE	RAINBOW TROUT	2001	1	11	0.09
		CUTTHROAT TROUT	2001	10	11	0.91
		BROOK TROUT	2002	1	2.5	0.40
			2005	6	5	1.20
			2008	34	8.5	4.00
FISHER RIVER			2009	2	3	0.67
			2010	54	18.5	2.92
		RAINBOW TROUT	2002	71	12.5	5.68
			2003	21	4	5.25
			2005	20	3	6.67
			2006	4	11.5	0.35
		BROOK TROUT	2002	27	12.5	2.16
			2011	41	17	2.41
		BROWN TROUT	2003	5	4	1.25
		WHITEFISH	2001	5	1.5	3.33
FISHTRAP LAKE			2006	1	11.5	0.09
		CUTTHROAT TROUT	2001	44	19.5	2.26
			2002	22	8.5	2.59
			2004	21	2	10.50
			2005	7	3	2.33
			2006	15	2.5	6.00
			2007	12	2	6.00
			2008	9	4	2.25
			2010	53	6	8.83
			2011	9	4	2.25
FLATHEAD LAKE	RAINBOW TROUT	RAINBOW TROUT	2001	3	334.2	0.01
			2004	1	261	0.00
		CUTTHROAT TROUT	2001	4	334.2	0.01
			2004	3	261	0.01
			2005	15	384	0.04
	CUTTHROAT TROUT		2007	8	527	0.02
			2008	2	381	0.01
		BROOK TROUT	2002	1	280.5	0.00
			2004	1	261	0.00
		BULL TROUT	2001	2	334.2	0.01
	BULL TROUT		2002	3	280.5	0.01
			2003	4	374.5	0.01
			2005	1	384	0.00
			2006	2	313.5	0.01
			2007	5	527	0.01
			2008	3	381	0.01
			2009	8	544.5	0.01
			2010	2	597	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	FLATHEAD LAKE	BULL TROUT	2011	1	619.5	0.00
		LAKE TROUT	2001	234	334.2	0.70
			2002	256	280.5	0.91
			2003	242	374.5	0.65
			2004	143	261	0.55
			2005	120	384	0.31
			2006	149	313.5	0.48
			2007	224	527	0.43
			2008	163	381	0.43
			2009	321	544.5	0.59
			2010	372	597	0.62
			2011	748	619.5	1.21
		KOKANEE	2004	8	261	0.03
		WHITEFISH	2003	2	374.5	0.01
			2004	7	261	0.03
			2005	4	384	0.01
			2006	69	313.5	0.22
			2007	165	527	0.31
			2008	41	381	0.11
			2009	14	544.5	0.03
		LAKE WHITEFISH	2001	130	334.2	0.39
			2002	39	280.5	0.14
			2003	112	374.5	0.30
			2004	17	261	0.07
			2005	52	384	0.14
			2006	209	313.5	0.67
			2007	327	527	0.62
			2008	113	381	0.30
			2009	5	544.5	0.01
			2010	6	597	0.01
			2011	17	619.5	0.03
		YELLOW PERCH	2001	29	334.2	0.09
			2002	90	280.5	0.32
			2003	19	374.5	0.05
			2004	286	261	1.10
			2005	237	384	0.62
			2006	469	313.5	1.50
			2007	228	527	0.43
			2008	223	381	0.59
			2009	312	544.5	0.57
			2010	136	597	0.23
			2011	31	619.5	0.05
		NORTHERN PIKE	2004	1	261	0.00
			2006	1	313.5	0.00
			2008	1	381	0.00
			2009	4	544.5	0.01
		PEAMOUTH	2002	15	280.5	0.05
			2006	1	313.5	0.00
			2007	1	527	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	FLATHEAD LAKE	WHITE SUCKER	2007	1	527	0.00
		SMALLMOUTH BASS	2002	3	280.5	0.01
			2008	7	381	0.02
		RAINBOW TROUT	2004	1	55	0.02
			2005	1	31	0.03
			2009	1	120.5	0.01
		CUTTHROAT TROUT	2001	15	63	0.24
			2005	11	31	0.35
			2006	14	42	0.33
			2009	30	120.5	0.25
	FLATHEAD RIVER SEC 01	BROWN TROUT	2004	1	55	0.02
		LAKE TROUT	2008	1	45	0.02
		WHITEFISH	2001	8	63	0.13
			2008	1	45	0.02
			2009	1	120.5	0.01
		LARGEMOUTH BASS	2002	1	75.5	0.01
			2008	1	45	0.02
			2009	12	120.5	0.10
			2010	1	69	0.01
		YELLOW PERCH	2009	1	120.5	0.01
2	FLATHEAD RIVER SEC 02	NORTHERN PIKE	2002	6	75.5	0.08
			2003	1	41	0.02
			2004	4	55	0.07
			2005	2	31	0.06
			2006	7	42	0.17
			2007	12	94.5	0.13
			2008	2	45	0.04
			2009	19	120.5	0.16
			2010	29	69	0.42
		SMALLMOUTH BASS	2001	93	63	1.48
			2002	234	75.5	3.10
			2003	149	41	3.63
			2004	39	55	0.71
			2005	22	31	0.71
			2006	36	42	0.86
			2007	49	94.5	0.52
			2008	21	45	0.47
			2009	32	120.5	0.27
			2010	16	69	0.23
		RAINBOW TROUT	2001	2	185	0.01
			2002	5	163.2	0.03
			2003	21	63.5	0.33
			2005	2	28	0.07
			2006	1	23	0.04
			2009	4	57	0.07
			2011	1	61.5	0.02
		CUTTHROAT TROUT	2001	31	185	0.17
			2002	127	163.2	0.78
			2003	13	63.5	0.20

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	FLATHEAD RIVER SEC 02	CUTTHROAT TROUT	2004	6	36	0.17
			2005	2	28	0.07
			2006	8	23	0.35
			2007	10	54	0.19
			2008	35	43	0.81
			2009	10	57	0.18
			2010	16	87.5	0.18
		BULL TROUT	2011	8	61.5	0.13
			2001	2	185	0.01
			2002	3	163.2	0.02
			2003	2	63.5	0.03
			2005	1	28	0.04
			2009	3	57	0.05
			2010	3	87.5	0.03
		LAKE TROUT	2011	2	61.5	0.03
			2001	111	185	0.60
			2002	26	163.2	0.16
			2003	15	63.5	0.24
			2004	7	36	0.19
			2005	3	28	0.11
			2009	1	57	0.02
		WHITEFISH	2010	6	87.5	0.07
			2011	6	61.5	0.10
			2001	8	185	0.04
			2002	4	163.2	0.02
			2004	32	36	0.89
			2007	12	54	0.22
			2009	2	57	0.04
		LAKE WHITEFISH	2010	1	87.5	0.01
			2001	582	185	3.15
			2002	287	163.2	1.76
			2003	17	63.5	0.27
			2004	9	36	0.25
			2010	2	87.5	0.02
			2011	14	61.5	0.23
		LARGEMOUTH BASS	2002	2	163.2	0.01
			2010	1	87.5	0.01
			2001	50	185	0.27
		YELLOW PERCH	2005	5	28	0.18
			2006	1	23	0.04
			2001	4	28	0.14
		NORTHERN PIKE	2009	3	57	0.05
			2010	4	87.5	0.05
			2011	24	61.5	0.39
		PEAMOUTH	2001	1	185	0.01
			2002	1	163.2	0.01
		SMALLMOUTH BASS	2009	8	57	0.14
FRANK LAKE	RAINBOW TROUT	2001	37	38.5	0.96	
		2002	42	36.2	1.16	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	FRANK LAKE	RAINBOW TROUT	2003	14	16.3	0.86
			2004	13	17.5	0.74
			2005	23	30.5	0.75
			2006	20	33.5	0.60
			2009	2	4.5	0.44
			2010	1	6	0.17
			2011	1	11.5	0.09
		KOKANEE	2005	6	30.5	0.20
		REDSIDE SHINER	2004	1	17.5	0.06
	GLEN LAKE	RAINBOW TROUT	2001	1	14.5	0.07
			2005	5	24.3	0.21
			2010	1	70	0.01
		BULL TROUT	2001	1	14.5	0.07
		KOKANEE	2001	35	14.5	2.41
			2003	107	70.5	1.52
			2004	26	30.5	0.85
			2005	7	24.3	0.29
2	GRAVE CREEK		2007	1	13.5	0.07
			2008	4	33.75	0.12
			2009	37	37	1.00
			2010	263	70	3.76
			2011	333	64	5.20
		YELLOW PERCH	2002	19	18.6	1.02
			2003	50	70.5	0.71
			2004	48	30.5	1.57
			2005	122	24.3	5.02
			2007	64	13.5	4.74
	CUTTHROAT CREEK		2008	116	33.75	3.44
			2009	2	37	0.05
			2010	145	70	2.07
			2011	22	64	0.34
		BURBOT	2011	4	64	0.06
		LONGNOSE SUCKER	2003	6	70.5	0.09
		PUMPKINSEED	2003	1	70.5	0.01
		RAINBOW TROUT	2006	1	7.5	0.13
3	CUTTHROAT CREEK		2009	3	4	0.75
		CUTTHROAT TROUT	2002	1	9	0.11
			2004	31	9.3	3.33
			2005	70	14.5	4.83
			2006	29	7.5	3.87
			2008	3	5.5	0.55
			2009	1	4	0.25
		BULL TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
4	MOUNTAIN CREEK		2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
5	MOUNTAIN CREEK		2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
6	MOUNTAIN CREEK		2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
7	MOUNTAIN CREEK		2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
8	MOUNTAIN CREEK		2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
9	MOUNTAIN CREEK		2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
10	MOUNTAIN CREEK		2003	6	7.5	0.80
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
11	MOUNTAIN CREEK		2007	1	2.5	0.40
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
12	MOUNTAIN CREEK		2002	3	4	0.75
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
13	MOUNTAIN CREEK		2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
14	MOUNTAIN CREEK		2003	6	7.5	0.80
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
15	MOUNTAIN CREEK		2007	1	2.5	0.40
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
16	MOUNTAIN CREEK		2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
17	MOUNTAIN CREEK		2001	1	2.5	0.40
			2002	3	9	0.33
			2004	11	9.3	1.18
			2005	10	14.5	0.69
			2006	6	7.5	0.80
			2008	4	5.5	0.73
			2009	3	4	0.75
			2010	1	6	0.17
			2011	1	11.5	0.09
		RAINBOW TROUT	2001	1	2.5	0.40
18	MOUNTAIN CREEK		2008	4	5.5	0.73
		</				

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	GRAVE CREEK	BULL TROUT	2011	2	5.5	0.36
		KOKANEE	2002	40	9	4.44
			2011	26	5.5	4.73
	HANDKERCHIEF LAKE	CUTTHROAT TROUT	2001	121	62.4	1.94
			2002	60	64.4	0.93
			2003	21	56.6	0.37
			2004	131	22.2	5.90
			2005	71	41.4	1.71
			2006	139	19.6	7.09
			2007	120	73.6	1.63
2	HORSESHOE LAKE		2008	37	34.4	1.08
			2009	24	47.6	0.50
			2010	10	45.4	0.22
			2011	1	24	0.04
		ARCTIC GRAYLING	2001	396	62.4	6.35
			2002	175	64.4	2.72
			2003	137	56.6	2.42
			2004	19	22.2	0.86
			2005	130	41.4	3.14
			2006	89	19.6	4.54
3	HOSKIN LAKE		2007	138	73.6	1.88
			2008	106	34.4	3.08
			2009	80	47.6	1.68
			2010	113	45.4	2.49
			2011	77	24	3.21
		WHITEFISH	2009	2	3	0.67
		YELLOW PERCH	2007	5	4	1.25
			2009	32	4.3	7.44
		SMALLMOUTH BASS	2002	2	5	0.40
			2006	4	3.5	1.14
			2009	4	4.3	0.93
4	HOWARD LAKE	PUMPKINSEED	2006	6	3.5	1.71
			2007	90	4	22.50
			2009	67	4.3	15.58
		CUTTHROAT TROUT	2003	1	3	0.33
			2005	16	6.5	2.46
			2007	3	2	1.50
			2008	5	2.3	2.17
		RAINBOW TROUT	2003	34	12.5	2.72
			2004	28	17.5	1.60
			2005	14	7.5	1.87
			2006	31	9	3.44
			2007	14	3	4.67
			2008	1	2	0.50
			2009	1	3	0.33
5	HUBBART RESERVOIR		2003	10	12.1	0.83
			2008	39	20.5	1.90
			2009	18	12.5	1.44
			2010	14	26.5	0.53

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	HUBBART RESERVOIR	RAINBOW TROUT	2011	9	31	0.29
		KOKANEE	2002	12	6.5	1.85
			2003	9	12.1	0.74
			2008	1	20.5	0.05
			2010	56	26.5	2.11
			2011	22	31	0.71
		REDSIDE SHINER	2011	35	31	1.13
	HUNGRY HORSE CREEK	BULL TROUT	2009	1	1	1.00
	HUNGRY HORSE RESERVOIR	RAINBOW TROUT	2009	1	17	0.06
			2011	1	1	1.00
		CUTTHROAT TROUT	2003	1	6.1	0.16
			2006	3	19	0.16
			2007	1	8	0.13
			2008	6	7	0.86
			2010	6	21.3	0.28
		BULL TROUT	2006	1	19	0.05
			2010	2	21.3	0.09
		ARCTIC GRAYLING	2003	2	6.1	0.33
			2004	1	3.6	0.28
			2008	2	7	0.29
		WHITEFISH	2003	1	6.1	0.16
ISLAND LAKE	RAINBOW TROUT		2008	1	36	0.03
		BROOK TROUT	2008	11	36	0.31
		LARGEMOUTH BASS	2003	13	2	6.50
			2004	2	7.5	0.27
			2006	8	5.5	1.45
			2006	29	15	1.93
			2007	5	7	0.71
			2007	36	11	3.27
			2008	22	36	0.61
			2009	6	48.2	0.12
			2010	6	6.9	0.87
	SUNFISH		2007	36	11	3.27
			2010	7	6.5	1.08
	YELLOW PERCH		2002	100	2.5	40.00
			2003	33	2	16.50
			2004	40	7.5	5.33
			2007	54	11	4.91
			2008	27	36	0.75
			2008	104	6.6	15.76
			2009	225	48.2	4.67
			2010	84	6.5	12.92
			2010	11	6.9	1.59
		NORTHERN PIKE	2010	2	6.5	0.31
JOCKO RIVER	RAINBOW TROUT	PUMPKINSEED	2007	1	11	0.09
			2008	7	6.6	1.06
			2009	13	48.2	0.27
			2010	1	6.9	0.14
			2002	4	8	0.50

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	JOCKO RIVER	RAINBOW TROUT	2003	10	9.5	1.05
			2004	6	4.5	1.33
			2005	4	6	0.67
			2006	3	6	0.50
			2007	32	13.75	2.33
			2008	3	11	0.27
			2009	11	10	1.10
			2010	5	10	0.50
			2011	11	17	0.65
		CUTTHROAT TROUT	2001	2	2	1.00
			2002	3	8	0.38
			2003	4	9.5	0.42
			2005	6	6	1.00
			2006	4	6	0.67
			2007	7	13.75	0.51
			2008	4	11	0.36
			2009	7	10	0.70
			2010	2	10	0.20
			2011	3	17	0.18
		BROOK TROUT	2002	4	8	0.50
			2006	1	6	0.17
		BROWN TROUT	2001	1	2	0.50
			2002	4	8	0.50
			2004	1	4.5	0.22
			2008	4	11	0.36
			2011	15	17	0.88
		WHITEFISH	2003	3	9.5	0.32
			2006	3	6	0.50
			2008	5	11	0.45
			2011	7	17	0.41
	KICKING HORSE RESERVOIR	BROWN TROUT	2011	1	8	0.13
		LARGEMOUTH BASS	2001	46	25	1.84
			2002	40	17	2.35
			2003	16	9	1.78
			2005	56	35.5	1.58
			2006	82	48.5	1.69
			2007	25	27.5	0.91
			2009	5	9	0.56
			2011	7	8	0.88
		YELLOW PERCH	2009	15	9	1.67
		SMALLMOUTH BASS	2006	2	48.5	0.04
	KILBRENNAN LAKE	RAINBOW TROUT	2007	11	3	3.67
			2008	120	39.2	3.06
			2009	55	19	2.89
			2010	81	25.3	3.20
			2011	37	16.7	2.22
		BROOK TROUT	2008	1	39.2	0.03
			2010	5	25.3	0.20
		YELLOW PERCH	2006	25	3	8.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	KOOTENAI RIVER	RAINBOW TROUT	2001	178	128	1.39
			2002	56	113.5	0.49
			2003	28	111.2	0.25
			2004	17	18	0.94
			2005	72	39	1.85
			2006	109	53	2.06
			2007	63	45	1.40
			2008	114	123	0.93
			2009	154	197	0.78
			2010	54	55	0.98
			2011	38	61	0.62
		CUTTHROAT TROUT	2001	2	128	0.02
			2002	7	113.5	0.06
			2003	2	111.2	0.02
			2005	3	39	0.08
			2006	15	53	0.28
			2008	13	123	0.11
			2009	7	197	0.04
			2010	8	55	0.15
			2011	1	61	0.02
		BROOK TROUT	2001	1	128	0.01
			2002	2	113.5	0.02
		BROWN TROUT	2008	1	123	0.01
			2009	1	197	0.01
			2010	3	55	0.05
		BULL TROUT	2001	11	128	0.09
			2002	15	113.5	0.13
			2003	12	111.2	0.11
			2005	1	39	0.03
			2006	1	53	0.02
			2008	6	123	0.05
			2010	3	55	0.05
		KOKANEE	2002	45	113.5	0.40
			2003	1	111.2	0.01
			2006	12	53	0.23
			2011	4	61	0.07
		WHITEFISH	2001	21	128	0.16
			2002	91	113.5	0.80
			2003	58	111.2	0.52
			2004	1	18	0.06
			2005	2	39	0.05
			2006	10	53	0.19
			2007	3	45	0.07
			2008	1	123	0.01
			2009	5	197	0.03
			2010	3	55	0.05
	LAKE BLAINE	RAINBOW TROUT	2005	1	10	0.10
			2007	4	23	0.17
			2010	1	15	0.07

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LAKE BLAINE	BROOK TROUT	2011	3	34.5	0.09
		LARGEMOUTH BASS	2001	42	19.5	2.15
			2002	26	20	1.30
			2003	6	6.5	0.92
			2005	19	10	1.90
			2006	14	2	7.00
			2007	23	23	1.00
			2008	1	10	0.10
			2010	21	15	1.40
			2011	26	34.5	0.75
		YELLOW PERCH	2005	40	10	4.00
			2006	26	2	13.00
			2007	33	23	1.43
			2008	11	10	1.10
			2010	38	15	2.53
			2011	26	34.5	0.75
		NORTHERN PIKE	2007	1	23	0.04
LAKE FIVE	LAKE FIVE	PUMPKINSEED	2006	10	2	5.00
			2007	14	23	0.61
			2008	7	10	0.70
		SALMON	2005	13	10	1.30
		RAINBOW TROUT	2008	1	11.5	0.09
			2009	7	2.5	2.80
			2011	5	48.5	0.10
		LAKE TROUT	2008	1	11.5	0.09
		KOKANEE	2001	16	3	5.33
			2003	4	8	0.50
LAKE KOOCANUSA	LAKE KOOCANUSA		2010	1	3.5	0.29
			2011	16	48.5	0.33
		LARGEMOUTH BASS	2005	2	4	0.50
		YELLOW PERCH	2003	1	8	0.13
			2010	4	3.5	1.14
			2011	30	48.5	0.62
		RAINBOW TROUT	2001	6	159.5	0.04
			2002	5	149	0.03
			2003	9	77.5	0.12
			2004	2	28	0.07
CUTTHROAT TROUT	CUTTHROAT TROUT		2005	13	45.1	0.29
			2006	13	95.5	0.14
			2007	28	225	0.12
			2008	38	296.2	0.13
			2009	12	144.4	0.08
			2010	16	202.75	0.08
			2011	5	142	0.04
		CUTTHROAT TROUT	2004	7	28	0.25
			2005	4	45.1	0.09
			2011	1	142	0.01
BULL TROUT	BULL TROUT	BROOK TROUT	2008	2	296.2	0.01
		BULL TROUT	2001	2	159.5	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LAKE KOOCANUSA	BULL TROUT	2002	5	149	0.03
			2003	1	77.5	0.01
			2005	7	45.1	0.16
			2006	7	95.5	0.07
			2007	11	225	0.05
			2008	29	296.2	0.10
			2009	12	144.4	0.08
			2010	41	202.75	0.20
			2011	24	142	0.17
		LAKE TROUT	2009	1	144.4	0.01
		KOKANEE	2001	556	159.5	3.49
			2002	679	149	4.56
			2003	148	77.5	1.91
			2004	19	28	0.68
			2005	23	45.1	0.51
			2006	55	95.5	0.58
			2007	117	225	0.52
			2008	170	296.2	0.57
			2009	71	144.4	0.49
			2010	2102	202.75	10.37
			2011	678	142	4.77
		WHITEFISH	2007	1	225	0.00
		YELLOW PERCH	2005	1	45.1	0.02
		BURBOT	2002	1	149	0.01
			2004	2	28	0.07
		PEAMOUTH	2002	35	149	0.23
			2003	7	77.5	0.09
			2008	6	296.2	0.02
		SALMON	2006	65	95.5	0.68
			2007	125	225	0.56
			2008	753	296.2	2.54
			2009	446	144.4	3.09
			2010	1	202.75	0.00
			2011	1	142	0.01
		RAINBOW TROUT	2001	2	328.5	0.01
			2002	8	296	0.03
			2003	1	333.3	0.00
			2007	1	145.5	0.01
			2010	4	133.6	0.03
			2011	33	274.5	0.12
		CUTTHROAT TROUT	2003	5	333.3	0.02
			2009	1	164.5	0.01
		KOKANEE	2001	306	328.5	0.93
			2002	199	296	0.67
			2003	356	333.3	1.07
			2004	126	95.5	1.32
			2005	188	158	1.19
			2006	30	159.5	0.19
			2007	47	145.5	0.32

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LAKE MARY RONAN	KOKANEE	2008	41	196	0.21
			2009	32	164.5	0.19
			2010	61	133.6	0.46
			2011	3	274.5	0.01
		ARCTIC GRAYLING	2003	50	333.3	0.15
		LARGEMOUTH BASS	2001	21	328.5	0.06
			2002	24	296	0.08
			2003	16	333.3	0.05
			2004	7	95.5	0.07
			2005	8	158	0.05
			2006	15	159.5	0.09
			2009	13	164.5	0.08
		SUNFISH	2007	12	145.5	0.08
			2011	3	274.5	0.01
		YELLOW PERCH	2001	1509	328.5	4.59
			2002	958	296	3.24
			2003	362	333.3	1.09
			2004	367	95.5	3.84
			2005	217	158	1.37
			2006	777	159.5	4.87
			2007	490	145.5	3.37
			2008	524	196	2.67
			2009	483	164.5	2.94
			2010	404	133.6	3.02
			2011	801	274.5	2.92
		YELLOW BULLHEAD	2009	27	164.5	0.16
		SMALLMOUTH BASS	2006	8	159.5	0.05
		PUMPKINSEED	2008	2	196	0.01
			2009	4	164.5	0.02
		SALMON	2006	8	159.5	0.05
			2008	69	196	0.35
			2009	20	164.5	0.12
			2010	20	133.6	0.15
			2011	20	274.5	0.07
	LAVON LAKE	RAINBOW TROUT	2003	2	13	0.15
		KOKANEE	2006	12	15	0.80
		YELLOW PERCH	2002	1	6	0.17
			2003	2	13	0.15
			2005	42	12	3.50
			2006	1	15	0.07
			2010	5	3	1.67
		SALMON	2008	0	1.5	0.00
	LAWN LAKE	CUTTHROAT TROUT	2006	8	3	2.67
	LEON LAKE	RAINBOW TROUT	2001	4	5	0.80
			2003	2	7.5	0.27
			2009	2	7	0.29
		CUTTHROAT TROUT	2001	10	5	2.00
			2002	1	3	0.33
			2008	19	6.5	2.92

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LEON LAKE	CUTTHROAT TROUT	2009	7	7	1.00
		YELLOW PERCH	2001	1	5	0.20
			2003	9	7.5	1.20
			2009	6	7	0.86
	LIBBY CREEK	RAINBOW TROUT	2003	25	8	3.13
			2006	7	0.5	14.00
			2007	3	0.5	6.00
	LIBBY LAKES	WHITEFISH	2002	22	1	22.00
		RAINBOW TROUT	2006	7	22.5	0.31
			2010	4	52.7	0.08
			2011	9	40	0.23
		CUTTHROAT TROUT	2006	4	22.5	0.18
			2011	9	40	0.23
	LINDBERGH LAKE	BULL TROUT	2006	4	22.5	0.18
			2011	3	40	0.08
		KOKANEE	2001	27	10.7	2.52
			2010	1	52.7	0.02
			2011	1	40	0.03
	LITTLE BITTERROOT LAKE	YELLOW PERCH	2006	1	22.5	0.04
			2011	3	40	0.08
		PEAMOUTH	2011	1	40	0.03
		BLUEGILL	2011	6	40	0.15
		RAINBOW TROUT	2001	1	16	0.06
			2005	1	8	0.13
			2006	1	18	0.06
			2010	1	46	0.02
		CUTTHROAT TROUT	2006	1	18	0.06
			2008	2	15	0.13
			2010	1	46	0.02
			2011	5	20.5	0.24
		BULL TROUT	2001	7	16	0.44
			2002	4	13	0.31
			2006	3	18	0.17
			2007	1	2.5	0.40
			2008	11	15	0.73
			2010	5	46	0.11
			2011	2	20.5	0.10
		LAKE TROUT	2010	15	46	0.33
			2011	2	20.5	0.10
		KOKANEE	2010	3	46	0.07
		NORTHERN PIKE	2006	1	18	0.06
	LITTLE BITTERROOT LAKE	RAINBOW TROUT	2001	1	260.7	0.00
			2002	2	428.5	0.00
			2003	18	372.1	0.05
			2005	2	304	0.01
			2006	2	350.5	0.01
			2007	12	331	0.04
			2008	5	322	0.02
			2009	6	274	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LITTLE BITTERROOT LAKE	RAINBOW TROUT	2010	8	318	0.03
			2011	3	324.5	0.01
		CUTTHROAT TROUT	2002	1	428.5	0.00
		KOKANEE	2001	349	260.7	1.34
			2002	565	428.5	1.32
			2003	352	372.1	0.95
			2004	82	95.1	0.86
			2005	305	304	1.00
			2006	49	350.5	0.14
			2007	235	331	0.71
			2008	213	322	0.66
			2009	112	274	0.41
			2010	198	318	0.62
			2011	304	324.5	0.94
		WHITEFISH	2002	5	428.5	0.01
			2008	2	322	0.01
		SMALLMOUTH BASS	2011	4	324.5	0.01
		PYGMY WHITEFISH	2002	1	428.5	0.00
			2007	2	331	0.01
			2008	5	322	0.02
			2009	2	274	0.01
			2010	7	318	0.02
			2011	3	324.5	0.01
		CHINOOK SALMON	2003	3	372.1	0.01
		SALMON	2004	36	95.1	0.38
			2005	98	304	0.32
			2006	356	350.5	1.02
			2007	157	331	0.47
			2008	208	322	0.65
			2009	84	274	0.31
			2010	97	318	0.31
			2011	6	324.5	0.02
	LITTLE LOON LAKE	RAINBOW TROUT	2003	5	17.4	0.29
			2007	1	0.5	2.00
			2009	2	72.6	0.03
		LARGEMOUTH BASS	2001	1	5.6	0.18
			2009	6	72.6	0.08
			2010	8	28.1	0.28
		YELLOW PERCH	2001	4	5.6	0.71
			2002	5	5.7	0.88
			2003	19	17.4	1.09
			2005	1	0.5	2.00
			2008	4	1.9	2.11
			2009	15	72.6	0.21
		NORTHERN PIKE	2010	1	28.1	0.04
		LAKE CHUB	2009	7	72.6	0.10
		SMALLMOUTH BASS	2001	30	5.6	5.36
			2002	12	5.7	2.11
			2003	61	17.4	3.51

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LITTLE LOON LAKE	SMALLMOUTH BASS	2004	1	0.7	1.43
			2008	11	1.9	5.79
			2009	136	72.6	1.87
			2010	54	28.1	1.92
		PUMPKINSEED	2001	1	5.6	0.18
			2003	3	17.4	0.17
			2006	1	0.2	5.00
			2009	1	72.6	0.01
			2010	1	28.1	0.04
	LITTLE MCGREGOR LAKE	RAINBOW TROUT	2002	3	12	0.25
			2004	1	5	0.20
			2006	8	6	1.33
			2009	1	11	0.09
			2010	1	11	0.09
		CUTTHROAT TROUT	2011	2	24.5	0.08
			2004	1	5	0.20
			2008	1	2	0.50
			2010	10	11	0.91
			2011	32	24.5	1.31
	LITTLE THERRIAULT LAKE	RAINBOW TROUT	2008	10	10	1.00
			2005	2	0.3	6.67
		CUTTHROAT TROUT	2008	32	10	3.20
			2009	1	0.3	3.33
	LITTLE THOMPSON RIVER	RAINBOW TROUT	2008	10	4	2.50
			2009	5	9.5	0.53
			2011	1	7	0.14
		CUTTHROAT TROUT	2005	1	3	0.33
			2009	6	9.5	0.63
			2010	1	17	0.06
			2011	3	7	0.43
			2005	4	3	1.33
		BROOK TROUT	2008	18	4	4.50
			2009	26	9.5	2.74
			2010	32	17	1.88
			2011	4	7	0.57
			2009	1	9.5	0.11
	LOGAN CREEK	RAINBOW TROUT	2001	10	4.5	2.22
			2002	10	4	2.50
			2003	8	3	2.67
			2004	8	4.5	1.78
			2008	9	2	4.50
		CUTTHROAT TROUT	2001	5	4.5	1.11
			2002	4	4	1.00
		BROOK TROUT	2001	6	4.5	1.33
			2002	2	4	0.50
			2003	2	3	0.67
	LOGGING LAKE	CUTTHROAT TROUT	2005	13	10	1.30
	LAKE TROUT	2005	8	10	0.80	
	LOLO CREEK	RAINBOW TROUT	2006	10	2	5.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LOLO CREEK	RAINBOW TROUT	2008	1	12	0.08
			2009	5	24	0.21
		CUTTHROAT TROUT	2006	3	2	1.50
			2008	1	12	0.08
			2009	1	24	0.04
			BROOK TROUT	2009	3	24
		BROWN TROUT	2006	5	2	2.50
			2008	2	12	0.17
			2009	9	24	0.38
			2010	1	2	0.50
		BULL TROUT	2009	1	24	0.04
		WHITEFISH	2009	3	24	0.13
	LONE LAKE	RAINBOW TROUT	2009	2	18	0.11
			2001	77	29	2.66
		YELLOW PERCH	2005	258	36.5	7.07
			2006	15	20.5	0.73
			2007	58	28.5	2.04
			2009	9	18	0.50
			2010	134	65.5	2.05
		NORTHERN PIKE	2005	8	36.5	0.22
			2006	1	20.5	0.05
			2007	9	28.5	0.32
			2008	27	15.5	1.74
			2009	10	18	0.56
			2010	7	65.5	0.11
LOON LAKE	RAINBOW TROUT	RAINBOW TROUT	2001	21	37	0.57
			2001	6	7.5	0.80
			2002	9	6	1.50
			2002	4	11	0.36
			2002	8	14.5	0.55
			2003	1	13.5	0.07
			2003	1	3	0.33
			2003	1	10	0.10
			2005	8	12	0.67
			2005	16	27	0.59
		CUTTHROAT TROUT	2006	5	4.5	1.11
			2007	5	13	0.38
			2008	1	3.3	0.30
			2008	1	6.4	0.16
			2008	11	42.5	0.26
			2010	2	22.5	0.09
			2011	2	7.5	0.27
			2005	6	6.5	0.92
			2008	5	1	5.00
			2009	12	3.5	3.43
			2009	3	51.5	0.06
		BROOK TROUT	2010	12	39.9	0.30
			2006	6	40	0.15
			2007	5	28.4	0.18

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LOON LAKE	LARGEMOUTH BASS	2001	1	37	0.03
			2003	5	13.5	0.37
			2004	4	16.5	0.24
			2005	9	35	0.26
			2006	17	40	0.43
			2006	1	9.9	0.10
			2007	4	13	0.31
			2007	12	28.4	0.42
			2008	2	42.5	0.05
			2008	7	6.4	1.09
			2009	4	51.5	0.08
			2010	1	22.5	0.04
			2010	1	39.9	0.03
			2011	2	7.5	0.27
		SUNFISH	2007	15	13	1.15
			2009	14	51.5	0.27
		YELLOW PERCH	2001	17	37	0.46
			2001	15	4	3.75
			2002	1	14.5	0.07
			2003	1	10	0.10
			2003	9	13.5	0.67
			2003	4	3	1.33
			2004	2	16.5	0.12
			2005	120	27	4.44
			2005	1	35	0.03
			2006	85	9	9.44
			2006	50	4.5	11.11
			2006	1	40	0.03
			2007	3	6	0.50
			2007	37	13	2.85
			2008	3	6.4	0.47
			2008	14	42.5	0.33
			2009	31	51.5	0.60
			2010	1	39.9	0.03
			2010	40	22.5	1.78
			2011	20	32.8	0.61
			2011	28	7.5	3.73
		NORTHERN PIKE	2005	1	35	0.03
			2008	1	42.5	0.02
			2009	1	51.5	0.02
			2011	1	32.8	0.03
		PEAMOUTH	2002	52	6	8.67
		SMALLMOUTH BASS	2003	5	13.5	0.37
			2004	6	16.5	0.36
			2005	31	35	0.89
			2006	71	40	1.78
			2006	16	9.9	1.62
			2007	4	13	0.31
			2007	52	28.4	1.83

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LOON LAKE	SMALLMOUTH BASS	2008	13	42.5	0.31
			2008	2	3.3	0.61
			2009	26	51.5	0.50
			2010	6	39.9	0.15
			2011	4	7.5	0.53
			2011	21	32.8	0.64
		BLUEGILL	2002	1	14.5	0.07
		PUMPKINSEED	2003	1	3	0.33
			2003	1	13.5	0.07
			2006	5	40	0.13
			2008	10	6.4	1.56
	LOST CREEK	RAINBOW TROUT	2009	1	51.5	0.02
			2010	8	39.9	0.20
		CUTTHROAT TROUT	2010	4	22.5	0.18
			2004	2	2	1.00
			2001	4	3	1.33
			2004	2	2	1.00
			2005	2	2	1.00
			2008	2	1	2.00
2	LOST LAKE	BROOK TROUT	2001	2	3	0.67
			2004	2	2	1.00
		BULL TROUT	2008	4	1	4.00
			2001	1	3	0.33
			2004	1	2	0.50
		RAINBOW TROUT	2005	3	4.5	0.67
			2005	1	3	0.33
			2008	151	36.5	4.14
			2009	4	1.5	2.67
			2010	8	1.5	5.33
			2010	61	21.5	2.84
			2010	5	4	1.25
3	LOWER STILLWATER LAKE	BROOK TROUT	2011	19	4	4.75
			2011	3	19	0.16
			2009	6	1	6.00
			2003	8	3	2.67
			2003	10	3	3.33
		CUTTHROAT TROUT	2004	4	48.5	0.08
			2005	7	97.25	0.07
			2004	1	48.5	0.02
			2009	1	23.5	0.04
		YELLOW PERCH	2010	1	37.5	0.03
			2001	62	14	4.43
			2003	16	6.5	2.46
			2004	165	48.5	3.40
			2005	131	97.25	1.35
			2006	29	24	1.21
			2007	21	17.5	1.20
			2008	46	26.9	1.71
			2009	5	23.5	0.21

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	LOWER STILLWATER LAKE	YELLOW PERCH	2010	48	37.5	1.28
			2011	25	27	0.93
		CRAPPIE	2010	6	37.5	0.16
		NORTHERN PIKE	2004	13	48.5	0.27
			2005	27	97.25	0.28
			2006	3	24	0.13
			2008	4	26.9	0.15
			2009	10	23.5	0.43
			2010	2	37.5	0.05
			2011	4	27	0.15
	LOWER THOMPSON LAKE	PUMPKINSEED	2008	1	26.9	0.04
		KOKANEE	2001	4	25	0.16
			2002	307	182.5	1.68
			2003	146	163	0.90
			2004	19	29.5	0.64
			2005	1	52.5	0.02
			2006	15	15	1.00
			2007	58	49.5	1.17
			2009	11	23	0.48
			2010	12	30	0.40
2	M FK FLATHEAD RIVER	LARGEMOUTH BASS	2001	1	25	0.04
			2007	6	49.5	0.12
		SUNFISH	2007	4	49.5	0.08
		YELLOW PERCH	2001	27	25	1.08
			2002	30	182.5	0.16
			2003	7	163	0.04
			2005	113	52.5	2.15
			2007	41	49.5	0.83
			2008	15	29	0.52
			2010	138	30	4.60
	LOWER WOLVERINE LAKE		2011	108	79	1.37
		NORTHERN PIKE	2003	9	163	0.06
			2004	1	29.5	0.03
			2005	5	52.5	0.10
			2007	3	49.5	0.06
			2010	10	30	0.33
			2011	34	79	0.43
		BLACK CRAPPIE	2007	1	49.5	0.02
3	CUTTHROAT TROUT	CHINOOK SALMON	2003	1	163	0.01
		SALMON	2007	50	49.5	1.01
			2008	11	29	0.38
		CUTTHROAT TROUT	2009	32	1.2	26.67
		RAINBOW TROUT	2001	1	30	0.03
			2003	1	12	0.08
			2005	2	57	0.04
			2006	1	22	0.05
			2007	5	83	0.06
			2009	1	89.25	0.01
			2010	3	47	0.06

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	M FK FLATHEAD RIVER	RAINBOW TROUT	2011	2	20	0.10
		CUTTHROAT TROUT	2001	31	30	1.03
			2002	23	16.5	1.39
			2003	16	12	1.33
			2004	6	6	1.00
			2005	125	57	2.19
			2006	38	22	1.73
			2007	147	83	1.77
			2008	64	61.25	1.04
			2009	91	89.25	1.02
			2010	38	47	0.81
			2011	37	20	1.85
		BROOK TROUT	2005	1	57	0.02
			2007	1	83	0.01
		BULL TROUT	2001	1	30	0.03
			2002	1	16.5	0.06
			2004	1	6	0.17
			2005	5	57	0.09
			2007	1	83	0.01
			2009	1	89.25	0.01
			2010	1	47	0.02
			2011	1	20	0.05
		LAKE TROUT	2005	1	57	0.02
		WHITEFISH	2001	3	30	0.10
			2002	3	16.5	0.18
			2003	4	12	0.33
			2005	1	57	0.02
			2007	16	83	0.19
			2008	9	61.25	0.15
			2009	14	89.25	0.16
			2010	18	47	0.38
	MARL LAKE	LARGEMOUTH BASS	2009	1	9	0.11
		YELLOW PERCH	2003	83	25	3.32
			2004	86	18.5	4.65
			2005	158	31.5	5.02
			2006	57	19	3.00
			2007	58	18	3.22
			2008	20	7	2.86
			2010	38	31.5	1.21
			2011	39	37.5	1.04
		NORTHERN PIKE	2003	1	25	0.04
			2007	2	18	0.11
			2009	4	9	0.44
	MCGREGOR CREEK	CUTTHROAT TROUT	2003	1	0.5	2.00
		BROOK TROUT	2003	1	0.5	2.00
			2006	5	1	5.00
		LAKE TROUT	2007	3	4	0.75
			2008	2	9	0.22
	MCGREGOR LAKE	RAINBOW TROUT	2001	3	179.5	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	MCGREGOR LAKE	RAINBOW TROUT	2003	1	69	0.01
			2004	38	131.5	0.29
			2007	2	94.5	0.02
			2011	1	61	0.02
		BROOK TROUT	2007	13	94.5	0.14
		LAKE TROUT	2001	81	179.5	0.45
			2002	38	111	0.34
			2003	39	69	0.57
			2004	61	131.5	0.46
			2005	77	133	0.58
			2006	43	32	1.34
			2007	43	94.5	0.46
			2008	11	23.5	0.47
			2009	34	79.5	0.43
			2010	19	88	0.22
			2011	1	61	0.02
		KOKANEE	2001	3	179.5	0.02
			2009	1	79.5	0.01
			2010	1	88	0.01
		PYGMY WHITEFISH	2001	3	179.5	0.02
MCWENNEGER SLOUGH	MCWENNEGER SLOUGH	LAKE WHITEFISH	2006	1	11	0.09
		LARGEMOUTH BASS	2006	10	11	0.91
			2010	7	68.5	0.10
		SUNFISH	2007	3	7.5	0.40
			2010	1	68.5	0.01
			2011	1	26	0.04
		YELLOW PERCH	2003	24	26.5	0.91
			2005	12	12	1.00
			2006	26	11	2.36
			2007	5	7.5	0.67
MIDDLE THOMPSON LAKE	MIDDLE THOMPSON LAKE		2009	150	43.5	3.45
			2010	109	68.5	1.59
			2011	27	26	1.04
		CRAPPIE	2007	1	7.5	0.13
			2010	91	68.5	1.33
			2011	32	26	1.23
		NORTHERN PIKE	2003	6	26.5	0.23
			2006	4	11	0.36
			2007	3	7.5	0.40
			2011	1	26	0.04
		BLUEGILL	2010	2	68.5	0.03
		PUMPKINSEED	2007	5	7.5	0.67
			2010	1	68.5	0.01
		WHITE CRAPPIE	2009	12	43.5	0.28
		RAINBOW TROUT	2001	2	274.5	0.01
			2006	1	135	0.01
			2007	1	164.5	0.01
			2011	5	49	0.10
		KOKANEE	2001	61	274.5	0.22

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	MIDDLE THOMPSON LAKE	KOKANEE	2002	67	125	0.54
			2003	186	136.5	1.36
			2004	41	83	0.49
			2005	61	180.5	0.34
			2006	112	135	0.83
			2007	167	164.5	1.02
			2008	53	163	0.33
			2009	36	187.5	0.19
			2010	42	84	0.50
			2011	5	49	0.10
		LARGEMOUTH BASS	2001	8	274.5	0.03
			2003	2	136.5	0.01
			2004	7	83	0.08
			2005	13	180.5	0.07
			2006	2	135	0.01
			2007	17	164.5	0.10
			2008	30	163	0.18
			2009	39	187.5	0.21
		YELLOW PERCH	2001	93	274.5	0.34
			2002	65	125	0.52
			2003	1	136.5	0.01
			2004	6	83	0.07
			2005	78	180.5	0.43
			2006	13	135	0.10
			2007	62	164.5	0.38
			2008	91	163	0.56
			2009	41	187.5	0.22
			2010	20	84	0.24
			2011	25	49	0.51
		NORTHERN PIKE	2001	14	274.5	0.05
			2002	21	125	0.17
			2003	20	136.5	0.15
			2004	5	83	0.06
			2005	59	180.5	0.33
			2006	4	135	0.03
			2007	3	164.5	0.02
			2008	3	163	0.02
			2009	11	187.5	0.06
			2010	7	84	0.08
			2011	1	49	0.02
		WALLEYE	2009	2	187.5	0.01
		CHINOOK SALMON	2003	22	136.5	0.16
			2005	3	180.5	0.02
			2006	14	135	0.10
			2007	2	164.5	0.01
			2008	1	163	0.01
			2009	1	187.5	0.01
	MORAN LAKE	RAINBOW TROUT	2001	47	8.4	5.60
	2002		26	7.4	3.51	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	MORAN LAKE	RAINBOW TROUT	2003	42	25.9	1.62
			2004	4	12.4	0.32
			2005	6	6.2	0.97
			2006	1	5	0.20
			2008	4	9.4	0.43
			2009	2	7.3	0.27
			2010	1	8	0.13
		LARGEMOUTH BASS	2001	17	8.4	2.02
			2002	14	7.4	1.89
			2003	10	25.9	0.39
			2004	63	12.4	5.08
			2005	7	6.2	1.13
			2006	15	5	3.00
			2008	27	9.4	2.87
			2009	18	7.3	2.47
			2010	39	8	4.88
			2011	5	1.5	3.33
		RAINBOW TROUT	2007	1	9.3	0.11
			LARGEMOUTH BASS	1	7	0.14
				2	9.3	0.22
				3	7.8	0.38
		YELLOW PERCH	2001	22	3	7.33
			2002	10	1	10.00
			2004	130	7	18.57
			2006	105	10.5	10.00
			2007	121	9.3	13.01
			2008	173	5	34.60
			2009	91	10.7	8.50
			2009	77	8	9.63
			2010	16	11.5	1.39
			2010	52	5.3	9.81
			2010	86	7.8	11.03
		BLUEGILL	2011	18	3	6.00
			2011	30	20.8	1.44
		PUMPKINSEED	2009	1	11.5	0.09
			2004	2	7	0.29
			2007	15	9.3	1.61
			2008	5	10.7	0.47
			2009	6	8	0.75
			2010	3	7.8	0.38
			2011	12	3	4.00
			2011	7	20.8	0.34
		RAINBOW TROUT	2001	1	0.2	5.00
			2002	5	1.7	2.94
			2003	2	0.5	4.00
			2005	6	1.6	3.75
			2008	14	1.6	8.75
			2010	1	1	1.00
			2011	6	2	3.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	MURRAY CREEK	BULL TROUT	2002	1	1.7	0.59
		KOKANEE	2002	2	1.7	1.18
			2003	1	0.5	2.00
			2005	1	1.6	0.63
			2011	1	2	0.50
	N FK FLATHEAD RIVER	RAINBOW TROUT	2001	1	43.5	0.02
			2006	1	36	0.03
			2007	10	78	0.13
			2008	1	86.5	0.01
			2009	4	82.25	0.05
			2010	31	43	0.72
			2011	2	22.5	0.09
	CUTTHROAT TROUT		2001	118	43.5	2.71
			2002	49	29	1.69
			2003	52	33.5	1.55
			2004	30	18	1.67
			2005	215	49	4.39
			2006	80	36	2.22
			2007	151	78	1.94
			2008	98	86.5	1.13
			2009	149	82.25	1.81
			2010	106	43	2.47
			2011	136	22.5	6.04
	BULL TROUT		2001	1	43.5	0.02
			2002	3	29	0.10
			2003	1	33.5	0.03
			2004	1	18	0.06
			2005	2	49	0.04
			2009	6	82.25	0.07
	LAKE TROUT		2002	1	29	0.03
			2003	1	33.5	0.03
			2007	7	78	0.09
			2009	1	82.25	0.01
	ARCTIC GRAYLING		2010	1	43	0.02
			2002	1	29	0.03
	WHITEFISH		2003	10	33.5	0.30
			2005	2	49	0.04
			2007	6	78	0.08
			2008	9	86.5	0.10
			2009	32	82.25	0.39
			2010	21	43	0.49
			2011	8	22.5	0.36
		RAINBOW TROUT	2006	2	301	0.01
			2007	11	203.5	0.05
			2008	5	316.5	0.02
			2009	4	311.3	0.01
	NOXON RAPIDS RESERVOIR	CUTTHROAT TROUT	2001	1	272.5	0.00
			2002	1	256	0.00
			2007	4	203.5	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	NOXON RAPIDS RESERVOIR	CUTTHROAT TROUT	2008	9	316.5	0.03
			2009	1	311.3	0.00
			2010	2	232	0.01
		BROWN TROUT	2003	2	219.6	0.01
			2005	1	229.5	0.00
			2008	1	316.5	0.00
		BULL TROUT	2001	2	272.5	0.01
			2010	1	232	0.00
		GOLDEN TROUT	2011	1	281.5	0.00
		WHITEFISH	2002	4	256	0.02
			2004	1	82.5	0.01
			2010	3	232	0.01
		LARGEMOUTH BASS	2001	40	272.5	0.15
			2002	34	256	0.13
			2003	19	219.6	0.09
			2004	49	82.5	0.59
			2005	75	229.5	0.33
			2006	135	301	0.45
			2007	135	203.5	0.66
			2008	241	316.5	0.76
			2009	133	311.3	0.43
			2010	104	232	0.45
			2011	6	281.5	0.02
		SUNFISH	2001	4	272.5	0.01
			2005	2	229.5	0.01
			2007	31	203.5	0.15
			2010	1	232	0.00
			2011	4	281.5	0.01
		YELLOW PERCH	2001	104	272.5	0.38
			2002	151	256	0.59
			2003	27	219.6	0.12
			2004	5	82.5	0.06
			2005	16	229.5	0.07
			2006	30	301	0.10
			2007	174	203.5	0.86
			2008	169	316.5	0.53
			2009	103	311.3	0.33
			2010	438	232	1.89
			2011	319	281.5	1.13
		NORTHERN PIKE	2001	25	272.5	0.09
			2002	9	256	0.04
			2003	9	219.6	0.04
			2004	12	82.5	0.15
			2005	26	229.5	0.11
			2006	32	301	0.11
			2007	11	203.5	0.05
			2008	9	316.5	0.03
			2009	16	311.3	0.05
			2010	5	232	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	NOXON RAPIDS RESERVOIR	NORTHERN PIKE	2011	17	281.5	0.06
		PEAMOUTH	2001	4	272.5	0.01
			2002	7	256	0.03
			2010	2	232	0.01
		YELLOW BULLHEAD	2010	2	232	0.01
		SMALLMOUTH BASS	2001	208	272.5	0.76
			2002	119	256	0.46
			2003	57	219.6	0.26
			2004	125	82.5	1.52
			2005	98	229.5	0.43
			2006	119	301	0.40
			2007	123	203.5	0.60
			2008	185	316.5	0.58
			2009	106	311.3	0.34
			2010	153	232	0.66
			2011	163	281.5	0.58
		BLUEGILL	2003	2	219.6	0.01
			2005	5	229.5	0.02
			2008	7	316.5	0.02
			2009	7	311.3	0.02
			2011	3	281.5	0.01
		PUMPKINSEED	2001	4	272.5	0.01
			2005	2	229.5	0.01
			2007	1	203.5	0.00
			2009	8	311.3	0.03
			2010	5	232	0.02
			2011	6	281.5	0.02
		WALLEYE	2010	3	232	0.01
			2011	3	281.5	0.01
	PETERSON LAKE	LARGEMOUTH BASS	2001	6	3.5	1.71
			2002	100	30	3.33
			2003	82	24.5	3.35
			2005	11	5	2.20
			2007	10	3	3.33
			2008	16	4.5	3.56
			2010	38	60.5	0.63
			2011	3	23.5	0.13
		YELLOW PERCH	2008	10	4.5	2.22
			2010	66	60.5	1.09
			2011	86	23.5	3.66
		NORTHERN PIKE	2003	1	24.5	0.04
			2005	1	5	0.20
		PUMPKINSEED	2008	30	4.5	6.67
			2010	1	60.5	0.02
	QUARTZ LAKE	CUTTHROAT TROUT	2001	8	4	2.00
			2003	14	5.5	2.55
			2004	3	4.5	0.67
			2005	21	7	3.00
			2006	1	4	0.25

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	QUARTZ LAKE	CUTTHROAT TROUT	2009	49	28.5	1.72
		BULL TROUT	2001	2	4	0.50
			2003	7	5.5	1.27
			2004	2	4.5	0.44
			2006	4	4	1.00
			2009	50	28.5	1.75
			2010	23	39	0.59
		LAKE TROUT	2006	1	4	0.25
			2009	12	28.5	0.42
			2010	20	39	0.51
RED MEADOW LAKE	CUTTHROAT TROUT	2001	19	49.6	0.38	
		2002	5	38.6	0.13	
		2009	11	162.5	0.07	
		2010	2	98.1	0.02	
		ARCTIC GRAYLING	2001	247	49.6	4.98
			2002	98	38.6	2.54
			2004	237	13.6	17.43
			2005	502	29.5	17.02
			2006	220	22.7	9.69
			2007	16	8.3	1.93
ROGERS LAKE	CUTTHROAT TROUT	2008	863	28.7	30.07	
		2009	2339	162.5	14.39	
		2010	1489	98.1	15.18	
		2011	1521	111.3	13.67	
		2001	21	32.5	0.65	
		2002	7	23	0.30	
		2004	3	11.5	0.26	
		2009	4	17.5	0.23	
		2010	4	45	0.09	
		2011	1	59	0.02	
ROSE CREEK	ARCTIC GRAYLING	2001	6	32.5	0.18	
		2002	18	23	0.78	
		2003	31	8	3.88	
		2003	4	3	1.33	
		2004	16	11.5	1.39	
		2005	117	20	5.85	
		2006	58	31	1.87	
		2007	115	14.8	7.77	
		2008	24	8.2	2.93	
		2009	42	17.5	2.40	
ROSE CREEK	NORTHERN PIKE	2010	161	45	3.58	
		2011	67	59	1.14	
		2010	3	45	0.07	
		LARGEMOUTH BASS	2001	1	3.5	0.29
ROSE CREEK	YELLOW PERCH	2005	2	42	0.05	
		2009	1	22.5	0.04	
		2011	1	10.5	0.10	
		2002	5	10	0.50	
ROSE CREEK	NORTHERN PIKE	2004	1	5.5	0.18	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	ROSE CREEK	NORTHERN PIKE	2005	32	42	0.76
			2006	16	13.5	1.19
			2007	43	37.5	1.15
			2008	24	20.5	1.17
			2009	3	22.5	0.13
			2010	7	22.5	0.31
	S FK FLATHEAD RIVER	CUTTHROAT TROUT	2001	64	27.6	2.32
			2002	38	29	1.31
			2003	30	9.5	3.16
			2004	147	41.5	3.54
			2005	77	40.413	1.91
			2006	145	61.08	2.37
			2007	47	65.5	0.72
			2008	55	51.5	1.07
			2009	151	52.5	2.88
			2010	81	40	2.03
			2011	64	35.5	1.80
SMITH LAKE	BULL TROUT	BULL TROUT	2004	3	41.5	0.07
			2005	5	40.413	0.12
			2008	5	51.5	0.10
			2009	2	52.5	0.04
			2010	6	40	0.15
	WHITEFISH	WHITEFISH	2001	10	27.6	0.36
			2005	2	40.413	0.05
			2006	1	61.08	0.02
			2008	2	51.5	0.04
			2009	6	52.5	0.11
SMITH LAKE	RAINBOW TROUT	RAINBOW TROUT	2010	14	40	0.35
			2011	5	35.5	0.14
	YELLOW PERCH	YELLOW PERCH	2005	3	196.25	0.02
			2001	666	46	14.48
			2002	63	16.5	3.82
			2003	1369	212.2	6.45
			2004	269	92.5	2.91
			2005	317	196.25	1.62
			2006	295	166	1.78
			2007	68	83.5	0.81
			2008	256	182.5	1.40
			2009	57	100	0.57
SMITH LAKE	NORTHERN PIKE	NORTHERN PIKE	2010	29	117.5	0.25
			2011	18	123.3	0.15
			2001	9	46	0.20
			2002	4	16.5	0.24
			2003	29	212.2	0.14
			2004	7	92.5	0.08
			2005	20	196.25	0.10
			2006	24	166	0.14
			2007	124	83.5	1.49
			2008	227	182.5	1.24

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	SMITH LAKE	NORTHERN PIKE	2009	66	100	0.66
			2010	233	117.5	1.98
			2011	112	123.3	0.91
	SOPHIE LAKE	RAINBOW TROUT	2003	3	21	0.14
			2007	1	12.5	0.08
			2008	4	13	0.31
		BULL TROUT	2011	1	31	0.03
		KOKANEE	2007	1	12.5	0.08
			2010	9	26.5	0.34
			2011	31	31	1.00
			2007	1	12.5	0.08
	SPOTTED BEAR RIVER	YELLOW PERCH	2010	19	26.5	0.72
			2011	8	31	0.26
		NORTHERN PIKE	2001	9	9.8	0.92
			2002	2	9	0.22
			2003	1	21	0.05
			2005	1	9.1	0.11
			2010	2	26.5	0.08
	CUTTHROAT TROUT	BURBOT	2010	4	26.5	0.15
			2011	6	31	0.19
		SMALLMOUTH BASS	2007	1	12.5	0.08
		BLUEGILL	2007	1	12.5	0.08
			2001	44	19	2.32
			2002	6	5	1.20
			2003	38	22	1.73
			2004	4	4	1.00
			2005	10	5	2.00
			2006	13	9	1.44
	BULL TROUT		2007	6	10	0.60
			2008	15	14.5	1.03
			2009	11	15.5	0.71
			2010	22	8.5	2.59
			2011	6	6.5	0.92
		WHITEFISH	2001	7	19	0.37
			2003	4	22	0.18
			2006	1	9	0.11
			2008	2	14.5	0.14
			2004	4	48.5	0.08
STILLWATER LAKE, LOWER	CUTTHROAT TROUT		2005	7	97.25	0.07
			2004	1	48.5	0.02
			2009	1	23.5	0.04
			2010	1	37.5	0.03
		YELLOW PERCH	2001	62	14	4.43
	BROOK TROUT		2003	16	6.5	2.46
			2004	165	48.5	3.40
			2005	131	97.25	1.35
			2006	29	24	1.21
			2007	21	17.5	1.20
			2008	46	26.9	1.71

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	STILLWATER LAKE, LOWER	YELLOW PERCH	2009	5	23.5	0.21
			2010	48	37.5	1.28
			2011	25	27	0.93
		CRAPPIE	2010	6	37.5	0.16
		NORTHERN PIKE	2004	13	48.5	0.27
			2005	27	97.25	0.28
			2006	3	24	0.13
			2008	4	26.9	0.15
			2009	10	23.5	0.43
			2010	2	37.5	0.05
			2011	4	27	0.15
		PUMPKINSEED	2008	1	26.9	0.04
	STILLWATER RIVER	RAINBOW TROUT	2003	18	33.5	0.54
			2005	6	24	0.25
			2006	24	30	0.80
			2008	11	18.4	0.60
			2009	26	37.25	0.70
			2011	1	21.5	0.05
		CUTTHROAT TROUT	2001	2	13.5	0.15
			2002	1	27	0.04
			2003	2	33.5	0.06
			2004	2	11.75	0.17
			2005	65	24	2.71
			2006	155	30	5.17
			2007	124	11.5	10.78
			2008	57	18.4	3.10
			2009	132	37.25	3.54
			2010	86	39	2.21
			2011	14	21.5	0.65
	BROOK TROUT	BROOK TROUT	2001	9	13.5	0.67
			2002	19	27	0.70
			2003	15	33.5	0.45
			2004	9	11.75	0.77
			2005	32	24	1.33
			2006	32	30	1.07
			2007	13	11.5	1.13
			2008	10	18.4	0.54
			2009	21	37.25	0.56
			2010	12	39	0.31
			2011	39	21.5	1.81
	BROWN TROUT	BROWN TROUT	2003	18	33.5	0.54
			2004	1	11.75	0.09
			2005	17	24	0.71
			2006	9	30	0.30
	BULL TROUT	BULL TROUT	2008	5	18.4	0.27
			2009	17	37.25	0.46
			2010	2	39	0.05
			2011	2	21.5	0.09
			2003	1	33.5	0.03

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	STILLWATER RIVER	BULL TROUT	2006	4	30	0.13
			2010	5	39	0.13
			2011	2	21.5	0.09
		WHITEFISH	2008	3	18.4	0.16
			2009	1	37.25	0.03
		YELLOW PERCH	2001	10	13.5	0.74
			2002	14	27	0.52
			2003	28	33.5	0.84
		NORTHERN PIKE	2002	3	27	0.11
			2003	1	33.5	0.03
			2010	2	39	0.05
		BULLHEAD	2003	1	33.5	0.03
		PEAMOUTH	2010	46	39	1.18
			2011	9	21.5	0.42
		LONGNOSE SUCKER	2010	3	39	0.08
	SWAN LAKE	RAINBOW TROUT	2002	2	80.5	0.02
			2003	4	81	0.05
			2005	1	20	0.05
			2007	1	139	0.01
			2009	2	42.5	0.05
			2011	2	76	0.03
		CUTTHROAT TROUT	2001	1	77	0.01
			2002	7	80.5	0.09
			2003	4	81	0.05
			2010	4	51	0.08
2	LAKE OF THE WOODS	BROOK TROUT	2009	3	42.5	0.07
			2010	13	51	0.25
		BULL TROUT	2001	19	77	0.25
			2002	10	80.5	0.12
			2003	6	81	0.07
			2005	3	20	0.15
			2006	5	27	0.19
			2007	6	139	0.04
			2008	4	43	0.09
			2009	13	42.5	0.31
			2010	8	51	0.16
			2011	6	76	0.08
		LAKE TROUT	2006	1	27	0.04
			2010	8	51	0.16
			2011	5	76	0.07
		KOKANEE	2001	85	77	1.10
			2002	2	80.5	0.02
			2003	2	81	0.02
			2005	5	20	0.25
3	LAKE SUPERIOR	WHITEFISH	2010	1	51	0.02
		YELLOW PERCH	2006	1	27	0.04
			2007	13	139	0.09
		NORTHERN PIKE	2001	16	77	0.21
			2002	8	80.5	0.10

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	SWAN LAKE	NORTHERN PIKE	2003	10	81	0.12
			2005	1	20	0.05
			2006	8	27	0.30
			2007	80	139	0.58
			2008	11	43	0.26
			2009	1	42.5	0.02
		SALMON	2007	46	139	0.33
			2011	1	76	0.01
	SWAN RIVER SEC 01	RAINBOW TROUT	2001	3	12	0.25
			2003	4	9	0.44
			2004	28	23	1.22
			2005	8	7	1.14
			2006	6	8.5	0.71
			2007	1	9	0.11
			2008	2	11.5	0.17
			2009	130	150	0.87
		CUTTHROAT TROUT	2010	9	119	0.08
			2011	19	70.5	0.27
	SWAN RIVER SEC 02	BROOK TROUT	2001	6	12	0.50
			2003	2	9	0.22
			2004	10	23	0.43
			2005	1	7	0.14
			2006	4	8.5	0.47
			2007	3	9	0.33
			2009	8	150	0.05
			2010	22	119	0.18
		BULL TROUT	2011	1	70.5	0.01
			2004	1	23	0.04
		LAKE TROUT	2006	2	8.5	0.24
			2010	6	119	0.05
			2011	5	70.5	0.07
	SWAN RIVER SEC 02	WHITEFISH	2005	1	7	0.14
			2009	5	150	0.03
			2010	1	119	0.01
			2011	4	70.5	0.06
		YELLOW PERCH	2001	1	12	0.08
			2009	8	150	0.05
			2010	3	119	0.03
		NORTHERN PIKE	2003	9	9	1.00
			2006	1	8.5	0.11
			2003	1	9	0.12
		RAINBOW TROUT	2001	39	25.5	1.53
			2002	23	37.5	0.61
			2003	14	21.5	0.65
			2004	4	11	0.36
			2005	52	35	1.49

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	SWAN RIVER SEC 02	RAINBOW TROUT	2006	52	33.5	1.55
			2007	15	13.5	1.11
			2008	48	24	2.00
		CUTTHROAT TROUT	2001	11	25.5	0.43
			2002	5	37.5	0.13
			2003	3	21.5	0.14
			2004	1	11	0.09
			2005	15	35	0.43
			2006	9	33.5	0.27
			2007	3	13.5	0.22
			2008	11	24	0.46
			2009	7	2	3.50
		BROOK TROUT	2001	2	25.5	0.08
			2003	1	21.5	0.05
			2005	2	35	0.06
			2006	6	33.5	0.18
			2009	1	2	0.50
		BULL TROUT	2002	1	37.5	0.03
			2003	1	21.5	0.05
			2005	2	35	0.06
			2006	3	33.5	0.09
			2008	1	24	0.04
	SYLVAN LAKE	BROOK TROUT	2003	1	0.7	1.43
			2007	6	3.4	1.76
			2008	3	2.8	1.07
			2010	2	1.3	1.54
		REDSIDE SHINER	2008	10	2.8	3.57
			2010	1	1.3	0.77
	SYLVIA LAKE	CUTTHROAT TROUT	2001	16	6.7	2.39
			2002	11	6	1.83
			2003	1	7.5	0.13
			2004	37	10	3.70
			2005	6	3.1	1.94
			2006	8	5.3	1.51
			2007	5	2.2	2.27
			2009	1	1	1.00
			2010	2	2	1.00
		ARCTIC GRAYLING	2001	1	6.7	0.15
			2002	1	6	0.17
			2003	21	7.5	2.80
			2004	28	10	2.80
			2005	5	3.1	1.61
			2006	4	5.3	0.75
			2007	1	2.2	0.45
	TALLY LAKE	RAINBOW TROUT	2010	4	24	0.17
			2011	1	17.5	0.06
		BROOK TROUT	2003	1	4.3	0.23
			2011	4	17.5	0.23
		LAKE TROUT	2007	1	26.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	TALLY LAKE	LAKE TROUT	2011	6	17.5	0.34
		KOKANEE	2010	2	24	0.08
			2011	24	17.5	1.37
		NORTHERN PIKE	2011	1	17.5	0.06
		SALMON	2004	1	4	0.25
	TETRAULT LAKE	RAINBOW TROUT	2001	39	57.9	0.67
			2002	16	43.1	0.37
			2003	17	25.9	0.66
			2004	4	8.3	0.48
			2006	2	10.5	0.19
			2007	4	5.5	0.73
THOMPSON FALLS RESERVOIR	CUTTHROAT TROUT	CUTTHROAT TROUT	2001	55	57.9	0.95
			2002	8	43.1	0.19
			2003	3	25.9	0.12
			2005	1	8.8	0.11
			2007	1	5.5	0.18
	LARGEMOUTH BASS	KOKANEE	2001	4	57.9	0.07
			2005	2	8.8	0.23
		LARGEMOUTH BASS	2003	2	25.9	0.08
			2004	1	8.3	0.12
			2006	1	10.5	0.10
THOMPSON LAKE, LOWER	SMALLMOUTH BASS	SMALLMOUTH BASS	2009	1	9	0.11
		LARGEMOUTH BASS	2010	7	17.5	0.40
		NORTHERN PIKE	2001	21	46	0.46
			2002	18	27.5	0.65
			2003	4	5	0.80
	KOKANEE		2004	7	28.5	0.25
			2005	17	24.5	0.69
			2006	2	11.5	0.17
			2007	10	36	0.28
			2008	8	24.5	0.33
THOMPSON LAKE, LOWER	SMALLMOUTH BASS	2009	13	32.5	0.40	
			2010	7	17.5	0.40
		LARGEMOUTH BASS	2007	6	36	0.17
			2009	38	32.5	1.17
			2010	3	17.5	0.17
	LARGEMOUTH BASS	KOKANEE	2001	4	25	0.16
			2002	307	182.5	1.68
			2003	146	163	0.90
			2004	19	29.5	0.64
			2005	1	52.5	0.02
THOMPSON LAKE, LOWER	SUNFISH	LARGEMOUTH BASS	2006	15	15	1.00
			2007	58	49.5	1.17
			2009	11	23	0.48
			2010	12	30	0.40
		LARGEMOUTH BASS	2001	1	25	0.04
	YELLOW PERCH		2007	6	49.5	0.12
		SUNFISH	2007	4	49.5	0.08
		YELLOW PERCH	2001	27	25	1.08

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	THOMPSON LAKE, LOWER	YELLOW PERCH	2002	30	182.5	0.16
			2003	7	163	0.04
			2005	113	52.5	2.15
			2007	41	49.5	0.83
			2008	15	29	0.52
			2010	138	30	4.60
			2011	108	79	1.37
		NORTHERN PIKE	2003	9	163	0.06
			2004	1	29.5	0.03
			2005	5	52.5	0.10
			2007	3	49.5	0.06
			2010	10	30	0.33
			2011	34	79	0.43
		BLACK CRAPPIE	2007	1	49.5	0.02
		CHINOOK SALMON	2003	1	163	0.01
		SALMON	2007	50	49.5	1.01
			2008	11	29	0.38
THOMPSON RIVER SEC 01	RAINBOW TROUT	RAINBOW TROUT	2001	13	23.5	0.55
			2002	28	13.5	2.07
			2003	21	37	0.57
			2005	22	16.5	1.33
			2006	2	10	0.20
			2007	6	14.5	0.41
			2008	9	27	0.33
			2009	33	46	0.72
			2010	99	88.5	1.12
			2011	20	66.5	0.30
		CUTTHROAT TROUT	2001	7	23.5	0.30
			2002	3	13.5	0.22
			2005	2	16.5	0.12
			2009	8	46	0.17
			2010	1	88.5	0.01
			2011	7	66.5	0.11
BROOK TROUT	BROOK TROUT	BROOK TROUT	2001	23	23.5	0.98
			2007	15	14.5	1.03
			2009	23	46	0.50
			2010	14	88.5	0.16
			2011	42	66.5	0.63
		BROWN TROUT	2003	4	37	0.11
			2005	4	16.5	0.24
			2006	1	10	0.10
			2007	7	14.5	0.48
			2008	16	27	0.59
			2009	25	46	0.54
			2010	34	88.5	0.38
			2011	41	66.5	0.62
		BULL TROUT	2002	1	13.5	0.07
		ARCTIC GRAYLING	2005	16	16.5	0.97
		WHITEFISH	2001	1	23.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	THOMPSON RIVER SEC 01	WHITEFISH	2003	30	37	0.81
			2007	15	14.5	1.03
			2008	6	27	0.22
			2010	8	88.5	0.09
	THOMPSON RIVER SEC 02	BROOK TROUT	2004	4	7	0.57
		WHITEFISH	2001	5	2	2.50
	TOBACCO RIVER	RAINBOW TROUT	2001	41	11.7	3.50
			2002	56	25	2.24
			2003	89	26	3.42
			2004	38	6.5	5.85
			2005	6	11.5	0.52
			2006	35	14	2.50
			2007	31	16	1.94
			2008	4	10.2	0.39
			2009	26	19.5	1.33
			2010	30	13	2.31
			2011	41	18	2.28
	CUTTHROAT TROUT	CUTTHROAT TROUT	2001	4	11.7	0.34
			2002	9	25	0.36
			2003	23	26	0.88
			2006	2	14	0.14
			2008	2	10.2	0.20
			2009	9	19.5	0.46
			2010	5	13	0.38
			2011	2	18	0.11
			2002	4	25	0.16
			2003	2	26	0.08
	BULL TROUT	BULL TROUT	2010	1	13	0.08
			2002	6	25	0.24
			2003	6	26	0.23
			2005	1	11.5	0.09
			2008	4	10.2	0.39
			2009	1	19.5	0.05
			2011	3	18	0.17
			2002	3	25	0.12
			2005	5	11.5	0.43
			2006	20	14	1.43
	TOPLESS LAKE	RAINBOW TROUT	2007	15	16	0.94
			2008	16	10.2	1.57
			2009	33	19.5	1.69
			2011	46	18	2.56
			2001	1	2	0.50
			2002	1	1	1.00
			2003	7	3	2.33
			2004	3	2.5	1.20
			2005	16	6	2.67
			2006	4	4	1.00
			2007	5	4.8	1.04
			2009	4	2	2.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	TOPLESS LAKE	RAINBOW TROUT	2010	21	9.5	2.21
		CUTTHROAT TROUT	2002	2	1	2.00
			2003	1	3	0.33
			2004	2	2.5	0.80
			2005	1	6	0.17
			2006	3	4	0.75
			2007	10	4.8	2.08
			2010	4	9.5	0.42
	UPPER STILLWATER LAKE	RAINBOW TROUT	2002	1	28	0.04
			2009	3	27.5	0.11
		CUTTHROAT TROUT	2002	1	28	0.04
			2003	1	61	0.02
			2006	1	42.5	0.02
		BULL TROUT	2001	1	52.5	0.02
		LAKE TROUT	2001	3	52.5	0.06
			2002	1	28	0.04
			2003	4	61	0.07
			2004	2	6	0.33
			2005	2	29	0.07
			2008	1	22	0.05
			2009	4	27.5	0.15
	NORTHERN PIKE	YELLOW PERCH	2001	10	52.5	0.19
			2002	34	28	1.21
			2003	298	61	4.89
			2005	109	29	3.76
			2006	125	42.5	2.94
			2008	4	22	0.18
			2009	1	27.5	0.04
			2010	17	31	0.55
		NORTHERN PIKE	2001	13	52.5	0.25
			2002	3	28	0.11
			2003	2	61	0.03
			2004	4	6	0.67
	UPPER THOMPSON LAKE		2005	2	29	0.07
			2006	25	42.5	0.59
			2007	7	13	0.54
			2008	5	22	0.23
			2009	7	27.5	0.25
			2010	36	31	1.16
			2011	32	27	1.19
		LARGEMOUTH BASS	2005	1	22	0.05
			2009	2	76.2	0.03
			2010	1	34.2	0.03
			2011	1	45	0.02
	YELLOW PERCH		2001	441	106.5	4.14
			2002	210	54.5	3.85
			2003	54	47	1.15
			2005	44	22	2.00
			2006	126	31	4.06

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
1	UPPER THOMPSON LAKE	YELLOW PERCH	2007	38	18.5	2.05
			2008	127	17	7.47
			2009	247	76.2	3.24
			2010	69	34.2	2.02
			2011	388	45	8.62
		CRAPPIE	2011	20	45	0.44
		NORTHERN PIKE	2001	4	106.5	0.04
			2002	2	54.5	0.04
			2003	1	47	0.02
			2009	2	76.2	0.03
			2011	1	45	0.02
			2009	6	76.2	0.08
			2011	20	45	0.44
	WHITEFISH LAKE	RAINBOW TROUT	2011	1	38	0.03
		CUTTHROAT TROUT	2001	2	22	0.09
			2004	2	47	0.04
		LAKE TROUT	2001	12	22	0.55
			2002	11	7.5	1.47
			2003	2	7	0.29
			2004	33	47	0.70
			2005	5	16	0.31
			2006	2	8	0.25
			2007	5	15	0.33
			2008	1	7	0.14
			2009	6	22.5	0.27
			2010	2	14.5	0.14
			2011	18	38	0.47
	YAAK RIVER SEC 01	WHITEFISH	2001	2	22	0.09
		RAINBOW TROUT	2009	4	4.5	0.89
			2010	3	1	3.00
		CUTTHROAT TROUT	2002	1	5.5	0.18
			2009	1	4.5	0.22
		BROOK TROUT	2002	1	5.5	0.18
			2005	2	3	0.67
			2009	1	4.5	0.22
			2011	1	6	0.17
	YAAK RIVER SEC 02	RAINBOW TROUT	2005	2	1	2.00
			2001	5	7.5	0.67
			2006	5	33	0.15
			2007	11	14.75	0.75
			2008	1	19.25	0.05
		CUTTHROAT TROUT	2009	9	34	0.26
			2010	2	24.75	0.08
			2011	36	63.5	0.57
			2009	3	34	0.09
			2011	4	63.5	0.06
	BEAVERTAIL HILL POND	BROWN TROUT	2009	3	34	0.09
		LARGEMOUTH BASS	2011	25	63.5	0.39
		YELLOW PERCH	2001	15	7.5	2.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	BEAVERTAIL HILL POND	YELLOW PERCH	2006	6	33	0.18
			2011	6	63.5	0.09
		LONGNOSE SUCKER	2006	3	33	0.09
	BIG CREEK	RAINBOW TROUT	2001	1	9.5	0.11
			2007	1	7	0.14
		CUTTHROAT TROUT	2001	37	9.5	3.89
	BITTERROOT RIVER SEC 01		2005	16	2	8.00
			2007	11	7	1.57
		BROOK TROUT	2001	13	9.5	1.37
			2005	2	2	1.00
			2007	10	7	1.43
		BROWN TROUT	2001	12	9.5	1.26
			2005	10	2	5.00
			2007	14	7	2.00
		RAINBOW TROUT	2001	109	89	1.22
			2002	48	100	0.48
			2003	30	61	0.49
			2004	16	35.5	0.45
	CUTTHROAT TROUT		2005	109	145	0.75
			2006	98	113.5	0.86
			2007	142	138	1.03
			2008	165	523.5	0.32
			2009	108	331.9	0.33
			2010	111	330.95	0.34
			2011	51	118	0.43
		BROOK TROUT	2001	21	89	0.24
			2002	9	100	0.09
			2003	12	61	0.20
			2004	2	35.5	0.06
	BROWN TROUT		2005	50	145	0.34
			2006	39	113.5	0.34
			2007	23	138	0.17
			2008	67	523.5	0.13
			2009	46	331.9	0.14
			2010	86	330.95	0.26
			2011	13	118	0.11
		WHITEFISH	2003	11	61	0.18
			2005	80	145	0.55

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	BITTERROOT RIVER SEC 01	WHITEFISH	2006	14	113.5	0.12
			2008	163	523.5	0.31
			2009	136	331.9	0.41
			2010	11	330.95	0.03
		LARGEMOUTH BASS	2010	3	330.95	0.01
		YELLOW PERCH	2002	5	100	0.05
		NORTHERN PIKE	2007	34	138	0.25
			2008	3	523.5	0.01
			2010	2	330.95	0.01
		SALMON	2005	20	145	0.14
	BITTERROOT RIVER SEC 02	RAINBOW TROUT	2001	156	397.2	0.39
			2002	77	210.4	0.37
			2003	83	344.2	0.24
			2004	88	285.75	0.31
			2005	56	224	0.25
			2006	119	218.5	0.54
			2007	76	277.75	0.27
			2008	103	368.5	0.28
			2009	65	198	0.33
			2010	20	200.5	0.10
			2011	45	189.5	0.24
	CUTTHROAT TROUT		2001	172	397.2	0.43
			2002	78	210.4	0.37
			2003	283	344.2	0.82
			2004	161	285.75	0.56
			2005	176	224	0.79
			2006	156	218.5	0.71
			2007	106	277.75	0.38
			2008	193	368.5	0.52
			2009	100	198	0.51
			2010	70	200.5	0.35
			2011	94	189.5	0.50
	BROOK TROUT		2001	5	397.2	0.01
			2004	1	285.75	0.00
			2006	6	218.5	0.03
			2008	2	368.5	0.01
			2009	4	198	0.02
			2011	1	189.5	0.01
	BROWN TROUT		2001	95	397.2	0.24
			2002	31	210.4	0.15
			2003	69	344.2	0.20
			2004	21	285.75	0.07
			2005	14	224	0.06
			2006	39	218.5	0.18
			2007	29	277.75	0.10
			2008	58	368.5	0.16
			2009	16	198	0.08
			2010	10	200.5	0.05
			2011	6	189.5	0.03

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	BITTERROOT RIVER SEC 02	BULL TROUT	2001	1	397.2	0.00
		WHITEFISH	2001	9	397.2	0.02
			2002	2	210.4	0.01
			2003	1	344.2	0.00
			2005	12	224	0.05
			2006	26	218.5	0.12
			2007	31	277.75	0.11
			2008	70	368.5	0.19
			2009	7	198	0.04
			2010	2	200.5	0.01
			2011	5	189.5	0.03
	BLACKFOOT RIVER SEC 01	WALLEYE	2008	4	368.5	0.01
		RAINBOW TROUT	2001	34	76.5	0.44
			2002	7	55.5	0.13
			2003	3	28	0.11
			2004	5	14	0.36
			2005	7	16.5	0.42
			2006	2	11	0.18
	CUTTHROAT TROUT		2007	1	10	0.10
			2008	7	21	0.33
			2009	4	43	0.09
			2010	13	51.5	0.25
			2011	9	50	0.18
		CUTTHROAT TROUT	2001	6	76.5	0.08
			2002	12	55.5	0.22
			2003	19	28	0.68
			2004	9	14	0.64
			2005	4	16.5	0.24
			2006	2	11	0.18
	BROOK TROUT		2007	1	10	0.10
			2008	3	21	0.14
			2009	26	43	0.60
			2010	26	51.5	0.50
			2011	8	50	0.16
		BROWN TROUT	2005	1	16.5	0.06
			2001	11	76.5	0.14
			2002	4	55.5	0.07
			2003	1	28	0.04
			2005	1	16.5	0.06
	BULL TROUT		2006	1	11	0.09
			2008	1	21	0.05
			2009	3	43	0.07
			2010	15	51.5	0.29
			2011	1	50	0.02
		BULL TROUT	2001	22	76.5	0.29
			2005	1	16.5	0.06
			2009	1	43	0.02
			2010	3	51.5	0.06
			2011	2	50	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	BLACKFOOT RIVER SEC 01	WHITEFISH	2001	16	76.5	0.21
			2003	1	28	0.04
			2007	5	10	0.50
			2009	5	43	0.12
			2010	9	51.5	0.17
			2011	2	50	0.04
		NORTHERN PIKE	2001	5	76.5	0.07
			2002	9	55.5	0.16
			2003	1	28	0.04
		WHITE SUCKER	2011	1	50	0.02
		WALLEYE	2001	1	76.5	0.01
			2001	17	40	0.43
			2002	3	27	0.11
			2003	19	18	1.06
			2004	19	30.5	0.62
			2005	4	10	0.40
			2006	4	45.5	0.09
			2007	13	29	0.45
			2008	8	35.5	0.23
			2009	11	4	2.75
			2010	10	62.5	0.16
		CUTTHROAT TROUT	2001	4	40	0.10
			2002	15	27	0.56
			2003	4	18	0.22
			2004	10	30.5	0.33
			2006	6	45.5	0.13
			2007	5	29	0.17
			2008	26	35.5	0.73
			2009	3	4	0.75
			2010	146	62.5	2.34
			2011	4	7	0.57
		BROWN TROUT	2001	8	40	0.20
			2002	9	27	0.33
			2003	2	18	0.11
			2004	5	30.5	0.16
			2006	3	45.5	0.07
			2007	3	29	0.10
			2008	2	35.5	0.06
			2010	24	62.5	0.38
		BULL TROUT	2004	2	30.5	0.07
			2010	43	62.5	0.69
		WHITEFISH	2001	2	40	0.05
			2002	16	27	0.59
			2005	12	10	1.20
			2006	1	45.5	0.02
			2007	5	29	0.17
			2008	3	35.5	0.08
		SCULPIN	2006	1	45.5	0.02
		WHITE SUCKER	2001	3	40	0.08

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	BLACKFOOT RIVER SEC 04	RAINBOW TROUT	2001	1	16.5	0.06
			2002	2	16	0.13
		CUTTHROAT TROUT	2001	21	16.5	1.27
			2002	16	16	1.00
			2003	12	9	1.33
			2006	3	1.25	2.40
			2007	4	9	0.44
			2008	5	4	1.25
			2009	5	5	1.00
		BROWN TROUT	2001	16	16.5	0.97
			2002	21	16	1.31
			2003	35	9	3.89
			2007	2	9	0.22
			2008	2	4	0.50
			2009	1	5	0.20
		BULL TROUT	2001	1	16.5	0.06
			2007	2	9	0.22
		WHITEFISH	2001	5	16.5	0.30
			2002	11	16	0.69
		BROWNS LAKE	2001	3	16.5	0.18
			2001	3	18	0.17
			2002	33	72	0.46
			2003	10	94	0.11
			2007	4	28	0.14
			2008	3	23	0.13
			2009	11	35.5	0.31
			2010	5	59	0.08
			2011	15	44	0.34
		BROOK TROUT	2003	13	94	0.14
CLARK FORK RIVER SEC 02	RAINBOW TROUT	RAINBOW TROUT	2001	304	527.5	0.58
			2002	308	480.9	0.64
		CUTTHROAT TROUT	2003	76	227.6	0.33
			2004	96	169	0.57
			2005	49	101	0.49
			2006	51	129.5	0.39
			2007	28	81	0.35
			2008	53	186	0.28
			2009	38	207.5	0.18
			2010	34	176.5	0.19
			2011	6	151	0.04
		CUTTHROAT TROUT	2001	79	527.5	0.15
			2002	62	480.9	0.13
			2003	21	227.6	0.09
			2004	31	169	0.18
			2005	11	101	0.11
			2006	27	129.5	0.21
			2007	10	81	0.12
			2008	41	186	0.22
			2009	19	207.5	0.09

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	CLARK FORK RIVER SEC 02	CUTTHROAT TROUT	2010	85	176.5	0.48
			2011	3	151	0.02
		BROOK TROUT	2001	2	527.5	0.00
		BROWN TROUT	2001	15	527.5	0.03
			2002	13	480.9	0.03
			2003	3	227.6	0.01
			2004	3	169	0.02
			2006	1	129.5	0.01
			2008	12	186	0.06
			2009	2	207.5	0.01
			2010	3	176.5	0.02
		BULL TROUT	2002	1	480.9	0.00
			2003	1	227.6	0.00
			2004	1	169	0.01
			2009	1	207.5	0.00
			2010	1	176.5	0.01
		ARCTIC GRAYLING	2006	2	129.5	0.02
		WHITEFISH	2001	34	527.5	0.06
			2002	36	480.9	0.07
			2003	2	227.6	0.01
			2004	2	169	0.01
			2005	1	101	0.01
			2006	5	129.5	0.04
			2007	2	81	0.02
			2008	15	186	0.08
			2009	58	207.5	0.28
			2010	7	176.5	0.04
			2011	1	151	0.01
		LARGEMOUTH BASS	2001	1	527.5	0.00
		YELLOW PERCH	2001	29	527.5	0.05
			2003	1	227.6	0.00
			2009	498	207.5	2.40
			2010	983	176.5	5.57
			2011	660	151	4.37
		NORTHERN PIKE	2001	4	527.5	0.01
			2002	1	480.9	0.00
			2003	2	227.6	0.01
			2004	1	169	0.01
			2005	3	101	0.03
			2006	4	129.5	0.03
			2007	9	81	0.11
			2008	3	186	0.02
			2010	2	176.5	0.01
			2011	5	151	0.03
		PEAMOUTH	2001	1	527.5	0.00
			2011	1	151	0.01
		GOLDEYE	2001	1	527.5	0.00
		LONGNOSE SUCKER	2001	3	527.5	0.01
			2002	1	480.9	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	CLARK FORK RIVER SEC 02	WHITE SUCKER	2002	1	480.9	0.00
		SMALLMOUTH BASS	2001	4	527.5	0.01
			2008	40	186	0.22
		BLUEGILL	2001	1	527.5	0.00
		WALLEYE	2002	2	480.9	0.00
	Clark Fork River Sec 03	SPLAKE	2002	2	480.9	0.00
		RAINBOW TROUT	2008	9	23	0.39
			2009	2	28	0.07
			2010	4	23.5	0.17
			2011	4	20	0.20
4	CLARK FORK RIVER SEC 03	CUTTHROAT TROUT	2008	1	23	0.04
			2009	3	28	0.11
			2010	2	23.5	0.09
		BROWN TROUT	2008	2	23	0.09
			2009	18	28	0.64
	CLARK FORK RIVER SEC 04		2010	3	23.5	0.13
		WHITEFISH	2008	3	23	0.13
			2009	2	28	0.07
			2011	9	20	0.45
		RAINBOW TROUT	2001	6	17.1	0.35
	CLARK FORK RIVER SEC 04		2002	2	61.5	0.03
			2003	65	150.5	0.43
			2004	6	34.5	0.17
			2005	97	128.5	0.75
			2006	17	63.5	0.27
			2007	31	70.5	0.44
			2008	5	20	0.25
		CUTTHROAT TROUT	2001	4	17.1	0.23
			2002	4	61.5	0.07
			2003	13	150.5	0.09
			2004	2	34.5	0.06
5	CLARK FORK RIVER SEC 04		2005	15	128.5	0.12
			2006	2	63.5	0.03
			2007	3	70.5	0.04
			2008	1	20	0.05
			2010	2	11	0.18
	CLARK FORK RIVER SEC 05	BROOK TROUT	2001	1	17.1	0.06
		BROWN TROUT	2001	5	17.1	0.29
			2002	36	61.5	0.59
			2003	64	150.5	0.43
			2004	30	34.5	0.87
6	CLARK FORK RIVER SEC 05		2005	34	128.5	0.26
			2006	21	63.5	0.33
			2007	26	70.5	0.37
			2008	14	20	0.70
			2009	4	5	0.80
	CLARK FORK RIVER SEC 06		2010	7	11	0.64
			2011	5	9	0.56
		BULL TROUT	2002	3	61.5	0.05

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	CLARK FORK RIVER SEC 04	BULL TROUT	2003	3	150.5	0.02
		WHITEFISH	2002	1	61.5	0.02
			2003	3	150.5	0.02
			2005	36	128.5	0.28
			2006	7	63.5	0.11
			2007	8	70.5	0.11
		NORTHERN PIKE	2003	3	150.5	0.02
			2004	1	34.5	0.03
			2006	2	63.5	0.03
		SMALLMOUTH BASS	2001	6	17.1	0.35
	CLARK FORK RIVER SEC 05	RAINBOW TROUT	2001	7	78	0.09
			2002	5	72.5	0.07
			2003	12	67	0.18
			2005	1	47.5	0.02
			2006	1	50.5	0.02
			2007	2	90	0.02
			2008	7	65	0.11
			2009	3	91.5	0.03
			2010	20	76	0.26
		CUTTHROAT TROUT	2002	2	72.5	0.03
	CLEARWATER LAKE		2005	2	47.5	0.04
			2006	9	50.5	0.18
			2007	1	90	0.01
			2008	1	65	0.02
			2009	6	91.5	0.07
			2010	1	76	0.01
			2011	5	64	0.08
		BROWN TROUT	2001	476	78	6.10
			2002	323	72.5	4.46
			2003	231	67	3.45
			2004	21	22	0.95
			2005	194	47.5	4.08
			2006	158	50.5	3.13
			2007	332	90	3.69
			2008	195	65	3.00
			2009	169	91.5	1.85
			2010	152	76	2.00
			2011	161	64	2.52
	CLARK FORK RIVER SEC 04	BULL TROUT	2006	1	50.5	0.02
		WHITEFISH	2005	1	47.5	0.02
			2006	3	50.5	0.06
			2007	8	90	0.09
			2010	1	76	0.01
			2011	1	64	0.02
		RAINBOW TROUT	2004	1	10	0.10
	CLARK FORK RIVER SEC 05	CUTTHROAT TROUT	2002	1	7	0.14
			2003	7	10.5	0.67
			2004	3	10	0.30
			2005	1	6.5	0.15

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	CLEARWATER LAKE	CUTTHROAT TROUT	2006	5	10.5	0.48
			2007	10	23.5	0.43
			2008	8	31.5	0.25
			2009	2	23.8	0.08
			2010	8	19	0.42
			2011	62	63	0.98
		BROOK TROUT	2008	21	31.5	0.67
			2009	11	23.8	0.46
			2010	8	19	0.42
	CLEARWATER RIVER	BULL TROUT	2007	3	23.5	0.13
		RAINBOW TROUT	2002	1	4.5	0.22
			2004	6	2	3.00
			2007	1	6	0.17
			2008	2	3	0.67
		CUTTHROAT TROUT	2002	1	4.5	0.22
			2006	16	13	1.23
			2007	1	6	0.17
	COPPER CREEK	BROWN TROUT	2002	1	4.5	0.22
			2006	1	13	0.08
			2011	2	1	2.00
		KOKANEE	2002	5	4.5	1.11
		WHITEFISH	2003	2	6	0.33
		SALMON	2010	15	7	2.14
		CUTTHROAT TROUT	2002	3	3	1.00
			2006	8	2	4.00
			2007	28	5	5.60
			2008	101	30	3.37
			2009	28	9	3.11
			2009	51	22	2.32
			2010	7	2	3.50
			2010	51	17	3.00
			2011	19	8	2.38
			2011	1	1	1.00
	CRATER CREEK	BROOK TROUT	2004	53	2.5	21.20
			2005	14	2	7.00
			2007	10	5	2.00
			2011	1	1	1.00
		RAINBOW TROUT	2006	5	1	5.00
	CRATER LAKE		2007	1	1	1.00
	CRYSTAL LAKE	KOKANEE	2001	45	12	3.75
	DALY CREEK	CUTTHROAT TROUT	2001	7	1	7.00
			2002	35	3	11.67
			2003	20	4	5.00
			2004	63	6.5	9.69
			2005	54	4.5	12.00
			2006	106	12	8.83
			2007	30	2	15.00
			2008	15	2.5	6.00
			2009	36	4.5	8.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	DALY CREEK	CUTTHROAT TROUT	2010	61	63	0.97
			2011	1	0.3	3.33
			2001	1	1	1.00
			2003	1	4	0.25
			2004	2	6.5	0.31
			2005	5	4.5	1.11
			2006	5	12	0.42
			2007	2	2	1.00
			2008	1	2.5	0.40
			2009	2	4.5	0.44
DOG CREEK	DOG CREEK	CUTTHROAT TROUT	2010	2	63	0.03
			2002	19	18.5	1.03
			2003	8	2.5	3.20
			2005	3	3	1.00
			2006	12	2	6.00
			2007	4	2.5	1.60
			2008	20	31	0.65
			2009	8	6	1.33
			2009	8	7	1.14
			2010	20	20	1.00
E FK BITTERROOT RIVER	E FK BITTERROOT RIVER	BROWN TROUT	2011	18	16.5	1.09
			2002	1	18.5	0.05
			2008	4	31	0.13
			2009	6	7	0.86
			2002	22	18.5	1.19
			2006	8	2	4.00
			2008	13	31	0.42
			2009	3	7	0.43
			2010	1	20	0.05
			BULL TROUT	5	20	0.25
E FK BITTERROOT RIVER	E FK BITTERROOT RIVER	RAINBOW TROUT	2010	15	22.5	0.67
			2003	24	91.5	0.26
			2005	1	58	0.02
			2007	2	41	0.05
			2008	4	71.5	0.06
			2009	3	51	0.06
			2011	5	131	0.04
			CUTTHROAT TROUT	36	8	4.50
			2002	41	22.5	1.82
			2003	129	91.5	1.41
BULL TROUT	BULL TROUT	CUTTHROAT TROUT	2004	95	38.5	2.47
			2005	99	58	1.71
			2006	7	13.5	0.52
			2007	71	41	1.73
			2008	122	71.5	1.71
			2009	102	51	2.00
			2010	61	36.5	1.67
			2011	194	131	1.48
			BROOK TROUT	1	22.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	E FK BITTERROOT RIVER	BROOK TROUT	2010	1	36.5	0.03
		BROWN TROUT	2002	6	22.5	0.27
			2003	1	91.5	0.01
			2007	2	41	0.05
			2008	11	71.5	0.15
			2009	4	51	0.08
			2011	4	131	0.03
		BULL TROUT	2010	1	36.5	0.03
		WHITEFISH	2002	1	22.5	0.04
	FISH CREEK	RAINBOW TROUT	2001	12	5	2.40
			2002	2	25.8	0.08
			2003	4	30.5	0.13
			2007	5	5.5	0.91
			2009	9	30.5	0.30
			2009	3	3	1.00
		CUTTHROAT TROUT	2001	13	5	2.60
			2002	1	25.8	0.04
FISH LAKE	FLINT CREEK SEC 01		2003	6	30.5	0.20
		BROOK TROUT	2009	9	5.5	1.64
		BROWN TROUT	2002	1	3	0.33
			2009	4	30.5	0.13
			2010	20	14	1.43
		BROOK TROUT	2003	1	30.5	0.03
			2009	4	30.5	0.13
		BROWN TROUT	2002	1	25.8	0.04
			2009	1	30.5	0.03
		WHITEFISH	2002	1	25.8	0.04
	FISH LAKE	RAINBOW TROUT	2003	6	6	1.00
			2001	2	9.5	0.21
			2003	9	19.5	0.46
			2005	7	4.5	1.56
			2006	5	20	0.25
FLINT CREEK SEC 01	FLINT CREEK SEC 01		2007	3	18.5	0.16
			2008	1	14	0.07
			2010	6	22.5	0.27
			2011	1	23.5	0.04
		CUTTHROAT TROUT	2002	7	13.5	0.52
			2003	12	19.5	0.62
			2006	3	20	0.15
			2007	5	18.5	0.27
			2008	1	14	0.07
			2010	4	22.5	0.18
	FLINT CREEK SEC 01		2011	15	23.5	0.64
		BROOK TROUT	2007	3	18.5	0.16
			2010	1	22.5	0.04
			2011	2	23.5	0.09
		BROWN TROUT	2001	19	9.5	2.00
			2002	23	13.5	1.70
			2003	32	19.5	1.64

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	FLINT CREEK SEC 01	BROWN TROUT	2006	73	20	3.65
			2007	202	18.5	10.92
			2008	16	14	1.14
			2010	75	22.5	3.33
			2011	77	23.5	3.28
	FUSE LAKE	WHITEFISH	2001	16	9.5	1.68
			2011	7	23.5	0.30
	FLINT CREEK SEC 02	BROWN TROUT	2011	12	5	2.40
	GEORGETOWN LAKE	ARCTIC GRAYLING	2001	21	4	5.25
			2002	57	6	9.50
			2003	5	6	0.83
			2006	30	3	10.00
			2007	20	1.5	13.33
			2008	20	2	10.00
			2009	38	3	12.67
			2011	7	9	0.78
			2001	357	449.8	0.79
			2002	291	357.2	0.81
	CUTTHROAT TROUT	RAINBOW TROUT	2003	514	372	1.38
			2004	189	79.5	2.38
			2005	404	236.5	1.71
			2006	247	208.5	1.18
			2007	607	288	2.11
			2008	552	365.5	1.51
			2009	506	243.5	2.08
			2010	328	153.8	2.13
			2011	86	142	0.61
			2006	7	208.5	0.03
	BROWN TROUT	BROOK TROUT	2001	46	449.8	0.10
			2002	39	357.2	0.11
			2003	8	372	0.02
			2004	2	79.5	0.03
			2005	10	236.5	0.04
			2006	12	208.5	0.06
			2007	122	288	0.42
			2008	71	365.5	0.19
			2009	58	243.5	0.24
			2010	33	153.8	0.21
			2011	18	142	0.13
	KOKANEE	BROWN TROUT	2007	3	288	0.01
			2008	2	365.5	0.01
			2001	160	449.8	0.36
			2002	94	357.2	0.26
			2003	21	372	0.06
			2004	6	79.5	0.08
			2005	67	236.5	0.28
			2006	16	208.5	0.08
			2007	156	288	0.54
			2008	99	365.5	0.27

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	GEORGETOWN LAKE	KOKANEE	2009	63	243.5	0.26
			2010	5	153.8	0.03
			2011	8	142	0.06
		YELLOW PERCH	2005	9	236.5	0.04
		NORTHERN PIKE	2001	3	449.8	0.01
		REDSIDE SHINER	2007	28	288	0.10
			2008	23	365.5	0.06
			2009	1	243.5	0.00
			2010	4	153.8	0.03
		CHINOOK SALMON	2003	1	372	0.00
		SALMON	2004	2	79.5	0.03
			2005	25	236.5	0.11
			2006	26	208.5	0.12
			2007	71	288	0.25
			2008	264	365.5	0.72
			2009	49	243.5	0.20
			2010	17	153.8	0.11
			2011	16	142	0.11
		JOB CORPS POND	2001	2	9	0.22
			2001	2	10	0.20
			2002	1	6.5	0.15
			2003	1	11	0.09
			2005	6	14	0.43
			2006	3	9	0.33
			2008	1	9.67	0.10
			2009	4	12	0.33
			2010	10	6	1.67
		BROWN TROUT	2003	5	11	0.45
			2009	2	12	0.17
LAKE ALVA	RAINBOW TROUT	RAINBOW TROUT	2001	1	62	0.02
			2002	3	42.4	0.07
			2004	3	10	0.30
			2005	4	26.3	0.15
			2006	2	28.3	0.07
			2007	16	47	0.34
			2008	1	31.5	0.03
			2010	4	37.5	0.11
		CUTTHROAT TROUT	2001	4	62	0.06
			2002	6	42.4	0.14
			2003	6	47.2	0.13
			2004	4	10	0.40
			2005	3	26.3	0.11
			2006	1	28.3	0.04
			2007	38	47	0.81
			2008	1	31.5	0.03
			2009	21	37.5	0.56
			2010	2	37.5	0.05
			2011	5	16	0.31
		BROOK TROUT	2009	7	37.5	0.19

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	LAKE ALVA	BROOK TROUT	2010	1	37.5	0.03
		BROWN TROUT	2008	1	31.5	0.03
			2010	1	37.5	0.03
		BULL TROUT	2001	1	62	0.02
			2007	1	47	0.02
			2009	1	37.5	0.03
		KOKANEE	2001	49	62	0.79
			2002	16	42.4	0.38
			2003	10	47.2	0.21
			2005	9	26.3	0.34
			2006	15	28.3	0.53
			2007	16	47	0.34
			2009	4	37.5	0.11
			2010	22	37.5	0.59
		YELLOW PERCH	2001	11	62	0.18
			2002	3	42.4	0.07
			2003	6	47.2	0.13
LAKE INEZ	LAKE INEZ		2004	1	10	0.10
			2005	7	26.3	0.27
			2007	74	47	1.57
			2008	38	31.5	1.21
			2009	17	37.5	0.45
			2010	31	37.5	0.83
			2011	3	16	0.19
		NORTHERN PIKE	2010	1	37.5	0.03
		PUMPKINSEED	2008	7	31.5	0.22
			2010	10	37.5	0.27
LANDERS FORK BLACKFOOT R	LANDERS FORK BLACKFOOT R	SALMON	2010	1	37.5	0.03
		RAINBOW TROUT	2001	1	20	0.05
		CUTTHROAT TROUT	2001	7	20	0.35
			2003	7	27	0.26
			2006	15	44	0.34
			2007	13	42	0.31
			2011	1	6.5	0.15
		LAKE TROUT	2001	8	20	0.40
		KOKANEE	2003	19	27	0.70
			2011	7	6.5	1.08
		WHITEFISH	2006	4	44	0.09
		YELLOW PERCH	2006	3	44	0.07
		SALMON	2006	1	44	0.02
		CUTTHROAT TROUT	2001	3	4	0.75
			2002	9	5	1.80
			2003	7	4	1.75
			2005	15	4	3.75
			2006	7	3	2.33
			2007	8	2	4.00
			2008	6	3	2.00
			2009	15	5	3.00
			2010	12	3	4.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	LANDERS FORK BLACKFOOT R	CUTTHROAT TROUT	2011	6	9	0.67
	LITTLE BLACKFOOT R SEC 01	RAINBOW TROUT	2001	1	23.5	0.04
			2002	2	39	0.05
			2003	1	7.5	0.13
			2004	2	8	0.25
			2005	1	26	0.04
			2007	1	7	0.14
		CUTTHROAT TROUT	2001	4	23.5	0.17
			2002	6	39	0.15
			2005	3	26	0.12
			2006	16	42	0.38
			2008	2	10	0.20
			2009	14	25.5	0.55
			2010	16	26.5	0.60
			2011	5	13	0.38
		BROOK TROUT	2006	5	42	0.12
			2009	5	25.5	0.20
			2011	7	13	0.54
		BROWN TROUT	2001	24	23.5	1.02
			2002	31	39	0.79
			2003	13	7.5	1.73
			2004	5	8	0.63
			2005	32	26	1.23
			2006	49	42	1.17
			2007	1	7	0.14
			2008	3	10	0.30
			2009	21	25.5	0.82
			2010	20	26.5	0.75
			2011	3	13	0.23
		WHITEFISH	2001	8	23.5	0.34
			2002	31	39	0.79
			2003	5	7.5	0.67
			2004	5	8	0.63
			2005	40	26	1.54
			2006	1	42	0.02
			2009	7	25.5	0.27
			2010	32	26.5	1.21
	LITTLE BLACKFOOT R SEC 02	RAINBOW TROUT	2001	4	12	0.33
		CUTTHROAT TROUT	2001	4	12	0.33
			2003	15	10	1.50
			2004	10	9	1.11
			2005	4	5	0.80
			2006	2	3.5	0.57
			2007	3	6	0.50
			2008	8	9	0.89
			2009	2	1.5	1.33
		BROOK TROUT	2001	4	12	0.33
			2003	7	10	0.70
		BROWN TROUT	2001	9	12	0.75

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	LITTLE BLACKFOOT R SEC 02	BROWN TROUT	2003	10	10	1.00
			2004	1	9	0.11
			2005	3	5	0.60
			2006	4	3.5	1.14
			2007	9	6	1.50
			2008	7	9	0.78
	LOLO CREEK	WHITEFISH	2001	4	12	0.33
			2001	2	14.4	0.14
			2002	2	6	0.33
			2003	2	17	0.12
			2005	6	4	1.50
			2001	2	14.4	0.14
3	CUTTHROAT TROUT	CUTTHROAT TROUT	2002	4	6	0.67
			2003	96	17	5.65
			2005	10	4	2.50
			2006	2	2.5	0.80
			2008	7	2	3.50
			2011	1	5	0.20
	BROOK TROUT	BROOK TROUT	2001	1	14.4	0.07
			2002	1	6	0.17
			2003	3	17	0.18
			2006	2	2.5	0.80
			2008	3	2	1.50
			2001	1	14.4	0.07
4	BROWN TROUT	BROWN TROUT	2002	1	6	0.17
			2003	8	17	0.47
			2005	4	4	1.00
			2008	3	2	1.50
			2011	1	5	0.20
	BULL TROUT	BULL TROUT	2003	2	17	0.12
			2005	1	4	0.25
			2001	31	4.9	6.33
			2004	8	0.75	10.67
			2005	6	1.25	4.80
			2001	1	4.9	0.20
5	CUTTHROAT TROUT	CUTTHROAT TROUT	2004	2	0.75	2.67
			2001	31	4.9	6.33
			2004	8	0.75	10.67
			2005	6	1.25	4.80
			2001	1	4.9	0.20
			2004	2	0.75	2.67
	RAINFOW TROUT	RAINFOW TROUT	2007	1	3.5	0.29
			2003	25	3	8.33
			2010	3	13	0.23
			2011	11	6	1.83
			2003	4	3	1.33
			2007	4	3.5	1.14
6	CUTTHROAT TROUT	CUTTHROAT TROUT	2008	14	7	2.00
			2010	29	13	2.23
			2011	16	6	2.67
			2010	3	13	0.23
			2011	1	6	0.17
			2011	3	3	1.00
	BROWN TROUT	BROWN TROUT	2011	4	3	1.33
			2011	4	3	1.33
7	LOST HORSE LAKE	CUTTHROAT TROUT	2011	3	3	1.00
			2011	4	3	1.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	M FK ROCK CREEK	CUTTHROAT TROUT	2001	16	10	1.60
			2006	24	12	2.00
			2007	104	18.5	5.62
			2008	8	5.5	1.45
			2009	32	12	2.67
			2010	6	3	2.00
			2010	41	12	3.42
		BROOK TROUT	2011	41	32	1.28
			2006	2	12	0.17
			2007	12	18.5	0.65
			2008	2	5.5	0.36
		BROWN TROUT	2009	2	12	0.17
			2006	3	12	0.25
			2007	3	18.5	0.16
			2010	1	12	0.08
		WHITEFISH	2011	1	32	0.03
			2009	12	12	1.00
MILL CREEK	MILL CREEK	RAINBOW TROUT	2008	3	5	0.60
			2001	4	2	2.00
		CUTTHROAT TROUT	2002	2	5	0.40
			2005	2	8	0.25
			2006	4	5	0.80
			2007	20	10	2.00
			2008	4	5	0.80
			2009	11	12.5	0.88
			2009	29	4	7.25
			2009	60	13	4.62
			2010	2	3.5	0.57
			2010	2	1	2.00
			2010	60	12	5.00
			2011	7	2	3.50
			2011	3	3	1.00
		BROOK TROUT	2001	1	2	0.50
			2005	3	8	0.38
			2007	7	10	0.70
			2009	2	13	0.15
			2011	1	2	0.50
3	MILL CREEK	BROWN TROUT	2001	11	2	5.50
			2002	30	5	6.00
			2003	2	2	1.00
			2005	46	8	5.75
			2006	35	5	7.00
			2007	61	10	6.10
			2008	26	5	5.20
			2009	31	12.5	2.48
			2010	6	1	6.00
			2010	6	3.5	1.71
			2011	7	2	3.50
			2011	1	3	0.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	MILL CREEK	BULL TROUT	2009	1	13	0.08
	MILL LAKE	CUTTHROAT TROUT	2008	1	1.5	0.67
	MILLTOWN RESERVOIR	RAINBOW TROUT	2002	3	23	0.13
		BROOK TROUT	2002	1	23	0.04
		BROWN TROUT	2002	3	23	0.13
		BULL TROUT	2003	1	10	0.10
		NORTHERN PIKE	2001	11	17	0.65
			2002	1	23	0.04
			2003	1	10	0.10
	N FK BLACKFOOT RIVER	RAINBOW TROUT	2001	3	9	0.33
		CUTTHROAT TROUT	2001	10	9	1.11
			2002	40	18	2.22
			2003	2	4	0.50
			2005	4	10	0.40
			2007	2	15	0.13
			2009	9	13	0.69
			2010	18	7	2.57
			2011	36	36.5	0.99
		BROOK TROUT	2003	8	4	2.00
		BROWN TROUT	2005	1	10	0.10
			2007	2	15	0.13
	NEVADA LAKE	RAINBOW TROUT	2009	1	16.8	0.06
		CUTTHROAT TROUT	2003	1	2	0.50
		KOKANEE	2001	1	4	0.25
		YELLOW PERCH	2002	7	7	1.00
			2004	1	5	0.20
			2008	20	7	2.86
			2009	20	16.8	1.19
			2010	24	19.5	1.23
			2011	28	18	1.56
	NEZ PERCE FORK BITTERROOT R	CUTTHROAT TROUT	2001	26	4.5	5.78
			2002	19	3	6.33
			2003	16	1	16.00
			2004	29	4	7.25
			2005	28	2	14.00
			2007	25	2	12.50
			2008	4	1	4.00
	OVERWHICH CREEK	RAINBOW TROUT	2006	3	5	0.60
		CUTTHROAT TROUT	2001	8	1	8.00
			2002	16	1	16.00
			2003	13	1.5	8.67
			2004	14	2	7.00
			2005	11	2	5.50
			2006	12	5	2.40
			2007	19	2	9.50
			2008	24	4	6.00
			2009	9	2	4.50
			2010	16	1	16.00
		BROOK TROUT	2001	1	1	1.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	OVERWHICH CREEK	BROOK TROUT	2006	1	5	0.20
		WHITEFISH	2009	1	2	0.50
	PETTY CREEK	RAINBOW TROUT	2009	3	25	0.12
		CUTTHROAT TROUT	2001	4	3	1.33
			2009	14	25	0.56
		BROOK TROUT	2001	14	3	4.67
			2009	8	25	0.32
			2010	2	4	0.50
		BROWN TROUT	2009	2	25	0.08
	PLACID CREEK	BROOK TROUT	2001	1	0.7	1.43
	PLACID LAKE	RAINBOW TROUT	2001	1	21	0.05
			2007	1	23	0.04
			2011	2	24.5	0.08
		CUTTHROAT TROUT	2001	2	21	0.10
			2002	1	13	0.08
			2004	1	13	0.08
			2007	1	23	0.04
			2011	1	24.5	0.04
		BROOK TROUT	2004	1	13	0.08
		BROWN TROUT	2008	1	24.5	0.04
		KOKANEE	2001	4	21	0.19
			2002	3	13	0.23
			2003	1	12	0.08
			2005	5	14	0.36
			2006	1	29	0.03
			2007	1	23	0.04
			2008	1	24.5	0.04
			2011	13	24.5	0.53
		WHITEFISH	2008	1	24.5	0.04
		LARGEMOUTH BASS	2011	1	24.5	0.04
		SUNFISH	2001	18	21	0.86
		YELLOW PERCH	2001	34	21	1.62
			2002	5	13	0.38
			2003	9	12	0.75
			2004	19	13	1.46
			2005	2	14	0.14
			2006	24	29	0.83
			2007	17	23	0.74
			2008	20	24.5	0.82
			2009	1	14.7	0.07
			2010	4	1	4.00
			2011	13	24.5	0.53
		NORTHERN PIKE	2006	4	29	0.14
		PEAMOUTH	2006	1	29	0.03
			2007	2	23	0.09
			2008	1	24.5	0.04
			2009	1	14.7	0.07
			2011	29	24.5	1.18
		WHITE SUCKER	2006	1	29	0.03

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	PLACID LAKE	PUMPKINSEED	2004	38	13	2.92
			2011	1	24.5	0.04
	RAINY LAKE	CUTTHROAT TROUT	2002	6	4.4	1.36
			2006	15	17	0.88
			2007	80	88.5	0.90
			2008	43	45.6	0.94
			2009	80	78	1.03
			2010	33	50	0.66
			2011	21	27.25	0.77
		BROOK TROUT	2010	1	50	0.02
		BULL TROUT	2007	1	88.5	0.01
		YELLOW PERCH	2006	10	17	0.59
			2007	29	88.5	0.33
			2008	3	45.6	0.07
			2009	2	78	0.03
	RATTLESNAKE CREEK	RAINBOW TROUT	2002	2	3.5	0.57
			2003	3	6	0.50
		CUTTHROAT TROUT	2002	8	3.5	2.29
			2003	7	6	1.17
		BROWN TROUT	2003	1	6	0.17
		BULL TROUT	2002	1	3.5	0.29
	ROARING LION CREEK	CUTTHROAT TROUT	2006	70	10.5	6.67
			2007	37	4	9.25
			2008	26	3	8.67
			2009	36	8	4.50
			2010	42	7	6.00
			2011	4	2	2.00
		BROOK TROUT	2002	5	4	1.25
			2006	17	10.5	1.62
			2007	4	4	1.00
			2010	1	7	0.14
		BULL TROUT	2010	1	7	0.14
			2011	2	2	1.00
	ROCK CREEK SEC 01	RAINBOW TROUT	2001	202	292	0.69
			2002	118	257.6	0.46
			2003	52	155.8	0.33
			2004	6	25	0.24
			2005	29	104.5	0.28
			2006	49	93.5	0.52
			2007	43	48	0.90
			2008	79	110	0.72
			2009	49	121.5	0.40
		CUTTHROAT TROUT	2001	190	292	0.65
			2002	130	257.6	0.50
			2003	54	155.8	0.35
			2004	10	25	0.40
			2005	18	104.5	0.17
			2006	60	93.5	0.64
			2007	53	48	1.10

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	ROCK CREEK SEC 01	CUTTHROAT TROUT	2008	69	110	0.63
			2009	83	121.5	0.68
		BROOK TROUT	2001	6	292	0.02
			2002	20	257.6	0.08
			2003	9	155.8	0.06
			2006	1	93.5	0.01
			2009	2	121.5	0.02
			2010	2	17.5	0.11
		BROWN TROUT	2001	233	292	0.80
			2002	217	257.6	0.84
			2003	112	155.8	0.72
			2004	18	25	0.72
			2005	113	104.5	1.08
			2006	217	93.5	2.32
			2007	44	48	0.92
			2008	174	110	1.58
			2009	201	121.5	1.65
			2011	2	116.5	0.02
		BULL TROUT	2001	9	292	0.03
			2002	1	257.6	0.00
			2004	1	25	0.04
			2005	2	104.5	0.02
			2008	2	110	0.02
			2009	1	121.5	0.01
		LAKE TROUT	2001	1	292	0.00
		WHITEFISH	2001	36	292	0.12
			2002	6	257.6	0.02
			2003	14	155.8	0.09
			2005	5	104.5	0.05
			2007	2	48	0.04
			2008	4	110	0.04
			2009	24	121.5	0.20
		RAINBOW TROUT	2001	20	155.1	0.13
			2002	54	377.2	0.14
			2003	57	333	0.17
			2004	19	100	0.19
			2005	55	270	0.20
			2006	43	129.5	0.33
			2007	41	107	0.38
			2008	24	116.5	0.21
			2009	11	81.5	0.13
			2010	48	208	0.23
			2011	1	115	0.01
		CUTTHROAT TROUT	2001	194	155.1	1.25
			2002	687	377.2	1.82
			2003	430	333	1.29
			2004	119	100	1.19
			2005	306	270	1.13
			2006	49	129.5	0.38

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	ROCK CREEK SEC 02	CUTTHROAT TROUT	2007	66	107	0.62
			2008	70	116.5	0.60
			2009	73	81.5	0.90
			2010	127	208	0.61
			2011	59	115	0.51
		BROOK TROUT	2001	12	155.1	0.08
			2002	7	377.2	0.02
			2003	4	333	0.01
			2008	9	116.5	0.08
			2010	1	208	0.00
		BROWN TROUT	2001	162	155.1	1.04
			2002	605	377.2	1.60
			2003	502	333	1.51
			2004	101	100	1.01
			2005	260	270	0.96
			2006	135	129.5	1.04
			2007	181	107	1.69
			2008	180	116.5	1.55
			2009	82	81.5	1.01
			2010	305	208	1.47
			2011	8	115	0.07
		BULL TROUT	2001	14	155.1	0.09
			2002	30	377.2	0.08
			2003	17	333	0.05
			2004	7	100	0.07
			2005	16	270	0.06
			2006	1	129.5	0.01
			2008	2	116.5	0.02
			2010	1	208	0.00
			2011	1	115	0.01
		WHITEFISH	2001	15	155.1	0.10
			2002	11	377.2	0.03
			2003	9	333	0.03
			2005	8	270	0.03
			2008	2	116.5	0.02
			2009	1	81.5	0.01
			2010	45	208	0.22
		WHITE SUCKER	2005	2	270	0.01
	ROGMANS CREEK	BROWN TROUT	2001	1	4	0.25
S FK LOLO CREEK		CUTTHROAT TROUT	2001	84	9	9.33
			2004	19	4	4.75
			2007	12	1	12.00
			2008	51	10	5.10
			2009	11	5	2.20
			2010	34	7	4.86
		BROOK TROUT	2001	8	9	0.89
			2004	5	4	1.25
			2007	2	1	2.00
			2008	5	10	0.50

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	S FK LOLO CREEK	BROOK TROUT	2010	5	7	0.71
		BROWN TROUT	2001	1	9	0.11
			2004	4	4	1.00
			2007	1	1	1.00
			2008	1	10	0.10
			2009	2	5	0.40
			2010	1	7	0.14
		BULL TROUT	2001	1	9	0.11
			2008	1	10	0.10
	SALMON LAKE	CUTTHROAT TROUT	2006	1	88	0.01
			2010	2	54.5	0.04
		BROWN TROUT	2002	1	47	0.02
			2007	10	39	0.26
			2011	1	62.5	0.02
		KOKANEE	2002	3	47	0.06
			2011	2	62.5	0.03
		YELLOW PERCH	2002	2	47	0.04
3	NORTHERN PIKE		2005	19	131	0.15
			2006	24	88	0.27
			2007	2	39	0.05
			2008	4	17	0.24
			2009	7	64	0.11
			2010	69	54.5	1.27
			2011	9	62.5	0.14
		NORTHERN PIKE	2001	18	35	0.51
			2002	20	47	0.43
			2003	20	25	0.80
			2004	22	36	0.61
4	SAWTOOTH CREEK		2005	52	131	0.40
			2006	33	88	0.38
			2007	1	39	0.03
			2008	2	17	0.12
			2009	9	64	0.14
			2010	23	54.5	0.42
			2011	18	62.5	0.29
		BLUEGILL	2005	1	131	0.01
		RAINBOW TROUT	2003	4	4	1.00
			2004	6	4	1.50
			2005	7	6	1.17
			2011	3	2.5	1.20
5	CUTTHROAT TROUT		2002	9	1.5	6.00
			2003	3	4	0.75
			2004	9	4	2.25
			2005	4	6	0.67
			2010	6	3	2.00
			2011	1	2.5	0.40
		BROOK TROUT	2002	5	1.5	3.33
			2003	16	4	4.00
			2004	3	4	0.75

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	SAWTOOTH CREEK	BROOK TROUT	2005	10	6	1.67
			2006	1	3.5	0.29
			2009	1	1.5	0.67
			2010	1	3	0.33
			2011	1	2.5	0.40
		BROWN TROUT	2003	2	4	0.50
			2004	3	4	0.75
			2005	1	6	0.17
			2006	1	3.5	0.29
			2009	1	1.5	0.67
	SEELEY LAKE		2004	1	25	0.04
			2006	1	20	0.05
			2011	1	34.5	0.03
	YELLOW PERCH	KOKANEE	2004	10	25	0.40
		YELLOW PERCH	2001	2	18.5	0.11
			2004	1	25	0.04
			2006	1	20	0.05
			2008	15	14	1.07
		NORTHERN PIKE	2010	58	19.25	3.01
			2011	22	34.5	0.64
			2001	2	18.5	0.11
			2004	10	25	0.40
			2007	9	10	0.90
SKALKAHO CREEK	CUTTHROAT TROUT	RAINBOW TROUT	2008	5	14	0.36
			2009	5	17	0.29
			2010	1	19.25	0.05
			2011	16	34.5	0.46
		BLUEGILL	2008	1	14	0.07
			2010	3	19.25	0.16
			2007	1	20	0.05
			2001	22	3	7.33
			2002	5	1	5.00
		CUTTHROAT TROUT	2003	22	7.7	2.86
			2004	12	5	2.40
			2005	26	8.5	3.06
			2006	48	13.75	3.49
			2007	70	20	3.50
	BROOK TROUT	BROWN TROUT	2008	122	18	6.78
			2009	83	15.2	5.46
			2010	195	57	3.42
			2011	7	9	0.78
		BULL TROUT	2006	1	13.75	0.07
			2007	2	20	0.10
			2009	1	15.2	0.07
	BROWN TROUT	BULL TROUT	2003	1	7.7	0.13
			2006	4	13.75	0.29
			2007	6	20	0.30
		BULL TROUT	2008	3	18	0.17
			2009	3	15.2	0.20

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	SKALKaho CREEK	BULL TROUT	2010	11	57	0.19
			2011	3	9	0.33
	SLEEPING CHILD CREEK	CUTTHROAT TROUT	2003	8	2	4.00
			2004	46	4	11.50
			2005	13	1.5	8.67
			2006	19	4	4.75
			2007	112	11	10.18
			2008	21	4	5.25
			2009	31	10.5	2.95
			2010	102	25	4.08
			2011	54	15.2	3.55
		BROOK TROUT	2007	6	11	0.55
			2010	1	25	0.04
			2011	1	15.2	0.07
		BROWN TROUT	2004	1	4	0.25
			2007	3	11	0.27
			2008	8	4	2.00
			2010	1	25	0.04
		BULL TROUT	2006	1	4	0.25
	ST REGIS RIVER	RAINBOW TROUT	2003	1	3	0.33
			2005	1	9.5	0.11
		CUTTHROAT TROUT	2003	2	3	0.67
			2005	12	9.5	1.26
			2007	1	4	0.25
			2011	4	4	1.00
		WHITEFISH	2003	1	3	0.33
	UPPER WILLOW CREEK	CUTTHROAT TROUT	2004	12	1	12.00
			2005	20	1	20.00
			2006	6	1	6.00
			2007	5	2	2.50
			2008	7	2	3.50
			2009	1	1.5	0.67
			2010	30	6	5.00
			2011	7	2.5	2.80
		BROOK TROUT	2007	5	2	2.50
			2010	8	6	1.33
			2011	5	2.5	2.00
		BROWN TROUT	2006	1	1	1.00
			2008	11	2	5.50
		BULL TROUT	2007	1	2	0.50
			2010	1	6	0.17
	UPSATA LAKE	YELLOW PERCH	2001	25	8	3.13
			2002	100	23	4.35
			2003	156	20	7.80
			2004	180	15.5	11.61
			2006	75	16	4.69
			2007	100	12.5	8.00
			2008	18	5	3.60
			2009	25	8.7	2.87

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	UPSATA LAKE	YELLOW PERCH	2010	152	22.75	6.68
		NORTHERN PIKE	2004	1	15.5	0.06
			2010	2	22.75	0.09
	W FK BITTERROOT RESERVOIR	CUTTHROAT TROUT	2007	3	7	0.43
			2008	6	1	6.00
	W FK BITTERROOT RIVER	RAINBOW TROUT	2001	20	84.7	0.24
			2002	18	83.5	0.22
			2003	43	163.5	0.26
			2004	16	94.5	0.17
			2005	9	143.5	0.06
			2006	11	69.5	0.16
			2007	25	83	0.30
			2008	8	54	0.15
			2009	13	85.5	0.15
			2010	18	158.5	0.11
			2011	5	90	0.06
	CUTTHROAT TROUT	CUTTHROAT TROUT	2001	111	84.7	1.31
			2002	107	83.5	1.28
			2003	120	163.5	0.73
			2004	99	94.5	1.05
			2005	169	143.5	1.18
			2006	38	69.5	0.55
			2007	193	83	2.33
			2008	141	54	2.61
			2009	69	85.5	0.81
			2010	83	158.5	0.52
			2011	61	90	0.68
	BROOK TROUT	BROOK TROUT	2001	5	84.7	0.06
			2002	4	83.5	0.05
			2003	4	163.5	0.02
			2004	1	94.5	0.01
			2006	2	69.5	0.03
			2007	4	83	0.05
			2009	1	85.5	0.01
			2010	16	158.5	0.10
			2002	4	83.5	0.05
			2003	14	163.5	0.09
	BROWN TROUT	BROWN TROUT	2004	4	94.5	0.04
			2005	6	143.5	0.04
			2007	2	83	0.02
			2008	8	54	0.15
			2009	3	85.5	0.04
			2010	22	158.5	0.14
			2011	5	90	0.06
			2002	1	83.5	0.01
			2003	1	163.5	0.01
			2006	1	69.5	0.01
	BULL TROUT	BULL TROUT	2008	1	54	0.02
			2007	1	83	0.01
	KOKANEE	KOKANEE	2007	1	83	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
2	W FK BITTERROOT RIVER	ARCTIC GRAYLING	2005	1	143.5	0.01
		WHITEFISH	2002	1	83.5	0.01
			2010	2	158.5	0.01
		RAINBOW TROUT	2001	23	33.7	0.68
			2002	4	27.2	0.15
			2003	8	15	0.53
			2005	1	4.5	0.22
			2009	3	4	0.75
			2001	15	33.7	0.45
			2002	9	27.2	0.33
		CUTTHROAT TROUT	2003	5	15	0.33
			2007	2	16	0.13
			2008	1	25	0.04
			2008	8	2	4.00
			BROOK TROUT	2001	4	33.7
			2002	1	27.2	0.04
	WILLOW CREEK RES, LOWER	BROWN TROUT	2001	124	33.7	3.68
			2002	20	5	4.00
			2002	110	27.2	4.04
			2003	82	15	5.47
			2005	24	4.5	5.33
			2006	60	6	10.00
			2007	80	16	5.00
			2008	68	25	2.72
			2009	1	4	0.25
			2010	1	1	1.00
			2011	2	5	0.40
	WILLOW CREEK RESERVOIR	BULL TROUT	2001	3	33.7	0.09
			2002	1	27.2	0.04
			2007	1	16	0.06
		RAINBOW TROUT	2003	1	7	0.14
			2006	5	8	0.63
			2008	5	9	0.56
		CUTTHROAT TROUT	2001	15	16	0.94
			2002	10	12	0.83
			2003	58	7	8.29
		BROWN TROUT	2001	1	16	0.06
			2002	1	12	0.08
			2003	10	7	1.43
	3	CUTTHROAT TROUT	2003	12	3	4.00
			2005	10	4	2.50
			2008	13	6	2.17
			2011	44	16	2.75
		RAINBOW TROUT	2005	2	11	0.18
	BEAVER CREEK LAKE, LOWER	YELLOW PERCH	2004	8	59	0.14
			2005	6	11	0.55
			2008	4	45	0.09
			2009	26	14.5	1.79
			2011	9	29	0.31

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	BEAVER CREEK LAKE, LOWER	NORTHERN PIKE	2004	1	59	0.02
			2008	1	45	0.02
			2011	1	29	0.03
		SMALLMOUTH BASS	2005	1	11	0.09
		WALLEYE	2005	1	11	0.09
			2008	1	45	0.02
		RAINBOW TROUT	2001	4	46	0.09
			2002	10	18.5	0.54
			2003	1	31	0.03
			2006	7	11	0.64
			2007	2	75.5	0.03
			2008	4	50.25	0.08
			2009	1	49.9	0.02
			2010	1	21.5	0.05
			2011	2	46	0.04
		BROOK TROUT	2009	1	49.9	0.02
	BEAVERHEAD RIVER	BROWN TROUT	2001	167	46	3.63
			2002	83	18.5	4.49
			2003	183	31	5.90
			2004	17	3	5.67
			2005	92	26.5	3.47
			2006	48	11	4.36
			2007	123	75.5	1.63
			2008	90	50.25	1.79
			2009	109	49.9	2.18
			2010	60	21.5	2.79
			2011	72	46	1.57
	BIG HOLE RIVER SEC 01	WHITEFISH	2006	3	11	0.27
			2007	1	75.5	0.01
			2009	6	49.9	0.12
		RAINBOW TROUT	2001	73	174.3	0.42
			2002	134	364.7	0.37
			2003	55	238	0.23
			2004	45	99.5	0.45
			2005	109	205	0.53
			2006	95	169.75	0.56
			2007	90	157.5	0.57
			2008	68	197.5	0.34
			2009	136	185	0.74
			2010	147	307.25	0.48
			2011	37	172	0.22
	CUTTHROAT TROUT		2002	1	364.7	0.00
			2004	1	99.5	0.01
			2009	1	185	0.01
			2010	4	307.25	0.01
			2011	1	172	0.01
	BROOK TROUT		2001	1	174.3	0.01
			2002	2	364.7	0.01
			2005	3	205	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	BIG HOLE RIVER SEC 01	BROOK TROUT	2007	1	157.5	0.01
			2009	6	185	0.03
			2010	12	307.25	0.04
			2011	2	172	0.01
			2001	200	174.3	1.15
		BROWN TROUT	2002	245	364.7	0.67
			2003	101	238	0.42
			2004	120	99.5	1.21
			2005	96	205	0.47
			2006	147	169.75	0.87
			2007	160	157.5	1.02
			2008	100	197.5	0.51
			2009	113	185	0.61
			2010	170	307.25	0.55
			2011	44	172	0.26
		ARCTIC GRAYLING	2001	1	174.3	0.01
			2002	5	364.7	0.01
			2003	4	238	0.02
			2005	5	205	0.02
			2007	1	157.5	0.01
			2008	1	197.5	0.01
			2009	1	185	0.01
			2010	11	307.25	0.04
			2011	2	172	0.01
		WHITEFISH	2001	32	174.3	0.18
			2002	97	364.7	0.27
			2003	94	238	0.39
			2004	14	99.5	0.14
			2005	15	205	0.07
			2006	15	169.75	0.09
			2007	36	157.5	0.23
			2008	38	197.5	0.19
			2009	45	185	0.24
			2010	116	307.25	0.38
			2011	23	172	0.13
	BIG HOLE RIVER SEC 02	RAINBOW TROUT	2001	26	27.5	0.95
			2002	75	236	0.32
			2003	24	147	0.16
			2004	16	17.5	0.91
			2005	122	168.5	0.72
			2006	187	157.08	1.19
			2007	139	175	0.79
			2008	191	200	0.96
			2009	357	216	1.65
			2010	437	222	1.97
			2011	138	140	0.99
	CUTTHROAT TROUT	CUTTHROAT TROUT	2002	52	236	0.22
			2005	5	168.5	0.03
			2006	2	157.08	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	BIG HOLE RIVER SEC 02	CUTTHROAT TROUT	2011	1	140	0.01
		BROOK TROUT	2001	8	27.5	0.29
			2002	23	236	0.10
			2003	10	147	0.07
			2005	2	168.5	0.01
			2006	2	157.08	0.01
			2007	6	175	0.03
			2008	12	200	0.06
			2009	44	216	0.20
			2010	20	222	0.09
			2011	2	140	0.01
		BROWN TROUT	2001	12	27.5	0.44
			2002	49	236	0.21
			2003	162	147	1.10
			2004	8	17.5	0.46
			2005	402	168.5	2.39
			2006	473	157.08	3.01
			2007	390	175	2.23
			2008	444	200	2.22
			2009	557	216	2.58
			2010	640	222	2.88
			2011	226	140	1.61
		ARCTIC GRAYLING	2001	3	27.5	0.11
			2002	3	236	0.01
			2005	1	168.5	0.01
			2007	5	175	0.03
			2008	7	200	0.04
			2009	7	216	0.03
			2010	8	222	0.04
			2011	1	140	0.01
		WHITEFISH	2001	13	27.5	0.47
			2002	17	236	0.07
			2005	17	168.5	0.10
			2006	13	157.08	0.08
			2007	15	175	0.09
			2008	27	200	0.14
			2009	25	216	0.12
			2010	30	222	0.14
			2011	9	140	0.06
	BIG HOLE RIVER SEC 03	RAINBOW TROUT	2001	4	9.5	0.42
			2002	3	11.5	0.26
			2003	9	19	0.47
			2009	2	7	0.29
		CUTTHROAT TROUT	2003	1	19	0.05
		BROOK TROUT	2001	32	9.5	3.37
			2002	6	11.5	0.52
			2005	15	16.5	0.91
			2006	100	30	3.33
			2007	122	27	4.52

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	BIG HOLE RIVER SEC 03	BROOK TROUT	2008	22	5	4.40
			2009	14	7	2.00
			2010	14	9.5	1.47
			2011	11	11.5	0.96
		BROWN TROUT	2003	7	19	0.37
			2006	1	30	0.03
			2007	1	27	0.04
		ARCTIC GRAYLING	2001	1	9.5	0.11
			2002	5	11.5	0.43
			2003	1	19	0.05
			2005	1	16.5	0.06
			2006	1	30	0.03
			2011	2	11.5	0.17
		WHITEFISH	2001	12	9.5	1.26
			2003	3	19	0.16
			2006	39	30	1.30
			2007	16	27	0.59
			2008	8	5	1.60
			2009	3	7	0.43
			2010	1	9.5	0.11
			2011	4	11.5	0.35
BIG SHEEP CREEK	RAINBOW TROUT	RAINBOW TROUT	2001	1	3	0.33
			2002	2	4	0.50
			2003	1	3	0.33
			2009	1	3	0.33
		CUTTHROAT TROUT	2002	1	4	0.25
			2001	3	3	1.00
		BROWN TROUT	2002	1	4	0.25
			2003	7	3	2.33
			2005	1	2	0.50
			2008	5	3.83	1.31
			2009	1	3	0.33
			2001	75	41.9	1.79
BOULDER RIVER	RAINBOW TROUT	RAINBOW TROUT	2002	25	47	0.53
			2003	73	43.5	1.68
			2004	33	27.5	1.20
			2005	119	60	1.98
			2006	108	77.5	1.39
			2007	18	13.5	1.33
			2008	62	57.5	1.08
			2009	114	52.5	2.17
			2010	59	39.75	1.48
			2011	89	52	1.71
		CUTTHROAT TROUT	2005	5	60	0.08
			2006	19	77.5	0.25
			2008	2	57.5	0.03
			2010	7	39.75	0.18
	BROOK TROUT	BROOK TROUT	2001	10	41.9	0.24
			2002	1	47	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	BOULDER RIVER	BROOK TROUT	2003	11	43.5	0.25
			2004	3	27.5	0.11
			2005	11	60	0.18
			2006	10	77.5	0.13
			2007	3	13.5	0.22
			2008	25	57.5	0.43
			2009	7	52.5	0.13
			2010	1	39.75	0.03
		BROWN TROUT	2001	15	41.9	0.36
			2002	4	47	0.09
			2003	3	43.5	0.07
			2004	11	27.5	0.40
			2005	10	60	0.17
			2006	24	77.5	0.31
			2007	5	13.5	0.37
			2008	17	57.5	0.30
			2009	9	52.5	0.17
			2010	48	39.75	1.21
			2011	11	52	0.21
		WHITEFISH	2004	1	27.5	0.04
			2006	4	77.5	0.05
			2010	1	39.75	0.03
	BROWNES LAKE	RAINBOW TROUT	2006	6	4	1.50
			2007	1	9	0.11
		CUTTHROAT TROUT	2007	1	9	0.11
		BROOK TROUT	2003	6	2	3.00
			2006	24	4	6.00
			2007	31	9	3.44
			2010	17	4	4.25
	CALIFORNIA CREEK	RAINBOW TROUT	2001	12	10	1.20
			2002	2	7	0.29
			2003	7	5	1.40
			2006	10	3	3.33
			2008	1	2	0.50
			2009	2	3.5	0.57
		BROOK TROUT	2001	67	10	6.70
			2002	10	7	1.43
			2003	6	5	1.20
			2006	11	3	3.67
			2008	27	2	13.50
			2009	29	3.5	8.29
		BROWN TROUT	2006	1	3	0.33
	CANYON LAKE	RAINBOW TROUT	2007	6	3	2.00
			2011	1	5	0.20
		CUTTHROAT TROUT	2001	9	4.5	2.00
			2002	31	5	6.20
			2003	29	4.5	6.44
			2005	12	4.5	2.67
			2009	8	5	1.60

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	CANYON LAKE	BROOK TROUT	2001	5	4.5	1.11
			2002	10	5	2.00
			2003	13	4.5	2.89
			2007	15	3	5.00
			2009	10	5	2.00
	CLARK CANYON RESERVOIR	BROWN TROUT	2011	1	5	0.20
		RAINBOW TROUT	2001	152	568.5	0.27
			2002	15	81.5	0.18
			2003	32	80	0.40
			2006	5	62	0.08
4	CHANNEL CATFISH		2007	149	90.5	1.65
			2008	42	30.5	1.38
			2009	11	56	0.20
			2010	14	34	0.41
			2011	6	15	0.40
	CROW CREEK	BROWN TROUT	2001	15	568.5	0.03
			2002	1	81.5	0.01
			2003	8	80	0.10
			2006	13	62	0.21
			2007	2	90.5	0.02
5	CRISTAL LAKE		2008	8	30.5	0.26
		WHITEFISH	2001	3	568.5	0.01
		YELLOW PERCH	2001	1	568.5	0.00
		CHANNEL CATFISH	2009	41	56	0.73
		BURBOT	2001	8	568.5	0.01
	CUTTHROAT TROUT		2002	31	81.5	0.38
			2009	1	56	0.02
		RAINBOW TROUT	2001	3	3	1.00
			2002	30	18	1.67
			2003	22	2	11.00
6	KOKANEE		2004	3	3	1.00
			2005	12	4	3.00
			2006	10	1.5	6.67
			2007	5	1.5	3.33
			2008	15	3	5.00
	KOKANEE		2010	4	4	1.00
			2011	5	3	1.67
		BROOK TROUT	2001	3	3	1.00
			2002	16	18	0.89
			2003	2	2	1.00
7	KOKANEE		2005	3	4	0.75
			2006	4	1.5	2.67
			2007	1	1.5	0.67
		RAINBOW TROUT	2001	1	1	1.00
			2009	1	77.5	0.01
	KOKANEE	CUTTHROAT TROUT	2006	3	9	0.33
		BROOK TROUT	2011	5	1	5.00
		KOKANEE	2003	43	10	4.30
			2004	77	28.5	2.70

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	CRYSTAL LAKE	KOKANEE	2005	80	40	2.00
			2006	16	9	1.78
			2007	2	3	0.67
			2009	155	77.5	2.00
	YELLOW PERCH		2004	1	28.5	0.04
			2009	1	77.5	0.01
	DAILEY LAKE	SALMON	2005	4	40	0.10
		RAINBOW TROUT	2001	3	48	0.06
			2004	2	66.5	0.03
4	BROOK TROUT		2005	1	60.5	0.02
			2007	15	140.5	0.11
			2005	6	60.5	0.10
	YELLOW PERCH		2001	123	48	2.56
			2002	93	58	1.60
			2003	319	96.7	3.30
			2004	349	66.5	5.25
			2005	137	60.5	2.26
			2006	171	87.5	1.95
			2007	365	140.5	2.60
5	WALLEYE		2008	128	67	1.91
			2009	83	61.5	1.35
			2010	461	165.5	2.79
		BULLHEAD	2006	5	87.5	0.06
		WALLEYE	2001	10	48	0.21
			2002	21	58	0.36
			2003	21	96.7	0.22
			2004	2	66.5	0.03
			2005	4	60.5	0.07
			2006	2	87.5	0.02
6	DAILY CREEK		2007	28	140.5	0.20
		YELLOW PERCH	2008	21	5	4.20
7	DEEP CREEK	RAINBOW TROUT	2001	5	2.2	2.27
			2001	1	2	0.50
			2002	4	15	0.27
			2003	3	6.5	0.46
			2004	16	14	1.14
			2005	6	4	1.50
			2005	9	6.5	1.38
			2006	9	6	1.50
			2007	3	1	3.00
			2008	5	3	1.67
8	BROOK TROUT		2009	1	3.5	0.29
			2009	10	5	2.00
			2011	3	6	0.50
			2001	28	2	14.00
			2002	22	15	1.47

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	DEEP CREEK	BROOK TROUT	2004	4	14	0.29
			2005	13	6.5	2.00
			2005	1	4	0.25
			2006	20	6	3.33
			2007	5	1	5.00
			2008	1	3	0.33
			2009	4	3.5	1.14
			2011	10	6	1.67
		ARCTIC GRAYLING	2007	1	1	1.00
	DEER CREEK	RAINBOW TROUT	2009	6	17.5	0.34
		BROOK TROUT	2009	6	17.5	0.34
DEER LAKE	CUTTHROAT TROUT	2004	12	1.5	8.00	
			2006	14	1.5	9.33
	RAINBOW TROUT	2006	8	12.5	0.64	
			2008	1	14.5	0.07
DELMO LAKE	CUTTHROAT TROUT	2003	3	7	0.43	
			2004	35	20.5	1.71
			2005	94	31	3.03
			2006	14	12.5	1.12
			2007	19	17.5	1.09
			2008	5	14.5	0.34
	RAINBOW TROUT	2009	15	15	1.00	
			2010	11	9.5	1.16
			2011	35	21	1.67
			2004	3	6	0.50
			2005	11	8	1.38
			2008	3	8	0.38
DEPUY SPRING CREEK	CUTTHROAT TROUT	2009	53	52	1.02	
			2010	26	30	0.87
			2007	8	4	2.00
			2009	2	52	0.04
		BROOK TROUT	2009	1	52	0.02
	BROWN TROUT	2004	1	6	0.17	
			2005	3	8	0.38
			2007	6	4	1.50
			2009	57	52	1.10
			2010	39	30	1.30
EARTHQUAKE LAKE	WHITEFISH	2009	3	52	0.06	
		RAINBOW TROUT	2001	63	41	1.54
			2002	29	19	1.53
			2003	81	20.5	3.95
		CUTTHROAT TROUT	2001	1	41	0.02
	BROWN TROUT		2003	1	20.5	0.05
			2001	12	41	0.29
			2002	11	19	0.58
			2003	7	20.5	0.34
		WHITEFISH	2001	7	41	0.17
EAST GALLATIN RIVER	RAINBOW TROUT		2003	3	20.5	0.15
			2001	19	6.5	2.92

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	EAST GALLATIN RIVER	RAINBOW TROUT	2002	2	8	0.25
			2003	7	2.5	2.80
			2004	7	17.5	0.40
			2005	180	48.5	3.71
			2006	30	22.5	1.33
			2007	3	12	0.25
			2008	2	8.5	0.24
			2009	256	137.5	1.86
			2010	107	66	1.62
			2011	2	28	0.07
		BROOK TROUT	2010	1	66	0.02
		BROWN TROUT	2001	2	6.5	0.31
			2002	1	8	0.13
			2004	4	17.5	0.23
			2005	11	48.5	0.23
			2006	43	22.5	1.91
			2007	4	12	0.33
			2008	1	8.5	0.12
			2009	154	137.5	1.12
			2010	97	66	1.47
			2011	2	28	0.07
		WHITEFISH	2009	6	137.5	0.04
	ENNIS LAKE	RAINBOW TROUT	2001	1	6	0.17
			2002	6	15.5	0.39
			2003	6	23	0.26
			2004	21	41	0.51
			2005	74	109.5	0.68
			2006	99	104	0.95
			2007	76	130.5	0.58
			2008	102	160	0.64
			2009	31	94	0.33
			2010	27	62	0.44
			2011	6	31.5	0.19
		CUTTHROAT TROUT	2003	1	23	0.04
		BROOK TROUT	2006	1	104	0.01
			2009	6	94	0.06
		BROWN TROUT	2001	5	6	0.83
			2002	5	15.5	0.32
			2003	7	23	0.30
			2004	15	41	0.37
			2005	63	109.5	0.58
			2006	47	104	0.45
			2007	114	130.5	0.87
			2008	97	160	0.61
			2009	35	94	0.37
			2010	13	62	0.21
			2011	4	31.5	0.13
		ARCTIC GRAYLING	2005	1	109.5	0.01
		WHITEFISH	2007	20	130.5	0.15

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	ENNIS LAKE	WHITEFISH	2010	10	62	0.16
		LAKE WHITEFISH	2007	2	130.5	0.02
		UTAH CHUB	2004	6	41	0.15
			2007	33	130.5	0.25
			2008	13	160	0.08
		WHITE SUCKER	2007	1	130.5	0.01
			2008	3	160	0.02
		RAINBOW TROUT	2003	5	1.5	3.33
			2005	12	9	1.33
			2006	12	4	3.00
			2009	5	2	2.50
		BROOK TROUT	2003	6	1.5	4.00
			2005	23	9	2.56
			2006	10	4	2.50
			2009	6	2	3.00
		ARCTIC GRAYLING	2006	1	4	0.25
GALLATIN RIVER SEC 01	RAINBOW TROUT	RAINBOW TROUT	2001	1	11.7	0.09
			2002	12	10	1.20
			2004	3	17.5	0.17
			2005	53	25	2.12
			2006	5	7.5	0.67
			2007	2	10.5	0.19
			2008	1	11	0.09
			2009	19	26.5	0.72
			2010	12	17	0.71
			2011	3	6	0.50
		CUTTHROAT TROUT	2001	1	11.7	0.09
		BROOK TROUT	2010	3	17	0.18
GALLATIN RIVER SEC 02	BROWN TROUT	BROWN TROUT	2001	1	11.7	0.09
			2002	2	10	0.20
			2004	12	17.5	0.69
			2005	20	25	0.80
			2006	5	7.5	0.67
			2007	4	10.5	0.38
			2008	1	11	0.09
			2009	23	26.5	0.87
			2010	1	17	0.06
		ARCTIC GRAYLING	2004	4	17.5	0.23
	WHITEFISH	WHITEFISH	2001	2	11.7	0.17
			2005	9	25	0.36
			2009	2	26.5	0.08
			2010	5	17	0.29
		RAINBOW TROUT	2001	83	74.2	1.12
			2002	125	69	1.81
			2003	66	36	1.83
			2004	5	47.5	0.11
			2005	59	94	0.63
			2006	293	166.5	1.76
			2007	898	257	3.49

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	GALLATIN RIVER SEC 02	RAINBOW TROUT	2008	119	64.5	1.84
			2009	855	216.5	3.95
			2010	278	169.5	1.64
			2011	191	177	1.08
		CUTTHROAT TROUT	2001	4	74.2	0.05
			2005	1	94	0.01
			2006	3	166.5	0.02
			2007	7	257	0.03
			2009	4	216.5	0.02
			2010	4	169.5	0.02
			2011	1	177	0.01
		BROOK TROUT	2002	3	69	0.04
			2006	6	166.5	0.04
			2007	2	257	0.01
			2008	4	64.5	0.06
			2009	4	216.5	0.02
			2011	6	177	0.03
		BROWN TROUT	2001	86	74.2	1.16
			2002	65	69	0.94
			2003	45	36	1.25
			2004	3	47.5	0.06
			2005	20	94	0.21
			2006	157	166.5	0.94
			2007	97	257	0.38
			2008	50	64.5	0.78
			2009	116	216.5	0.54
			2010	182	169.5	1.07
			2011	73	177	0.41
		WHITEFISH	2001	30	74.2	0.40
			2002	25	69	0.36
			2003	1	36	0.03
			2005	9	94	0.10
			2006	16	166.5	0.10
			2007	6	257	0.02
			2008	20	64.5	0.31
			2009	45	216.5	0.21
			2010	62	169.5	0.37
			2011	18	177	0.10
			GALLATIN RIVER SEC 03	RAINBOW TROUT	87.6	1.72
				151	38.2	1.65
				63	20.5	2.54
				52	10.5	0.57
				6	26	1.38
				36	53	2.09
				111	65	2.35
				153	182.75	5.29
				966	216.75	2.25
				487	117	3.53
				413	53	0.08
				4		

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	GALLATIN RIVER SEC 03	CUTTHROAT TROUT	2001	10	87.6	0.11
			2003	2	20.5	0.10
			2005	3	26	0.12
			2007	7	65	0.11
			2008	7	182.75	0.04
			2009	4	216.75	0.02
			2010	4	117	0.03
		BROOK TROUT	2009	1	216.75	0.00
		BROWN TROUT	2001	12	87.6	0.14
			2002	7	38.2	0.18
			2003	1	20.5	0.05
			2005	1	26	0.04
			2006	4	53	0.08
			2007	19	65	0.29
			2008	46	182.75	0.25
			2009	54	216.75	0.25
			2010	25	117	0.21
		WHITEFISH	2001	1	87.6	0.01
			2002	4	38.2	0.10
			2007	4	65	0.06
			2008	12	182.75	0.07
			2009	60	216.75	0.28
			2010	4	117	0.03
	Gardner River	RAINBOW TROUT	2007	338	87.5	3.86
			2008	196	38.5	5.09
			2009	80	35.5	2.25
			2010	82	60.5	1.36
		CUTTHROAT TROUT	2007	17	87.5	0.19
			2008	30	38.5	0.78
			2009	17	35.5	0.48
			2010	27	60.5	0.45
		BROWN TROUT	2007	134	87.5	1.53
			2008	54	38.5	1.40
			2009	27	35.5	0.76
			2010	44	60.5	0.73
		WHITEFISH	2007	6	87.5	0.07
			2008	12	38.5	0.31
			2009	1	35.5	0.03
			2010	4	60.5	0.07
	GLEN LAKE	RAINBOW TROUT	2001	4	5	0.80
			2003	3	14.8	0.20
			2009	10	60	0.17
			2010	1	1	1.00
		CUTTHROAT TROUT	2003	5	14.8	0.34
		BULL TROUT	2003	1	14.8	0.07
		KOKANEE	2001	16	5	3.20
			2003	1	14.8	0.07
			2006	64	35	1.83
			2008	5	4	1.25

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	GLEN LAKE	KOKANEE	2009	90	60	1.50
			2011	14	2	7.00
		YELLOW PERCH	2003	1	14.8	0.07
			2006	54	35	1.54
			2008	3	4	0.75
			2009	124	60	2.07
	GRASSHOPPER CREEK	RAINBOW TROUT	2002	1	2	0.50
		BROOK TROUT	2001	8	7	1.14
			2002	3	2	1.50
			2009	2	2	1.00
		BROWN TROUT	2001	73	7	10.43
			2002	8	2	4.00
			2004	1	1	1.00
			2009	1	2	0.50
			2011	2	1	2.00
4	HAYPRESS LAKE	RAINBOW TROUT	2001	13	8	1.63
			2002	18	11.5	1.57
			2004	19	8	2.38
			2005	13	7	1.86
			2006	5	5	1.00
			2007	12	5	2.40
			2008	75	17	4.41
			2009	64	13	4.92
			2010	27	8	3.38
			2011	30	11	2.73
	HEBGEN LAKE	CUTTHROAT TROUT	2001	58	163	0.36
			2002	275	301.5	0.91
			2003	147	184	0.80
			2004	21	94	0.22
			2005	24	97	0.25
			2006	43	155	0.28
			2007	14	48	0.29
			2008	51	34	1.50
			2009	41	56	0.73
			2010	50	133.5	0.37
			2011	16	74	0.22
			2001	2	163	0.01
5	WHITEFISH	BROWN TROUT	2001	24	163	0.15
			2002	45	301.5	0.15
			2003	22	184	0.12
			2004	7	94	0.07
			2005	3	97	0.03
			2006	6	155	0.04
			2007	1	48	0.02
			2008	1	34	0.03
			2009	4	56	0.07
			2010	7	133.5	0.05
			2011	8	74	0.11
			2002	1	301.5	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	HEBGEN LAKE	WHITEFISH	2007	1	48	0.02
		UTAH CHUB	2002	19	301.5	0.06
			2003	4	184	0.02
			2011	1	74	0.01
	HIDDEN LAKE	RAINBOW TROUT	2007	2	3	0.67
		CUTTHROAT TROUT	2006	18	10	1.80
			2007	1	11.5	0.09
			2009	33	35.3	0.93
			2011	2	4	0.50
	HYALITE CREEK	GOLDEN TROUT	2006	7	3	2.33
			2007	5	3	1.67
			2009	4	3	1.33
		NORTHERN PIKE	2009	2	35.3	0.06
		RAINBOW TROUT	2004	6	14	0.43
	HYALITE CREEK SEC 01		2005	133	15	8.87
			2006	51	16.5	3.09
			2007	76	7	10.86
			2009	24	17.5	1.37
			2010	108	20.5	5.27
			2011	92	12.5	7.36
		CUTTHROAT TROUT	2008	10	8	1.25
			2009	3	17.5	0.17
			2010	1	20.5	0.05
		BROOK TROUT	2005	6	15	0.40
	HYALITE CREEK SEC 02		2007	8	7	1.14
			2010	1	20.5	0.05
			2011	2	12.5	0.16
		BROWN TROUT	2005	1	15	0.07
			2007	3	7	0.43
			2009	1	17.5	0.06
			2010	5	20.5	0.24
			2011	5	12.5	0.40
		RAINBOW TROUT	2003	4	0.5	8.00
			2005	108	13	8.31
	HYALITE CREEK SEC 02		2007	16	25.5	0.63
			2008	73	19.5	3.74
		CUTTHROAT TROUT	2005	2	13	0.15
			2007	15	25.5	0.59
			2008	2	19.5	0.10
	HYALITE CREEK SEC 02	BROOK TROUT	2005	6	13	0.46
			2007	2	25.5	0.08
			2008	11	19.5	0.56
		BROWN TROUT	2005	1	13	0.08
			2007	4	25.5	0.16
			2008	8	19.5	0.41
	HYALITE CREEK SEC 02	RAINBOW TROUT	2006	147	16.5	8.91
		CUTTHROAT TROUT	2006	1	16.5	0.06
		BROOK TROUT	2006	12	16.5	0.73
		BROWN TROUT	2006	18	16.5	1.09

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	HYALITE LAKE	CUTTHROAT TROUT	2005	12	19	0.63
			2007	5	23	0.22
			2008	5	8	0.63
			2009	63	62.5	1.01
			2010	37	68	0.54
			2011	36	70.5	0.51
		BROOK TROUT	2007	1	23	0.04
			2009	6	62.5	0.10
			2010	38	68	0.56
			2011	15	70.5	0.21
		ARCTIC GRAYLING	2005	1	19	0.05
			2007	1	23	0.04
			2008	1	8	0.13
			2011	3	70.5	0.04
	HYALITE RESERVOIR	RAINBOW TROUT	2003	5	109	0.05
			2004	1	88.5	0.01
			2006	3	69.5	0.04
			2009	8	68	0.12
		CUTTHROAT TROUT	2001	75	100	0.75
			2002	97	63	1.54
			2003	106	109	0.97
			2004	116	88.5	1.31
			2005	168	76	2.21
			2006	118	69.5	1.70
			2007	85	54	1.57
			2008	71	45.5	1.56
			2009	118	68	1.74
			2010	85	45	1.89
			2011	89	30	2.97
	BROOK TROUT	BROOK TROUT	2001	36	100	0.36
			2002	28	63	0.44
			2003	39	109	0.36
			2004	18	88.5	0.20
			2005	12	76	0.16
			2006	6	69.5	0.09
			2007	20	54	0.37
			2008	2	45.5	0.04
			2009	13	68	0.19
			2010	30	45	0.67
			2011	4	30	0.13
	BROWN TROUT	BROWN TROUT	2003	4	109	0.04
			2004	4	88.5	0.05
			2005	1	76	0.01
	ARCTIC GRAYLING	ARCTIC GRAYLING	2001	22	100	0.22
			2002	36	63	0.57
			2003	17	109	0.16
			2004	3	88.5	0.03
			2005	19	76	0.25
			2006	3	69.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	HYALITE RESERVOIR	ARCTIC GRAYLING	2007	9	54	0.17
			2008	6	45.5	0.13
			2009	17	68	0.25
			2010	24	45	0.53
			2011	15	30	0.50
	INDIAN CREEK	RAINBOW TROUT	2004	40	6	6.67
			2007	30	4	7.50
		BROOK TROUT	2009	30	4	7.50
			2001	6	0.5	12.00
JACOBSON CREEK	RAINBOW TROUT	BROOK TROUT	2001	43	6	7.17
			2006	25	4	6.25
		CUTTHROAT TROUT	2010	1	3	0.33
			2002	3	24.5	0.12
			2003	3	34.5	0.09
	CUTTHROAT TROUT	BROWN TROUT	2005	1	12	0.08
			2007	1	4	0.25
		BROOK TROUT	2001	1	5	0.20
			2002	33	24.5	1.35
		BROWN TROUT	2003	52	34.5	1.51
			2005	3	12	0.25
		BROWN TROUT	2006	5	5	1.00
			2007	10	4	2.50
		BROWN TROUT	2008	34	13.25	2.57
			2001	13	5	2.60
JEFFERSON RIVER	RAINBOW TROUT	BROWN TROUT	2002	42	24.5	1.71
			2003	35	34.5	1.01
		BROWN TROUT	2005	2	12	0.17
			2006	1	5	0.20
		BROWN TROUT	2007	10	4	2.50
			2008	24	13.25	1.81
		ARCTIC GRAYLING	2005	1	12	0.08
			2002	1	24.5	0.04
	CUTTHROAT TROUT	ARCTIC GRAYLING	2003	9	34.5	0.26
			2007	1	4	0.25
		ARCTIC GRAYLING	2008	1	13.25	0.08
			2001	14	71	0.20
		BROWN TROUT	2002	21	105.5	0.20
			2004	16	20	0.80
		BROWN TROUT	2005	5	20	0.25
			2006	23	29.5	0.78
	BROWN TROUT	BROWN TROUT	2007	1	16	0.06
			2008	127	208.5	0.61
		BROWN TROUT	2009	68	177.75	0.38
			2010	19	46	0.41
		BROWN TROUT	2011	8	16	0.50
			2002	2	105.5	0.02
		BROWN TROUT	2001	39	71	0.55
			2002	72	105.5	0.68
		BROWN TROUT	2003	5	29.5	0.17

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	JEFFERSON RIVER	BROWN TROUT	2004	32	20	1.60
			2005	14	20	0.70
			2006	37	29.5	1.25
			2007	5	16	0.31
			2008	77	208.5	0.37
			2009	26	177.75	0.15
			2010	20	46	0.43
			2011	3	16	0.19
		WHITEFISH	2004	6	20	0.30
			2005	4	20	0.20
			2006	7	29.5	0.24
			2008	15	208.5	0.07
			2009	1	177.75	0.01
			2010	1	46	0.02
		CHANNEL CATFISH	2008	5	208.5	0.02
		COMMON CARP	2004	1	20	0.05
			2009	1	177.75	0.01
		WHITE SUCKER	2001	1	71	0.01
		RAINBOW SMELT	2009	1	177.75	0.01
LAKE AGNES	LAKE AGNES	ARCTIC GRAYLING	2001	118	8.5	13.88
			2002	173	9	19.22
			2003	144	14	10.29
			2005	73	5	14.60
			2006	45	5	9.00
			2007	173	13.5	12.81
			2008	43	21	2.05
			2009	26	3	8.67
			2010	95	9	10.56
			2001	16	4	4.00
LAKE LEVINSKY	LAKE LEVINSKY	RAINBOW TROUT	2003	1	3	0.33
			2006	19	6	3.17
			2007	2	3	0.67
			2009	3	4	0.75
			2010	2	2	1.00
		CUTTHROAT TROUT	2003	2	3	0.67
			2009	2	4	0.50
			2009	6	4	1.50
			2006	1	6	0.17
LION LAKE	LION LAKE	RAINBOW TROUT	2001	3	1	3.00
			2002	10	1	10.00
			2004	3	1	3.00
			2005	2	1	2.00
			2009	9	7	1.29
		CUTTHROAT TROUT	2004	1	7.5	0.13
			2004	3	1	3.00
		YELLOW PERCH	2004	4	7.5	0.53
			2009	1	7	0.14
LOWER BEAVER CREEK LAKE	LOWER BEAVER CREEK LAKE	RAINBOW TROUT	2005	2	11	0.18
		YELLOW PERCH	2004	8	59	0.14

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	LOWER BEAVER CREEK LAKE	YELLOW PERCH	2005	6	11	0.55
			2008	4	45	0.09
			2009	26	14.5	1.79
			2011	9	29	0.31
		NORTHERN PIKE	2004	1	59	0.02
			2008	1	45	0.02
			2011	1	29	0.03
		SMALLMOUTH BASS	2005	1	11	0.09
			2008	1	11	0.09
		WALLEYE	2005	1	45	0.02
			2008	1	11	0.09
		MADISON RIVER SEC 01	2001	932	453.5	2.06
			2002	346	282.8	1.22
			2003	396	209.9	1.89
			2004	97	69.5	1.40
			2005	477	269	1.77
			2006	636	257.8	2.47
			2007	870	265	3.28
			2008	503	240.33	2.09
			2009	559	270.75	2.06
			2010	269	91.5	2.94
			2011	370	180	2.06
		CUTTHROAT TROUT	2001	18	453.5	0.04
			2002	3	282.8	0.01
		BROOK TROUT	2001	1	453.5	0.00
			2002	4	282.8	0.01
			2007	1	265	0.00
			2009	2	270.75	0.01
		BROWN TROUT	2001	393	453.5	0.87
			2002	262	282.8	0.93
			2003	250	209.9	1.19
			2004	75	69.5	1.08
			2005	164	269	0.61
			2006	164	257.8	0.64
			2007	283	265	1.07
			2008	220	240.33	0.92
			2009	122	270.75	0.45
			2010	38	91.5	0.42
			2011	57	180	0.32
		ARCTIC GRAYLING	2004	1	69.5	0.01
			2006	1	257.8	0.00
		WHITEFISH	2001	89	453.5	0.20
			2002	30	282.8	0.11
			2003	19	209.9	0.09
			2005	59	269	0.22
			2006	27	257.8	0.10
			2007	33	265	0.12
			2008	22	240.33	0.09
			2009	84	270.75	0.31
			2010	1	91.5	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	MADISON RIVER SEC 01	WHITEFISH	2011	2	180	0.01
		LAKE WHITEFISH	2001	1	453.5	0.00
		WHITE SUCKER	2001	6	453.5	0.01
		RAINBOW SMELT	2009	5	270.75	0.02
		RAINBOW TROUT	2001	180	230.5	0.78
	MADISON RIVER SEC 02		2002	183	183.7	1.00
			2003	195	135.5	1.44
			2004	60	61.5	0.98
			2005	35	73.25	0.48
			2006	139	107	1.30
			2007	66	103.5	0.64
			2008	88	79.25	1.11
			2009	391	273.75	1.43
			2010	435	229.5	1.90
			2011	93	150.5	0.62
		CUTTHROAT TROUT	2002	2	183.7	0.01
			2006	1	107	0.01
		BROOK TROUT	2001	1	230.5	0.00
MADISON RIVER SEC 03	MADISON RIVER SEC 03	BROWN TROUT	2001	265	230.5	1.15
			2002	170	183.7	0.93
			2003	81	135.5	0.60
			2004	15	61.5	0.24
			2005	37	73.25	0.51
			2006	94	107	0.88
			2007	109	103.5	1.05
			2008	28	79.25	0.35
			2009	197	273.75	0.72
			2010	160	229.5	0.70
			2011	61	150.5	0.41
		WHITEFISH	2001	9	230.5	0.04
			2002	7	183.7	0.04
			2004	12	61.5	0.20
			2005	4	73.25	0.05
			2006	4	107	0.04
			2007	6	103.5	0.06
			2008	1	79.25	0.01
			2009	68	273.75	0.25
			2010	110	229.5	0.48
			2011	59	150.5	0.39
		SCULPIN	2010	6	229.5	0.03
		RAINBOW TROUT	2001	10	14.5	0.69
			2002	17	27	0.63
			2003	20	2	10.00
			2005	13	10	1.30
			2006	14	28	0.50
			2007	21	36.5	0.58
			2008	13	32.5	0.40
			2009	30	37	0.81
			2010	20	38	0.53

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	MADISON RIVER SEC 03	CUTTHROAT TROUT	2009	2	37	0.05
		BROWN TROUT	2001	7	14.5	0.48
			2002	10	27	0.37
			2003	1	2	0.50
			2005	2	10	0.20
			2006	9	28	0.32
			2007	31	36.5	0.85
			2008	17	32.5	0.52
			2009	15	37	0.41
			2010	15	38	0.39
		WHITEFISH	2002	1	27	0.04
			2003	15	2	7.50
			2005	1	10	0.10
			2006	9	28	0.32
			2007	11	36.5	0.30
			2008	20	32.5	0.62
MISSOURI RIVER SEC 11	MISSOURI RIVER SEC 11	LAKE WHITEFISH	2002	7	27	0.26
		RAINBOW TROUT	2001	10	23.5	0.43
			2002	5	19.5	0.26
			2003	8	17.5	0.46
			2006	4	6	0.67
			2008	2	12.5	0.16
			2009	20	20	1.00
			2010	25	47.5	0.53
			2011	7	49.5	0.14
		BROWN TROUT	2001	8	23.5	0.34
MISSOURI RIVER SEC 12	MISSOURI RIVER SEC 12		2006	2	6	0.33
			2009	2	20	0.10
			2010	4	47.5	0.08
		COMMON CARP	2001	2	23.5	0.09
			2005	28	18	1.56
			2007	2	8.5	0.24
			2008	1	12.5	0.08
			2009	3	20	0.15
		WALLEYE	2009	2	20	0.10
			2010	2	47.5	0.04
N FK BIG HOLE RIVER	N FK BIG HOLE RIVER	RAINBOW TROUT	2002	1	9	0.11
			2010	1	1	1.00
		BROWN TROUT	2001	1	3.2	0.31
			2002	1	9	0.11
			2008	2	1.5	1.33
			2011	1	2	0.50
		BROOK TROUT	2003	16	6	2.67
			2006	25	3	8.33
			2007	3	2	1.50
			2010	34	6	5.67
			2011	23	6.5	3.54

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	N FK BIG HOLE RIVER	BROWN TROUT	2005	8	6	1.33
		WHITEFISH	2003	1	6	0.17
	PARK LAKE	RAINBOW TROUT	2001	4	10	0.40
		CUTTHROAT TROUT	2001	15	10	1.50
			2004	1	1.5	0.67
			2006	8	9	0.89
			2007	7	8	0.88
			2008	14	21	0.67
			2009	3	6	0.50
			2010	17	11	1.55
	PINTLAR CREEK	BROOK TROUT	2011	2	13.5	0.15
		ARCTIC GRAYLING	2001	1	10	0.10
			2002	4	2	2.00
			2006	36	9	4.00
			2007	46	8	5.75
			2008	94	21	4.48
			2009	49	6	8.17
			2010	27	11	2.45
			2011	12	13.5	0.89
		RAINBOW TROUT	2005	1	2	0.50
PINTLAR LAKE	PINTLAR CREEK	BROOK TROUT	2001	20	5	4.00
			2003	13	6	2.17
			2005	15	2	7.50
			2007	2	0.5	4.00
		ARCTIC GRAYLING	2005	1	2	0.50
	PINTLAR LAKE	RAINBOW TROUT	2005	3	10	0.30
			2006	1	5	0.20
		BROOK TROUT	2005	4	10	0.40
			2006	3	5	0.60
			2010	4	2.5	1.60
POINDEXTER SLOUGH			2011	2	7	0.29
ARCTIC GRAYLING		2005	2	10	0.20	
		2006	1	5	0.20	
		2011	2	7	0.29	
	RAINBOW TROUT	2008	1	7.5	0.13	
BROWN TROUT	BROWN TROUT	2001	7	1	7.00	
		2003	5	3.5	1.43	
		2005	18	10.5	1.71	
		2006	5	3.5	1.43	
		2007	10	4	2.50	
PRICKLY PEAR CREEK	RAINBOW TROUT		2008	23	7.5	3.07
			2009	16	13	1.23
			2010	27	14	1.93
			2011	28	20.5	1.37
			2001	6	18.8	0.32
	BROOK TROUT		2002	6	5.7	1.05
			2005	2	3	0.67
			2002	1	5.7	0.18
			2008	1	3	0.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	PRICKLY PEAR CREEK	BROWN TROUT	2001	10	18.8	0.53
			2002	4	5.7	0.70
	QUAKE LAKE	RAINBOW TROUT	2004	14	42.5	0.33
			2005	93	18	5.17
			2006	6	10	0.60
			2007	88	32.5	2.71
			2008	64	50.5	1.27
			2009	7	20	0.35
			2010	47	31.5	1.49
			2011	18	10	1.80
		CUTTHROAT TROUT	2005	1	18	0.06
		BROWN TROUT	2004	18	42.5	0.42
			2005	16	18	0.89
			2007	9	32.5	0.28
			2008	36	50.5	0.71
			2009	8	20	0.40
			2010	40	31.5	1.27
			2011	2	10	0.20
		WHITEFISH	2005	1	18	0.06
			2007	1	32.5	0.03
			2009	1	20	0.05
			2010	3	31.5	0.10
		LAKE WHITEFISH	2007	1	32.5	0.03
	RED ROCK CREEK	CUTTHROAT TROUT	2006	3	0.5	6.00
			2008	3	4	0.75
			2010	1	10	0.10
		ARCTIC GRAYLING	2006	17	0.5	34.00
			2008	3	4	0.75
			2010	1	10	0.10
	RUBY RIVER RESERVOIR	RAINBOW TROUT	2001	92	103.5	0.89
			2003	35	24.5	1.43
			2004	23	44.5	0.52
			2005	18	14	1.29
			2006	20	22	0.91
			2007	20	17	1.18
			2008	30	26.5	1.13
			2009	66	64.5	1.02
			2010	46	121	0.38
			2011	71	136	0.52
		CUTTHROAT TROUT	2007	2	17	0.12
		BROWN TROUT	2001	1	103.5	0.01
			2003	3	24.5	0.12
			2004	10	44.5	0.22
			2008	2	26.5	0.08
			2009	2	64.5	0.03
			2010	1	121	0.01
			2011	2	136	0.01
		ARCTIC GRAYLING	2007	2	17	0.12
		WHITEFISH	2003	1	24.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	RUBY RIVER SEC 01	RAINBOW TROUT	2001	5	1	5.00
			2003	15	24	0.63
			2005	18	9.5	1.89
			2006	9	27	0.33
			2007	2	21.5	0.09
			2008	6	7.5	0.80
			2009	31	62.5	0.50
			2010	1	7	0.14
			2011	15	24	0.63
		CUTTHROAT TROUT	2007	1	21.5	0.05
			2008	3	7.5	0.40
			2009	8	62.5	0.13
		BROWN TROUT	2003	15	24	0.63
			2006	14	27	0.52
			2007	20	21.5	0.93
			2008	3	7.5	0.40
			2009	44	62.5	0.70
			2010	5	7	0.71
			2011	1	24	0.04
		ARCTIC GRAYLING	2005	49	9.5	5.16
			2007	1	21.5	0.05
			2009	1	62.5	0.02
		WHITEFISH	2003	6	24	0.25
			2006	1	27	0.04
			2007	3	21.5	0.14
			2008	4	7.5	0.53
			2009	7	62.5	0.11
	RUBY RIVER SEC 02	RAINBOW TROUT	2001	2	4	0.50
			2002	1	2	0.50
			2011	3	0.5	6.00
		CUTTHROAT TROUT	2004	2	1.4	1.43
	SHIELDS RIVER SEC 01	RAINBOW TROUT	2001	2	1.5	1.33
			2005	5	6.5	0.77
			2008	2	2	1.00
		BROWN TROUT	2001	1	1.5	0.67
			2005	3	6.5	0.46
			2006	3	2	1.50
		WHITEFISH	2005	26	6.5	4.00
		LAKE WHITEFISH	2008	4	2	2.00
	SHIELDS RIVER SEC 02	CUTTHROAT TROUT	2002	2	6	0.33
			2011	3	2	1.50
		BROWN TROUT	2002	6	6	1.00
	SHIELDS RIVER SEC 03	CUTTHROAT TROUT	2010	3	6	0.50
		BROWN TROUT	2004	1	0.75	1.33
	SIXTEENMILE CREEK	RAINBOW TROUT	2001	4	6	0.67
			2002	2	5.5	0.36
			2007	3	3	1.00
			2008	7	1.25	5.60
			2011	19	3	6.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	SIXTEENMILE CREEK	CUTTHROAT TROUT	2004	7	2	3.50
		BROOK TROUT	2001	11	6	1.83
			2002	9	5.5	1.64
		BROWN TROUT	2007	3	3	1.00
			2008	4	1.25	3.20
	SOURDOUGH CREEK	RAINBOW TROUT	2005	15	5.5	2.73
			2006	3	2	1.50
			2008	2	1	2.00
		BROWN TROUT	2005	5	2	2.50
			2005	5	5.5	0.91
4	SPANISH CREEK		2006	8	2	4.00
			2008	1	1	1.00
		RAINBOW TROUT	2001	1	1	1.00
			2005	10	0.5	20.00
			2007	6	2	3.00
	STONE LAKE	BROOK TROUT	2001	12	1	12.00
			2007	24	2	12.00
		BROWN TROUT	2007	1	2	0.50
		CUTTHROAT TROUT	2001	1	4	0.25
			2002	4	3	1.33
5	SWAN LAKE		2002	2	2	1.00
			2006	4	1	4.00
			2008	17	4.17	4.08
			2008	21	10.5	2.00
			2009	5	4	1.25
			2011	9	7	1.29
			2011	3	8	0.38
		RAINBOW TROUT	2004	2	20.5	0.10
			2008	4	35.5	0.11
			2009	1	108	0.01
	NORTHERN PIKE		2011	1	62	0.02
		CUTTHROAT TROUT	2004	2	20.5	0.10
			2005	1	12	0.08
			2009	2	108	0.02
		BROOK TROUT	2010	1	183.5	0.01
		BULL TROUT	2006	1	8.5	0.12
			2008	2	35.5	0.06
			2009	7	108	0.06
6	LAKE TROUT		2010	16	183.5	0.09
			2011	13	62	0.21
		LAKE TROUT	2008	1	35.5	0.03
			2009	24	108	0.22
			2010	44	183.5	0.24
	KOKANEE		2011	19	62	0.31
		KOKANEE	2004	1	20.5	0.05
			2009	3	108	0.03
	NORTHERN PIKE		2010	20	183.5	0.11
		NORTHERN PIKE	2004	1	20.5	0.05
			2009	2	108	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	SWAN LAKE	SALMON	2007	16	11.5	1.39
			2008	97	35.5	2.73
			2009	7	108	0.06
	TAYLOR FORK GALLATIN RIVER	RAINBOW TROUT	2001	9	10	0.90
			2002	16	5	3.20
			2007	13	12	1.08
			2008	2	2	1.00
			2009	1	4	0.25
			2010	3	3.5	0.86
		CUTTHROAT TROUT	2001	9	10	0.90
			2003	3	5	0.60
			2005	1	2	0.50
			2006	2	2.5	0.80
			2008	1	2	0.50
			2009	7	4	1.75
			2010	2	3.5	0.57
		BROWN TROUT	2001	1	10	0.10
			2006	2	2.5	0.80
			2007	1	12	0.08
		WHITEFISH	2010	1	3.5	0.29
THREE FORKS POND	LARGEMOUTH BASS	LARGEMOUTH BASS	2006	20	15	1.33
		YELLOW PERCH	2011	8	4	2.00
		COMMON CARP	2007	1	12.5	0.08
		LAKE CHUB	2007	1	12.5	0.08
		BLUEGILL	2005	4	1.7	2.35
			2006	132	15	8.80
			2007	100	12.5	8.00
			2008	4	1	4.00
			2010	21	2.5	8.40
		PUMPKINSEED	2011	1	4	0.25
W FK GALLATIN RIVER	RAINBOW TROUT	RAINBOW TROUT	2008	5	4.5	1.11
			2009	42	26	1.62
			2010	39	13	3.00
	CUTTHROAT TROUT	CUTTHROAT TROUT	2009	5	26	0.19
			2010	76	13	5.85
		BROOK TROUT	2009	2	26	0.08
		BROWN TROUT	2009	8	26	0.31
		WHITEFISH	2009	6	26	0.23
	W FK MADISON RIVER	RAINBOW TROUT	2002	2	1	2.00
			2003	5	8	0.63
			2007	40	15	2.67
			2008	5	7	0.71
			2009	7	7	1.00
			2010	3	7	0.43
			2011	7	2	3.50
		BROOK TROUT	2010	13	7	1.86
		BROWN TROUT	2002	2	1	2.00
			2003	8	8	1.00
			2004	1	1	1.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)	
3	W FK MADISON RIVER	BROWN TROUT	2007	17	15	1.13	
			2008	3	7	0.43	
			2010	2	7	0.29	
		WHITEFISH	2009	1	7	0.14	
		RAINBOW TROUT	2002	3	4	0.75	
			2003	3	12.5	0.24	
			2004	2	17	0.12	
			2006	2	7.5	0.27	
			2007	1	12	0.08	
WADE LAKE			2008	3	13	0.23	
			2009	1	3	0.33	
		BROOK TROUT	2003	126	12.5	10.08	
		WHITEFISH	2003	3	12.5	0.24	
			2009	1	3	0.33	
WARM SPRINGS CREEK	RAINBOW TROUT	2001	10	2	5.00		
		2006	6	14	0.43		
		2007	10	4	2.50		
		2007	2	4	0.50		
		2008	14	4.5	3.11		
	CUTTHROAT TROUT			2010	2	7.5	0.27
			CUTTHROAT TROUT	2006	5	14	0.36
				2007	3	4	0.75
				2010	1	7.5	0.13
			BROOK TROUT	2001	69	12	5.75
			BROWN TROUT	2006	87	14	6.21
				2009	2	1	2.00
				2010	10	7.5	1.33
			ARCTIC GRAYLING	2007	1	4	0.25
SMALLMOUTH BASS	SMALLMOUTH BASS	2005	4	6	0.67		
	WILLOW CREEK			2006	3	14	0.21
			RAINBOW TROUT	2001	10	12.5	0.80
				2002	2	1.5	1.33
				2005	18	13	1.38
				2005	47	5.2	9.04
				2006	18	3	6.00
				2006	12	15.5	0.77
				2007	8	10	0.80
				2008	1	7	0.14
				2008	50	16.2	3.09
	CUTTHROAT TROUT			2009	10	6	1.67
				2009	10	18	0.56
				2010	19	9.7	1.96
				2011	1	3	0.33
			CUTTHROAT TROUT	2009	2	18	0.11
			BROOK TROUT	2005	3	13	0.23
				2009	31	18	1.72
			BROWN TROUT	2002	12	1.5	8.00
				2005	15	5.2	2.88
				2006	9	3	3.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	WILLOW CREEK	BROWN TROUT	2006	37	15.5	2.39
			2007	24	10	2.40
			2008	66	16.2	4.07
			2009	20	6	3.33
			2009	12	18	0.67
			2010	28	9.7	2.89
	WILLOW CREEK RESERVOIR	RAINBOW TROUT	2001	18	111	0.16
			2002	4	23.5	0.17
			2003	5	22.5	0.22
			2004	2	28.7	0.07
			2010	1	30	0.03
4	BROWN RIVER	BROWN TROUT	2011	1	10	0.10
			2001	2	111	0.02
			2003	1	22.5	0.04
			2004	1	28.7	0.03
			2011	1	10	0.10
	BROWN RIVER	BROWN TROUT	2001	73	111	0.66
			2002	9	23.5	0.38
			2003	2	22.5	0.09
			2004	22	28.7	0.77
			2005	2	14.5	0.14
5	WISE RIVER	RAINBOW TROUT	2009	1	4	0.25
			2010	8	30	0.27
			2001	5	9	0.56
			2002	9	17	0.53
			2003	7	3	2.33
	COLUMBIA RIVER	CUTTHROAT TROUT	2004	11	6.5	1.69
			2005	4	8.5	0.47
			2006	28	14.5	1.93
			2008	35	14.75	2.37
			2010	1	2	0.50
6	COLUMBIA RIVER	CUTTHROAT TROUT	2001	3	9	0.33
			2002	1	17	0.06
			2008	2	14.75	0.14
			2001	26	9	2.89
			2002	22	17	1.29
	COLUMBIA RIVER	BROWN TROUT	2003	5	3	1.67
			2004	2	6.5	0.31
			2005	25	8.5	2.94
			2006	28	14.5	1.93
			2007	2	2	1.00
7	COLUMBIA RIVER	BROWN TROUT	2008	27	14.75	1.83
			2010	3	2	1.50
			2002	3	17	0.18
			2003	3	3	1.00
			2005	3	8.5	0.35
	COLUMBIA RIVER	ARCTIC GRAYLING	2008	5	14.75	0.34
			2001	8	9	0.89
			2002	8	17	0.47

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	WISE RIVER	ARCTIC GRAYLING	2005	2	8.5	0.24
			2006	1	14.5	0.07
		WHITEFISH	2004	1	6.5	0.15
	WYMAN CREEK	RAINBOW TROUT	2010	1	8	0.13
		CUTTHROAT TROUT	2002	2	4	0.50
			2003	2	2.5	0.80
			2009	7	4	1.75
		BROOK TROUT	2001	15	0.5	30.00
			2002	25	4	6.25
			2003	20	2.5	8.00
			2005	5	2	2.50
			2006	10	3	3.33
			2009	31	4	7.75
			2010	14	8	1.75
			2011	19	3.5	5.43
		ARCTIC GRAYLING	2003	3	2.5	1.20
			2009	1	4	0.25
	YELLOWSTONE RIVER SEC 07B	RAINBOW TROUT	2001	34	21	1.62
			2002	15	12	1.25
			2003	6	19	0.32
			2005	44	72.5	0.61
			2007	4	3	1.33
			2010	1	2	0.50
			2011	16	22.5	0.71
		CUTTHROAT TROUT	2001	3	21	0.14
			2004	1	3	0.33
			2005	4	72.5	0.06
			2011	1	22.5	0.04
		BROWN TROUT	2001	1	21	0.05
			2002	3	12	0.25
			2003	7	19	0.37
			2005	13	72.5	0.18
			2007	1	3	0.33
			2009	1	4	0.25
			2011	1	22.5	0.04
		WHITEFISH	2001	3	21	0.14
			2004	6	3	2.00
			2005	6	72.5	0.08
			2007	1	3	0.33
			2009	2	4	0.50
			2011	2	22.5	0.09
		CHANNEL CATFISH	2006	3	36	0.08
		COMMON CARP	2006	2	36	0.06
		GOLDEYE	2002	1	12	0.08
			2006	8	36	0.22
		SMALLMOUTH BASS	2006	66	36	1.83
	YELLOWSTONE RIVER SEC 08	RAINBOW TROUT	2001	87	77.5	1.12
			2002	76	83.1	0.91
			2003	1	4.5	0.22

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	YELLOWSTONE RIVER SEC 08	RAINBOW TROUT	2003	122	102	1.20
			2004	2	12	0.17
			2005	14	34	0.41
			2005	2	10.5	0.19
			2005	9	27	0.33
			2006	5	8	0.63
			2006	7	27	0.26
			2007	31	35	0.89
			2008	4	15	0.27
			2008	6	11	0.55
			2008	9	6.5	1.38
			2009	50	83.75	0.60
			2010	1	22.75	0.04
			2010	131	115	1.14
			2011	2	2	1.00
			2011	4	23.5	0.17
			2011	106	94.5	1.12
		CUTTHROAT TROUT	2001	10	77.5	0.13
			2002	12	83.1	0.14
			2003	7	102	0.07
			2005	13	10.5	1.24
			2005	14	34	0.41
			2006	2	8	0.25
			2007	3	35	0.09
			2009	3	83.75	0.04
			2010	12	22.75	0.53
			2010	12	115	0.10
			2011	32	94.5	0.34
			2011	5	23.5	0.21
		BROOK TROUT	2002	4	83.1	0.05
			2010	1	115	0.01
		BROWN TROUT	2001	21	77.5	0.27
			2002	24	83.1	0.29
			2003	3	4.5	0.67
			2003	22	102	0.22
			2004	3	12	0.25
			2005	2	34	0.06
			2005	8	10.5	0.76
			2005	2	27	0.07
			2006	11	27	0.41
			2007	16	35	0.46
			2008	2	11	0.18
			2008	2	15	0.13
			2009	19	83.75	0.23
			2010	8	22.75	0.35
			2010	23	115	0.20
			2011	1	2	0.50
			2011	35	94.5	0.37
			2011	1	23.5	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	YELLOWSTONE RIVER SEC 08	WHITEFISH	2001	26	77.5	0.34
			2002	8	83.1	0.10
			2003	6	4.5	1.33
			2003	45	102	0.44
			2004	18	12	1.50
			2005	2	10.5	0.19
			2005	49	27	1.81
			2005	36	34	1.06
			2007	4	35	0.11
			2008	4	15	0.27
			2008	1	11	0.09
			2008	10	6.5	1.54
			2009	15	9	1.67
			2009	26	83.75	0.31
			2010	13	22.75	0.57
			2010	41	115	0.36
			2011	1	23.5	0.04
YELLOWSTONE RIVER SEC 09	RAINBOW TROUT	RAINBOW TROUT	2011	18	94.5	0.19
			2011	6	2	3.00
			LAKE WHITEFISH	8	77.5	0.10
			WHITE SUCKER	4	77.5	0.05
			RAINBOW SMELT	2	94.5	0.02
			2001	66	101.5	0.65
			2002	22	67	0.33
			2003	62	61	1.02
			2004	2	15	0.13
			2005	1	11	0.09
CUTTHROAT TROUT	CUTTHROAT TROUT	CUTTHROAT TROUT	2006	13	25.5	0.51
			2007	23	55.5	0.41
			2008	5	29.5	0.17
			2009	64	155.5	0.41
			2010	11	61.75	0.18
			2011	3	16.5	0.18
			2001	23	101.5	0.23
			2002	22	67	0.33
			2003	9	61	0.15
			2004	1	15	0.07
			2006	2	25.5	0.08
			2007	25	55.5	0.45
BROWN TROUT	BROWN TROUT	BROWN TROUT	2008	4	29.5	0.14
			2009	7	155.5	0.05
			2010	4	61.75	0.06
			2011	2	16.5	0.12
			2001	18	101.5	0.18
			2002	17	67	0.25
			2003	16	61	0.26

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
3	YELLOWSTONE RIVER SEC 09	BROWN TROUT	2007	8	55.5	0.14
			2008	9	29.5	0.31
			2009	33	155.5	0.21
			2010	26	61.75	0.42
			2011	4	16.5	0.24
		WHITEFISH	2001	57	101.5	0.56
			2002	65	67	0.97
			2003	19	61	0.31
			2004	20	15	1.33
			2005	5	11	0.45
			2006	14	25.5	0.55
			2007	78	55.5	1.41
			2008	19	29.5	0.64
			2009	249	155.5	1.60
			2010	41	61.75	0.66
			2011	4	16.5	0.24
		LAKE WHITEFISH	2001	24	101.5	0.24
		CHANNEL CATFISH	2009	2	155.5	0.01
		WHITE SUCKER	2001	20	101.5	0.20
Yellowstone River Sec 09B		RAINBOW TROUT	2010	10	51	0.20
			2011	5	17	0.29
		CUTTHROAT TROUT	2010	22	51	0.43
			2011	10	17	0.59
		BROWN TROUT	2009	4	3.5	1.14
			2010	20	51	0.39
		WHITEFISH	2010	18	51	0.35
			2011	10	17	0.59
		RAINBOW TROUT	2001	11	17.1	0.64
			2002	46	60.5	0.76
YELLOWSTONE RIVER SEC 10			2003	19	34.5	0.55
			2006	6	19	0.32
			2007	73	41.5	1.76
			2008	133	85	1.56
			2009	259	180.5	1.43
			2010	225	150	1.50
		CUTTHROAT TROUT	2001	8	17.1	0.47
			2002	38	60.5	0.63
			2003	17	34.5	0.49
			2004	4	1.5	2.67
			2005	5	2	2.50
			2006	40	19	2.11
			2007	70	41.5	1.69
			2008	144	85	1.69
			2009	564	180.5	3.12
			2010	311	150	2.07
		BROOK TROUT	2002	5	60.5	0.08
		BROWN TROUT	2001	6	17.1	0.35
			2002	13	60.5	0.21
			2003	4	34.5	0.12

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)	
3	YELLOWSTONE RIVER SEC 10	BROWN TROUT	2006	2	19	0.11	
			2007	11	41.5	0.27	
			2008	26	85	0.31	
			2009	55	180.5	0.30	
			2010	49	150	0.33	
		WHITEFISH	2001	2	17.1	0.12	
			2002	15	60.5	0.25	
			2003	14	34.5	0.41	
			2004	1	1.5	0.67	
			2007	21	41.5	0.51	
		LAKE WHITEFISH	2008	110	85	1.29	
			2009	172	180.5	0.95	
			2010	156	150	1.04	
			2001	2	17.1	0.12	
			2009	17	180.5	0.09	
4	ACKLEY LAKE	RAINBOW TROUT	2001	36	41.5	0.87	
			2002	67	29.5	2.27	
			2003	44	29	1.52	
			2004	54	28.5	1.89	
			2005	62	40	1.55	
			2006	49	23.5	2.09	
			2007	62	20.5	3.02	
			2008	46	25.5	1.80	
			2009	34	37	0.92	
			2011	10	20	0.50	
		BROWN TROUT	2009	1	37	0.03	
	AROD LAKES	YELLOW PERCH	2006	67	48	1.40	
			2007	2	22.25	0.09	
			2008	15	22.25	0.67	
			2009	1	4.5	0.22	
			2006	26	48	0.54	
	NORTHERN PIKE		2007	25	22.25	1.12	
			2008	18	22.25	0.81	
			2009	1	4.5	0.22	
			2011	1	4	0.25	
			2006	28	9	3.11	
BAIR RESERVOIR	RAINBOW TROUT		2002	10	10	1.00	
			2003	37	6	6.17	
			2004	8	5	1.60	
			2005	29	27	1.07	
			2006	26	21	1.24	
			2007	39	41	0.95	
			2008	30	35	0.86	
			2009	23	41	0.56	
			2010	134	83.5	1.60	
			2011	17	55	0.31	
	CUTTHROAT TROUT		2005	1	27	0.04	
			2007	8	41	0.20	
			2010	11	83.5	0.13	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	BEAVER CREEK	RAINBOW TROUT	2001	4	12.5	0.32
			2003	2	4	0.50
			2010	79	22	3.59
			2011	3	14	0.21
		BROOK TROUT	2010	3	22	0.14
		BROWN TROUT	2001	5	12.5	0.40
			2002	1	3	0.33
		WHITEFISH	2011	1	14	0.07
		YELLOW PERCH	2010	20	22	0.91
		YELLOW BULLHEAD	2010	2	22	0.09
	BELT CREEK	WALLEYE	2011	1	14	0.07
		RAINBOW TROUT	2001	7	4.5	1.56
			2002	31	13.5	2.30
			2004	10	3	3.33
			2005	5	7	0.71
			2006	7	16.5	0.42
			2007	21	49	0.43
			2008	9	27	0.33
5	CUTTHROAT CREEK		2009	23	60.5	0.38
			2010	1	7	0.14
			2011	8	10	0.80
		CUTTHROAT TROUT	2002	7	13.5	0.52
			2003	6	5	1.20
			2005	10	7	1.43
			2006	64	16.5	3.88
			2007	23	49	0.47
			2008	8	27	0.30
			2009	98	60.5	1.62
	BIG CASINO CREEK RESERVOIR		2011	1	10	0.10
		BROOK TROUT	2005	7	7	1.00
			2006	20	16.5	1.21
			2007	49	49	1.00
			2008	16	27	0.59
			2009	68	60.5	1.12
		BROWN TROUT	2001	3	4.5	0.67
			2007	21	49	0.43
			2008	3	27	0.11
			2009	15	60.5	0.25
			2010	1	7	0.14
			2011	3	10	0.30
		WHITEFISH	2002	2	13.5	0.15
		GOLDEYE	2002	10	13.5	0.74
	HORN CREEK	RAINBOW TROUT	2004	1	4	0.25
			2005	56	20	2.80
			2009	3	9	0.33
		BROWN TROUT	2005	4	20	0.20
		WHITEFISH	2005	1	20	0.05
6	HORN CREEK	YELLOW PERCH	2004	24	4	6.00
			2005	59	20	2.95

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	BIG CASINO CREEK RESERVOIR	YELLOW PERCH	2009	54	9	6.00
			2010	4	3	1.33
			2011	15	5	3.00
	BIG SPRING CREEK SEC 01	RAINBOW TROUT	2002	1	2	0.50
			2003	1	4	0.25
			2004	10	4.5	2.22
			2005	1	2.5	0.40
			2009	13	9	1.44
			2010	36	25	1.44
			2011	17	25.5	0.67
		BROWN TROUT	2003	3	4	0.75
			2004	6	4.5	1.33
			2009	15	9	1.67
			2010	12	25	0.48
			2011	3	25.5	0.12
	BIG SPRING CREEK SEC 02	RAINBOW TROUT	2001	303	100	3.03
			2002	330	73.6	4.48
			2003	124	109.8	1.13
			2004	89	28	3.18
			2005	197	55.75	3.53
			2006	206	78	2.64
			2007	235	86	2.73
			2008	309	108.5	2.85
			2010	154	48.5	3.18
			2011	60	43.5	1.38
		CUTTHROAT TROUT	2007	67	86	0.78
			2011	3	43.5	0.07
	BYNUM RESERVOIR	BROOK TROUT	2006	53	78	0.68
			2011	22	43.5	0.51
		BROWN TROUT	2001	66	100	0.66
			2002	75	73.6	1.02
			2003	95	109.8	0.87
			2004	19	28	0.68
			2005	101	55.75	1.81
			2006	142	78	1.82
			2007	136	86	1.58
			2008	121	108.5	1.12
			2010	91	48.5	1.88
			2011	34	43.5	0.78
	WHITEFISH	WHITEFISH	2003	2	109.8	0.02
			2005	1	55.75	0.02
			2006	3	78	0.04
			2007	3	86	0.03
	BYNUM RESERVOIR	YELLOW PERCH	2007	1	86	0.01
			2009	18	30	0.60
			2010	33	68	0.49
		KOKANEE	2011	45	104	0.43
	BYNUM RESERVOIR	YELLOW PERCH	2002	12	5	2.40

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	BYNUM RESERVOIR	YELLOW PERCH	2003	281	57.5	4.89
			2004	170	37	4.59
			2010	25	68	0.37
			2011	186	104	1.79
		WALLEYE	2001	1	13	0.08
	CAMERON RESERVOIR	SALMON	2011	2	104	0.02
		RAINBOW TROUT	2002	5	3	1.67
			2006	12	3	4.00
			2007	2	4	0.50
			2008	12	10	1.20
			2009	83	33	2.52
			2010	79	12.5	6.32
			2011	50	11	4.55
CANYON FERRY RESERVOIR	RAINBOW TROUT	CUTTHROAT TROUT	2010	4	12.5	0.32
		WHITE SUCKER	2008	1	10	0.10
		CISCO	2008	3	10	0.30
		RAINBOW TROUT	2001	127	1728.4	0.07
			2002	59	585.6	0.10
			2003	71	613.1	0.12
			2004	115	486.5	0.24
			2005	98	583	0.17
			2006	59	505.5	0.12
			2007	152	801.5	0.19
			2008	357	949	0.38
			2009	303	1307.5	0.23
			2010	504	1721	0.29
			2011	120	1496.25	0.08
	BROWN TROUT	BROWN TROUT	2001	1	1728.4	0.00
		2004	2	486.5	0.00	
		2005	2	583	0.00	
		2007	4	801.5	0.00	
		2008	7	949	0.01	
		2009	2	1307.5	0.00	
		2010	5	1721	0.00	
		KOKANEE	2001	1	1728.4	0.00
		2010	10	1721	0.01	
		YELLOW PERCH	2001	893	1728.4	0.52
			2002	1242	585.6	2.12
			2003	327	613.1	0.53
			2004	289	486.5	0.59
			2005	19	583	0.03
			2006	77	505.5	0.15
			2007	81	801.5	0.10
			2008	81	949	0.09
			2009	402	1307.5	0.31
			2010	195	1721	0.11
			2011	65	1496.25	0.04
	CRAPPIE	CRAPPIE	2009	15	1307.5	0.01
		SAUGER/WALLEYE	2002	5	585.6	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	CANYON FERRY RESERVOIR	NORTHERN PIKE	2006	1	505.5	0.00
			2008	1	949	0.00
			2009	2	1307.5	0.00
		BURBOT	2001	22	1728.4	0.01
			2003	43	613.1	0.07
			2004	11	486.5	0.02
			2005	8	583	0.01
			2006	2	505.5	0.00
			2007	18	801.5	0.02
			2011	2	1496.25	0.00
		COMMON CARP	2001	14	1728.4	0.01
			2002	10	585.6	0.02
			2003	35	613.1	0.06
			2004	60	486.5	0.12
			2005	5	583	0.01
			2006	123	505.5	0.24
			2007	11	801.5	0.01
			2008	8	949	0.01
			2009	1	1307.5	0.00
			2011	25	1496.25	0.02
		SMALLMOUTH BASS	2010	1	1721	0.00
		WALLEYE	2001	228	1728.4	0.13
			2002	17	585.6	0.03
			2003	168	613.1	0.27
			2004	108	486.5	0.22
			2005	188	583	0.32
			2006	394	505.5	0.78
			2007	846	801.5	1.06
			2008	698	949	0.74
			2009	1216	1307.5	0.93
			2010	731	1721	0.42
			2011	119	1496.25	0.08
		RAINBOW SMELT	2008	3	949	0.00
	CASINO CREEK RESERVOIR	RAINBOW TROUT	2004	1	4	0.25
			2005	56	20	2.80
			2009	3	9	0.33
		BROWN TROUT	2005	4	20	0.20
		WHITEFISH	2005	1	20	0.05
		YELLOW PERCH	2004	24	4	6.00
			2005	59	20	2.95
			2009	54	9	6.00
			2010	4	3	1.33
			2011	15	5	3.00
	DEARBORN RIVER	RAINBOW TROUT	2005	2	2	1.00
			2007	3	5	0.60
			2009	3	2	1.50
			2010	4	15	0.27
			2011	4	6	0.67
		BROWN TROUT	2007	12	5	2.40

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	DEARBORN RIVER	BROWN TROUT	2010	2	15	0.13
			2011	4	6	0.67
	DOG CREEK	RAINBOW TROUT	2006	3	5.5	0.55
		CUTTHROAT TROUT	2001	7	9	0.78
			2003	4	4	1.00
			2006	6	5.5	1.09
			2009	4	3.5	1.14
			2009	1	6	0.17
		BROOK TROUT	2006	13	5.5	2.36
		BROWN TROUT	2001	25	9	2.78
			2003	4	4	1.00
			2009	3	3.5	0.86
			2009	6	6	1.00
	DUCK LAKE	RAINBOW TROUT	2001	59	68.5	0.86
			2002	17	66	0.26
			2003	3	16	0.19
			2005	9	12	0.75
			2008	1	4	0.25
			2010	13	17	0.76
			2011	12	14	0.86
		BROWN TROUT	2001	1	68.5	0.01
			2002	1	66	0.02
		WHITEFISH	2003	2	16	0.13
E FK SPRING CREEK RESERVOIR	YELLOW PERCH	2002	7	7	1.00	
			2003	287	38.5	7.45
			2010	15	6	2.50
		NORTHERN PIKE	2001	2	1	2.00
			2002	9	7	1.29
			2003	19	38.5	0.49
		WALLEYE	2003	1	38.5	0.03
EAST FORK RESERVOIR	RAINBOW TROUT	2005	4	16	0.25	
		CUTTHROAT TROUT	2005	10	16	0.63
			2008	12	22	0.55
			2009	6	29	0.21
			2011	1	25	0.04
		BULL TROUT	2008	1	22	0.05
			2009	1	29	0.03
		YELLOW PERCH	2006	100	4	25.00
			2007	75	10	7.50
			2008	100	22	4.55
			2009	175	29	6.03
			2010	118	29.75	3.97
			2011	41	25	1.64
		NORTHERN PIKE	2006	1	4	0.25
EUREKA RESERVOIR	RAINBOW TROUT	2001	6	11.5	0.52	
			2002	42	65.2	0.64
			2003	67	120.6	0.56
			2004	20	17.5	1.14
			2005	23	24.5	0.94

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	EUREKA RESERVOIR	RAINBOW TROUT	2006	6	9.5	0.63
			2007	79	57	1.39
			2008	49	37	1.32
			2009	9	26.5	0.34
			2010	7	6	1.17
			2011	2	4	0.50
		BROWN TROUT	2002	1	65.2	0.02
			2003	2	120.6	0.02
			2004	4	17.5	0.23
			2005	1	24.5	0.04
			2006	2	9.5	0.21
			2007	11	57	0.19
			2008	2	37	0.05
			2009	3	26.5	0.11
		YELLOW PERCH	2009	1	26.5	0.04
		WHITE SUCKER	2001	1	11.5	0.09
	HAUSER LAKE	RAINBOW TROUT	2001	67	164	0.41
			2002	9	50	0.18
			2003	36	55.2	0.65
			2004	14	39.5	0.35
			2005	66	130.25	0.51
			2006	53	100	0.53
			2007	3	23.5	0.13
			2008	54	168.75	0.32
			2009	78	263.5	0.30
			2010	105	640.4	0.16
			2011	8	479	0.02
		BROWN TROUT	2001	2	164	0.01
			2006	1	100	0.01
			2008	9	168.75	0.05
			2009	2	263.5	0.01
			2010	3	640.4	0.00
			2011	21	479	0.04
		LAKE TROUT	2003	7	55.2	0.13
		KOKANEE	2001	7	164	0.04
			2002	1	50	0.02
			2005	1	130.25	0.01
		WHITEFISH	2001	3	164	0.02
			2008	1	168.75	0.01
			2009	1	263.5	0.00
		YELLOW PERCH	2002	22	50	0.44
			2004	1	39.5	0.03
			2005	10	130.25	0.08
			2006	9	100	0.09
			2008	16	168.75	0.09
			2009	4	263.5	0.02
			2010	2	640.4	0.00
		BURBOT	2004	1	39.5	0.03
			2008	21	168.75	0.12

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	HAUSER LAKE	BURBOT	2009	45	263.5	0.17
			2010	16	640.4	0.02
		COMMON CARP	2006	1	100	0.01
			2009	1	263.5	0.00
			2010	2	640.4	0.00
			2011	1	479	0.00
		WHITE SUCKER	2001	1	164	0.01
		WALLEYE	2004	1	39.5	0.03
			2005	2	130.25	0.02
			2006	7	100	0.07
			2007	6	23.5	0.26
			2008	43	168.75	0.25
			2009	101	263.5	0.38
			2010	75	640.4	0.12
			2011	103	479	0.22
	HELENA VALLEY REG RESERVOIR	RAINBOW TROUT	2002	1	206.5	0.00
		KOKANEE	2001	19	12	1.58
			2002	115	206.5	0.56
			2003	74	143.5	0.52
			2004	2	60	0.03
			2007	1	134	0.01
			2008	111	242	0.46
			2009	1	124	0.01
			2010	9	194	0.05
			2011	14	218	0.06
		YELLOW PERCH	2003	20	143.5	0.14
			2008	8	242	0.03
		BURBOT	2009	2	124	0.02
			2010	1	194	0.01
		COMMON CARP	2004	7	60	0.12
		SALMON	2004	70	60	1.17
			2005	42	53	0.79
			2006	88	61	1.44
			2007	75	134	0.56
			2008	125	242	0.52
			2009	29	124	0.23
			2010	120	194	0.62
			2011	26	218	0.12
	HIGHWOOD CREEK	RAINBOW TROUT	2001	1	25	0.04
			2002	1	17	0.06
			2005	1	2.3	0.43
			2007	1	3	0.33
			2009	5	12.15	0.41
			2010	1	0.15	6.67
			2011	3	12	0.25
		CUTTHROAT TROUT	2011	3	12	0.25
		BROOK TROUT	2001	43	25	1.72
			2002	22	17	1.29
			2003	13	20	0.65

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	HIGHWOOD CREEK	BROOK TROUT	2005	4	2.3	1.74
			2006	4	1	4.00
			2007	5	3	1.67
			2008	1	1	1.00
			2009	20	12.15	1.65
			2011	17	12	1.42
		BROWN TROUT	2001	10	25	0.40
			2002	5	17	0.29
			2003	10	20	0.50
			2005	1	2.3	0.43
			2007	3	3	1.00
			2009	5	12.15	0.41
			2011	1	12	0.08
	HOLTER LAKE	RAINBOW TROUT	2001	117	370.4	0.32
			2002	236	451	0.52
			2003	161	433.7	0.37
			2004	10	163	0.06
			2005	148	382.75	0.39
			2006	124	414.25	0.30
			2007	458	682.75	0.67
			2008	592	763.8	0.78
			2009	213	485.9	0.44
			2010	314	656.25	0.48
			2011	455	1295.5	0.35
		CUTTHROAT TROUT	2007	2	682.75	0.00
			BROOK TROUT	4	485.9	0.01
			BROWN TROUT	2	370.4	0.01
			2006	2	414.25	0.00
			2007	3	682.75	0.00
			2008	3	763.8	0.00
			2009	1	485.9	0.00
			2010	3	656.25	0.00
			2011	1	1295.5	0.00
		LAKE TROUT	2010	1	656.25	0.00
			KOKANEE	6	370.4	0.02
			2002	1	451	0.00
			2003	3	433.7	0.01
			2004	1	163	0.01
			2005	5	382.75	0.01
			2007	12	682.75	0.02
			2009	2	485.9	0.00
			2011	1	1295.5	0.00
		WHITEFISH	2001	1	370.4	0.00
			2004	1	163	0.01
			YELLOW PERCH	27	370.4	0.07
			2002	59	451	0.13
			2003	95	433.7	0.22
			2004	35	163	0.21
			2005	290	382.75	0.76

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	HOLTER LAKE	YELLOW PERCH	2006	224	414.25	0.54
			2007	858	682.75	1.26
			2008	92	763.8	0.12
			2009	105	485.9	0.22
			2010	37	656.25	0.06
			2011	181	1295.5	0.14
		BULLHEAD	2006	34	414.25	0.08
		BURBOT	2009	2	485.9	0.00
			2011	33	1295.5	0.03
		COMMON CARP	2005	3	382.75	0.01
			2007	1	682.75	0.00
			2008	1	763.8	0.00
			2009	2	485.9	0.00
			2010	2	656.25	0.00
			2011	1	1295.5	0.00
		WHITE SUCKER	2001	1	370.4	0.00
			2011	1	1295.5	0.00
		WALLEYE	2001	26	370.4	0.07
			2002	65	451	0.14
			2003	76	433.7	0.18
			2004	77	163	0.47
			2005	151	382.75	0.39
			2006	408	414.25	0.98
			2007	982	682.75	1.44
			2008	966	763.8	1.26
			2009	533	485.9	1.10
			2010	763	656.25	1.16
			2011	528	1295.5	0.41
		RAINBOW SMELT	2006	1	414.25	0.00
	HOUND CREEK	RAINBOW TROUT	2001	4	7	0.57
			2002	15	35	0.43
		BROOK TROUT	2001	3	7	0.43
			2002	7	35	0.20
			2003	3	8	0.38
		BROWN TROUT	2001	4	7	0.57
			2002	2	35	0.06
			2003	2	8	0.25
			2007	4	2	2.00
		WHITEFISH	2007	8	2	4.00
	JUDITH RIVER SEC 01	CHANNEL CATFISH	2011	2	12	0.17
		COMMON CARP	2010	1	4	0.25
		GOLDEYE	2011	1	12	0.08
		REDSIDE SHINER	2010	2	4	0.50
	JUDITH RIVER SEC 02	RAINBOW TROUT	2001	2	3	0.67
			2006	35	18.5	1.89
			2007	3	5.5	0.55
			2008	20	11	1.82
			2011	2	10	0.20
		CUTTHROAT TROUT	2002	8	4	2.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	JUDITH RIVER SEC 02	CUTTHROAT TROUT	2006	1	18.5	0.05
			2007	1	5.5	0.18
		BROOK TROUT	2002	7	4	1.75
			2006	12	18.5	0.65
			2008	2	11	0.18
		BROWN TROUT	2001	1	3	0.33
			2006	55	18.5	2.97
			2007	42	5.5	7.64
			2008	63	11	5.73
			2010	13	7.5	1.73
			2011	29	10	2.90
		GOLDEYE	2007	2	5.5	0.36
		LAKE CHUB	2010	1	7.5	0.13
	LAKE ELWELL	RAINBOW TROUT	2001	2	596	0.00
			2002	3	272	0.01
			2003	9	434.5	0.02
			2009	1	4	0.25
			2010	1	7	0.14
		YELLOW PERCH	2001	13	596	0.02
			2002	17	272	0.06
			2003	70	434.5	0.16
			2004	15	61	0.25
			2006	4	20	0.20
			2007	14	52	0.27
		NORTHERN PIKE	2001	22	596	0.04
			2002	21	272	0.08
			2003	23	434.5	0.05
			2007	2	52	0.04
			2010	2	7	0.29
		BURBOT	2001	4	596	0.01
			2003	3	434.5	0.01
			2004	1	61	0.02
		COMMON CARP	2003	28	434.5	0.06
		SAUGER	2002	1	272	0.00
		WALLEYE	2001	307	596	0.52
			2002	179	272	0.66
			2003	345	434.5	0.79
			2004	29	61	0.48
			2005	1	42	0.02
			2006	13	20	0.65
			2007	9	52	0.17
			2010	2	7	0.29
		IOWA DARTER	2002	1	272	0.00
	LAKE FRANCES	RAINBOW TROUT	2006	1	262.5	0.00
			2008	1	236	0.00
		YELLOW PERCH	2001	142	318	0.45
			2002	109	186.6	0.58
			2003	871	353	2.47
			2004	20	137.5	0.15

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	LAKE FRANCES	YELLOW PERCH	2005	60	388.75	0.15
			2006	179	262.5	0.68
			2007	75	236.5	0.32
			2008	74	236	0.31
			2009	237	324	0.73
			2010	194	243	0.80
			2011	38	143	0.27
		NORTHERN PIKE	2001	102	318	0.32
			2002	52	186.6	0.28
			2003	105	353	0.30
			2004	16	137.5	0.12
			2005	64	388.75	0.16
			2006	16	262.5	0.06
			2007	84	236.5	0.36
			2008	131	236	0.56
			2009	51	324	0.16
			2010	55	243	0.23
			2011	35	143	0.24
		BURBOT	2008	1	236	0.00
		YELLOW BULLHEAD	2005	70	388.75	0.18
		WALLEYE	2001	120	318	0.38
			2002	10	186.6	0.05
			2003	228	353	0.65
			2004	218	137.5	1.59
			2005	313	388.75	0.81
			2006	145	262.5	0.55
			2007	76	236.5	0.32
			2008	20	236	0.08
			2009	89	324	0.27
			2010	36	243	0.15
			2011	13	143	0.09
		LAKE HELENA	2001	1	22	0.05
			2005	3	20	0.15
			2006	4	30	0.13
			2008	1	53.5	0.02
			2009	8	51	0.16
			2010	12	50.5	0.24
			2002	37	78.7	0.47
		KOKANEE	2003	2	9.5	0.21
		YELLOW PERCH	2002	6	78.7	0.08
			2003	1	9.5	0.11
			2008	2	53.5	0.04
		COMMON CARP	2002	1	78.7	0.01
			2009	3	51	0.06
		WALLEYE	2001	3	22	0.14
			2008	54	53.5	1.01
			2009	4	51	0.08
			2010	5	50.5	0.10
			2011	18	61	0.30

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	LITTLE PRICKLY PEAR CREEK	RAINBOW TROUT	2001	3	9.5	0.32
			2002	1	2.5	0.40
			2003	10	16.5	0.61
			2004	4	17.25	0.23
			2005	7	25.5	0.27
			2006	2	4	0.50
			2007	26	20.5	1.27
			2008	6	6	1.00
			2009	5	12.5	0.40
			2010	12	50	0.24
		BROOK TROUT	2003	1	16.5	0.06
			2005	5	25.5	0.20
			2009	3	12.5	0.24
		BROWN TROUT	2001	6	9.5	0.63
			2002	4	2.5	1.60
			2003	13	16.5	0.79
			2004	4	17.25	0.23
			2005	25	25.5	0.98
			2006	4	4	1.00
			2007	17	20.5	0.83
			2008	7	6	1.17
			2009	27	12.5	2.16
			2010	23	50	0.46
	LOWER TWO MEDICINE LAKE	RAINBOW TROUT	2004	2	12	0.17
			2006	1	8	0.13
			2007	1	12	0.08
			2011	1	8.5	0.12
		BROOK TROUT	2004	3	12	0.25
			2005	2	6	0.33
			2007	1	12	0.08
			2011	2	8.5	0.24
		BULL TROUT	2004	1	12	0.08
	MARIAS RIVER SEC 01	RAINBOW TROUT	2003	7	22	0.32
			2007	7	85	0.08
			2009	3	72.5	0.04
			2010	25	41.75	0.60
		BROWN TROUT	2002	1	56	0.02
			2007	1	85	0.01
			2008	1	40.4	0.02
			2009	5	72.5	0.07
			2010	8	41.75	0.19
		WHITEFISH	2002	25	56	0.45
			2003	4	22	0.18
			2006	2	29	0.07
			2007	6	85	0.07
			2010	17	41.75	0.41
		YELLOW PERCH	2002	1	56	0.02
			2004	2	24	0.08
			2005	10	28	0.36

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MARIAS RIVER SEC 01	NORTHERN PIKE	2001	1	27.6	0.04
			2002	6	56	0.11
			2003	3	22	0.14
			2005	14	28	0.50
			2006	11	29	0.38
			2007	1	85	0.01
			2010	1	41.75	0.02
			2011	2	37.5	0.05
		CHANNEL CATFISH	2007	3	85	0.04
			2008	10	40.4	0.25
			2009	1	72.5	0.01
			2010	5	41.75	0.12
		BURBOT	2003	1	22	0.05
			2006	1	29	0.03
		PEAMOUTH	2003	30	22	1.36
		COMMON CARP	2001	2	27.6	0.07
			2006	1	29	0.03
			2007	1	85	0.01
			2008	2	40.4	0.05
			2009	4	72.5	0.06
			2011	1	37.5	0.03
		GOLDEYE	2001	6	27.6	0.22
			2002	5	56	0.09
			2003	7	22	0.32
			2004	14	24	0.58
			2005	3	28	0.11
			2006	5	29	0.17
			2007	11	85	0.13
			2008	27	40.4	0.67
			2009	16	72.5	0.22
			2010	17	41.75	0.41
			2011	19	37.5	0.51
		UTAH CHUB	2007	3	85	0.04
		FRESHWATER DRUM	2005	1	28	0.04
			2008	8	40.4	0.20
			2009	1	72.5	0.01
		FLATHEAD CHUB	2006	19	29	0.66
			2007	18	85	0.21
			2008	1	40.4	0.02
			2009	4	72.5	0.06
		REDSIDE SHINER	2010	2	41.75	0.05
		FATHEAD MINNOW	2008	1	40.4	0.02
		LONGNOSE SUCKER	2010	1	41.75	0.02
		WHITE SUCKER	2007	1	85	0.01
			2009	2	72.5	0.03
			2010	1	41.75	0.02
		STONECAT	2006	1	29	0.03
			2007	4	85	0.05
			2009	1	72.5	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MARIAS RIVER SEC 01	STONECAT	2010	3	41.75	0.07
		SMALLMOUTH BASS	2008	4	40.4	0.10
			2009	5	72.5	0.07
		SAUGER	2003	2	22	0.09
			2007	5	85	0.06
			2008	8	40.4	0.20
			2009	12	72.5	0.17
			2010	18	41.75	0.43
			2011	24	37.5	0.64
		WALLEYE	2001	3	27.6	0.11
			2002	7	56	0.13
			2003	2	22	0.09
			2004	3	24	0.13
			2006	1	29	0.03
			2007	6	85	0.07
			2009	13	72.5	0.18
			2011	2	37.5	0.05
MARIAS RIVER SEC 02	MARIAS RIVER SEC 02	CISCO	2003	1	22	0.05
			2010	1	41.75	0.02
		RAINBOW TROUT	2010	1	31	0.03
		WHITEFISH	2010	2	31	0.06
		UTAH CHUB	2006	4	33.5	0.12
			2010	8	31	0.26
		WALLEYE	2001	6	10	0.60
			2006	10	33.5	0.30
			2008	7	11	0.64
			2010	15	31	0.48
MARTINSDALE RESERVOIR	MARTINSDALE RESERVOIR	CISCO	2006	2	33.5	0.06
		RAINBOW TROUT	2001	2	8	0.25
			2003	10	37	0.27
			2006	4	33	0.12
			2009	49	48.4	1.01
			2010	139	166	0.84
			2011	28	91.5	0.31
		BROWN TROUT	2006	5	33	0.15
			2010	1	166	0.01
		CUTTHROAT TROUT	2009	2	2.5	0.80
MILL CREEK	MILL CREEK		2010	53	6.5	8.15
			2011	12	1.5	8.00
		BROOK TROUT	2010	1	6.5	0.15
		BROWN TROUT	2009	2	2.5	0.80
		LARGEMOUTH BASS	2002	2	6	0.33
			2003	42	11	3.82
			2005	1	4	0.25
		CRAPPIE	2003	27	11	2.45
			2005	5	4	1.25
		BLUEGILL	2002	16	6	2.67
MISSION LAKE	MISSION LAKE		2003	21	11	1.91
		RAINBOW TROUT	2007	3	8	0.38

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSION LAKE	RAINBOW TROUT	2008	9	11	0.82
			2009	10	11	0.91
			2010	10	10	1.00
			2011	33	54.5	0.61
		BROWN TROUT	2007	1	8	0.13
	MISSOURI RIVER SEC 06	BURBOT	2008	4	11	0.36
			2011	11	54.5	0.20
		LAKE TROUT	2009	1	178	0.01
		NORTHERN PIKE	2009	3	178	0.02
		CHANNEL CATFISH	2009	3	178	0.02
MISSOURI RIVER SEC 06B	MISSOURI RIVER SEC 06	GOLDEYE	2009	4	178	0.02
		FLATHEAD CHUB	2009	4	178	0.02
		SAUGER	2009	5	178	0.03
		WALLEYE	2007	1	12	0.08
			2009	13	178	0.07
		PALLID STURGEON	2009	3	178	0.02
		CUTTHROAT TROUT	2006	1	105	0.01
		BROWN TROUT	2002	1	91	0.01
			2007	2	100	0.02
		YELLOW PERCH	2007	2	100	0.02
	MISSOURI RIVER SEC 06B	NORTHERN PIKE	2001	3	140	0.02
			2004	4	97	0.04
		CHANNEL CATFISH	2001	18	140	0.13
			2002	4	91	0.04
			2004	17	97	0.18
			2005	26	108.5	0.24
			2006	34	105	0.32
			2007	41	100	0.41
			2008	8	42	0.19
			2009	7	29	0.24
			2011	10	35	0.29
	MISSOURI RIVER SEC 06B	BURBOT	2002	15	91	0.16
			2011	2	35	0.06
		PADDLEFISH	2005	1	108.5	0.01
		COMMON CARP	2001	17	140	0.12
			2002	6	91	0.07
			2003	2	43	0.05
			2004	14	97	0.14
			2005	11	108.5	0.10
			2006	27	105	0.26
			2007	18	100	0.18
MISSOURI RIVER SEC 06B	MISSOURI RIVER SEC 06B		2009	1	29	0.03
			2011	1	35	0.03
		GOLDEYE	2001	63	140	0.45
			2002	93	91	1.02
			2003	46	43	1.07
			2004	97	97	1.00
			2005	61	108.5	0.56
			2006	68	105	0.65

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 06B	GOLDEYE	2007	108	100	1.08
			2009	3	29	0.10
			2010	2	9	0.22
			2011	33	35	0.94
		FRESHWATER DRUM	2001	4	140	0.03
			2002	9	91	0.10
			2003	10	43	0.23
			2004	9	97	0.09
			2005	24	108.5	0.22
			2006	10	105	0.10
			2007	22	100	0.22
		WHITE SUCKER	2007	1	100	0.01
			2010	1	9	0.11
		STONECAT	2001	6	140	0.04
			2002	35	91	0.38
			2003	2	43	0.05
			2004	91	97	0.94
			2005	6	108.5	0.06
			2006	1	105	0.01
			2007	7	100	0.07
			2009	2	29	0.07
			2011	16	35	0.46
		SMALLMOUTH BASS	2006	2	105	0.02
			2007	18	100	0.18
			2008	6	42	0.14
		SAUGER	2002	1	91	0.01
			2003	2	43	0.05
			2005	1	108.5	0.01
			2006	1	105	0.01
			2007	9	100	0.09
			2008	14	42	0.33
		WALLEYE	2001	23	140	0.16
			2003	3	43	0.07
			2004	12	97	0.12
			2005	4	108.5	0.04
			2006	4	105	0.04
			2007	7	100	0.07
			2008	1	42	0.02
			2009	1	29	0.03
	MISSOURI RIVER SEC 07	RAINBOW TROUT	2001	3	55.5	0.05
			2006	1	121	0.01
			2007	5	120.5	0.04
			2008	1	260.5	0.00
			2009	25	179.5	0.14
			2010	3	145	0.02
		CUTTHROAT TROUT	2006	1	121	0.01
		BROWN TROUT	2001	3	55.5	0.05
			2006	2	121	0.02
			2007	7	120.5	0.06

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 07	BROWN TROUT	2008	1	260.5	0.00
			2009	3	179.5	0.02
		BULL TROUT	2007	5	120.5	0.04
		YELLOW PERCH	2008	1	260.5	0.00
			2009	1	179.5	0.01
		NORTHERN PIKE	2001	3	55.5	0.05
			2002	2	66	0.03
			2008	3	260.5	0.01
			2010	1	145	0.01
		CHANNEL CATFISH	2001	1	55.5	0.02
			2002	3	66	0.05
			2006	7	121	0.06
			2007	6	120.5	0.05
			2008	14	260.5	0.05
			2009	10	179.5	0.06
			2010	38	145	0.26
			2011	1	84	0.01
		BULLHEAD	2005	30	34.5	0.87
		BURBOT	2004	27	32	0.84
		COMMON CARP	2001	1	55.5	0.02
			2002	20	66	0.30
			2003	3	50.5	0.06
			2006	7	121	0.06
			2007	1	120.5	0.01
			2008	8	260.5	0.03
			2009	7	179.5	0.04
			2010	1	145	0.01
			2011	3	84	0.04
		GOLDEYE	2001	15	55.5	0.27
			2002	9	66	0.14
			2003	95	50.5	1.88
			2004	10	32	0.31
			2005	15	34.5	0.43
			2006	87	121	0.72
			2007	181	120.5	1.50
			2008	259	260.5	0.99
			2009	150	179.5	0.84
			2010	176	145	1.21
			2011	61	84	0.73
		FRESHWATER DRUM	2002	1	66	0.02
			2003	4	50.5	0.08
			2005	6	34.5	0.17
			2006	29	121	0.24
			2007	15	120.5	0.12
			2008	37	260.5	0.14
			2009	57	179.5	0.32
			2010	33	145	0.23
			2011	5	84	0.06
		LONGNOSE SUCKER	2009	5	179.5	0.03

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 07	WHITE SUCKER	2006	1	121	0.01
			2007	1	120.5	0.01
			2008	2	260.5	0.01
			2009	2	179.5	0.01
		BIGMOUTH BUFFALO	2009	1	179.5	0.01
		STONECAT	2006	2	121	0.02
			2007	17	120.5	0.14
			2009	1	179.5	0.01
			2011	1	84	0.01
		YELLOW BULLHEAD	2011	2	84	0.02
		SMALLMOUTH BASS	2001	35	55.5	0.63
			2002	11	66	0.17
			2003	12	50.5	0.24
			2004	1	32	0.03
			2005	16	34.5	0.46
			2006	62	121	0.51
			2007	177	120.5	1.47
			2008	178	260.5	0.68
			2009	24	179.5	0.13
			2010	17	145	0.12
			2011	22	84	0.26
		SAUGER	2001	1	55.5	0.02
			2002	1	66	0.02
			2003	1	50.5	0.02
			2004	40	32	1.25
			2005	3	34.5	0.09
			2006	2	121	0.02
			2007	8	120.5	0.07
			2008	32	260.5	0.12
			2009	3	179.5	0.02
			2010	40	145	0.28
			2011	12	84	0.14
		WALLEYE	2002	3	66	0.05
			2003	3	50.5	0.06
			2005	1	34.5	0.03
			2006	9	121	0.07
			2007	5	120.5	0.04
			2008	19	260.5	0.07
			2009	7	179.5	0.04
			2010	13	145	0.09
			2011	2	84	0.02
	MISSOURI RIVER SEC 08	RAINBOW TROUT	2001	128	131.5	0.97
			2002	22	106	0.21
			2003	63	120.5	0.52
			2004	22	49.28	0.45
			2005	159	213.5	0.74
			2006	242	434.75	0.56
			2007	596	613.5	0.97
			2008	582	621.8	0.94

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 08	RAINBOW TROUT	2009	480	524.75	0.91
			2010	438	430.5	1.02
			2011	311	311	1.00
		BROWN TROUT	2001	14	131.5	0.11
			2002	2	106	0.02
			2003	15	120.5	0.12
			2004	9	49.28	0.18
			2005	20	213.5	0.09
			2006	41	434.75	0.09
			2007	87	613.5	0.14
			2008	93	621.8	0.15
			2009	50	524.75	0.10
			2010	57	430.5	0.13
			2011	30	311	0.10
		YELLOW PERCH	2002	19	106	0.18
			2003	159	120.5	1.32
			2004	11	49.28	0.22
			2007	136	613.5	0.22
			2008	99	621.8	0.16
			2011	2	311	0.01
		CHANNEL CATFISH	2002	6	106	0.06
			2006	1	434.75	0.00
		BULLHEAD	2009	262	524.75	0.50
		BURBOT	2005	2	213.5	0.01
			2008	32	621.8	0.05
			2009	1	524.75	0.00
		COMMON CARP	2001	1	131.5	0.01
			2002	6	106	0.06
			2003	5	120.5	0.04
			2004	4	49.28	0.08
			2005	5	213.5	0.02
			2006	2	434.75	0.00
			2007	8	613.5	0.01
			2008	4	621.8	0.01
			2009	3	524.75	0.01
			2010	1	430.5	0.00
		GOLDEYE	2002	13	106	0.12
			2003	6	120.5	0.05
			2005	10	213.5	0.05
			2007	2	613.5	0.00
			2009	1	524.75	0.00
			2010	8	430.5	0.02
			2011	6	311	0.02
		FRESHWATER DRUM	2002	4	106	0.04
			2006	7	434.75	0.02
			2010	3	430.5	0.01
			2011	2	311	0.01
		FLATHEAD CHUB	2008	1	621.8	0.00
		LONGNOSE SUCKER	2011	4	311	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 08	WHITE SUCKER	2007	1	613.5	0.00
			2008	2	621.8	0.00
		BLACK BULLHEAD	2007	2	613.5	0.00
		SMALLMOUTH BASS	2002	2	106	0.02
			2003	19	120.5	0.16
			2005	1	213.5	0.00
			2006	9	434.75	0.02
			2007	15	613.5	0.02
			2011	5	311	0.02
		PUMPKINSEED	2007	50	613.5	0.08
			2008	2	621.8	0.00
		SAUGER	2011	1	311	0.00
		WALLEYE	2001	5	131.5	0.04
			2002	3	106	0.03
			2003	1	120.5	0.01
			2005	1	213.5	0.00
			2007	29	613.5	0.05
			2008	28	621.8	0.05
			2009	7	524.75	0.01
			2011	2	311	0.01
		RAINBOW TROUT	2001	507	654.7	0.77
			2002	481	589.7	0.82
			2003	216	340	0.64
			2004	117	198	0.59
			2005	245	444	0.55
			2006	174	331.5	0.52
			2007	269	409.5	0.66
			2008	486	696.5	0.70
			2009	317	406.75	0.78
			2010	386	437.8	0.88
			2011	369	361	1.02
		CUTTHROAT TROUT	2001	9	654.7	0.01
			2002	2	589.7	0.00
			2005	1	444	0.00
		BROOK TROUT	2001	2	654.7	0.00
			2008	1	696.5	0.00
			2009	3	406.75	0.01
		BROWN TROUT	2001	127	654.7	0.19
			2002	89	589.7	0.15
			2003	61	340	0.18
			2004	51	198	0.26
			2005	72	444	0.16
			2006	108	331.5	0.33
			2007	125	409.5	0.31
			2008	257	696.5	0.37
			2009	146	406.75	0.36
			2010	127	437.8	0.29
			2011	84	361	0.23
		ARCTIC GRAYLING	2003	2	340	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 09	WHITEFISH	2001	28	654.7	0.04
			2002	52	589.7	0.09
			2003	86	340	0.25
			2005	26	444	0.06
			2006	19	331.5	0.06
			2007	29	409.5	0.07
			2008	12	696.5	0.02
			2009	6	406.75	0.01
			2010	5	437.8	0.01
			2011	4	361	0.01
		LARGEMOUTH BASS	2002	1	589.7	0.00
			2005	1	444	0.00
			2006	3	331.5	0.01
		YELLOW PERCH	2002	5	589.7	0.01
			2004	50	198	0.25
		CRAPPIE	2006	3	331.5	0.01
		CHANNEL CATFISH	2007	8	409.5	0.02
		BURBOT	2001	39	654.7	0.06
			2002	6	589.7	0.01
			2003	1	340	0.00
			2004	51	198	0.26
			2005	8	444	0.02
			2007	7	409.5	0.02
			2008	6	696.5	0.01
			2009	20	406.75	0.05
			2010	17	437.8	0.04
			2011	10	361	0.03
		COMMON CARP	2002	2	589.7	0.00
			2007	1	409.5	0.00
			2008	2	696.5	0.00
			2009	1	406.75	0.00
			2011	1	361	0.00
		GOLDEYE	2004	15	198	0.08
			2006	2	331.5	0.01
			2007	2	409.5	0.00
			2008	1	696.5	0.00
		LONGNOSE SUCKER	2007	1	409.5	0.00
		WHITE SUCKER	2005	2	444	0.00
		SMALLMOUTH BASS	2002	2	589.7	0.00
			2005	1	444	0.00
		SAUGER	2005	1	444	0.00
		WALLEYE	2002	5	589.7	0.01
			2003	9	340	0.03
			2006	5	331.5	0.02
			2007	6	409.5	0.01
			2008	54	696.5	0.08
			2010	8	437.8	0.02
			2011	3	361	0.01
		CISCO	2005	1	444	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 10	RAINBOW TROUT	2009	321	300.5	1.07
			2010	48	14.75	3.25
		BROWN TROUT	2009	66	300.5	0.22
			2010	1	14.75	0.07
		WHITEFISH	2009	16	300.5	0.05
		BURBOT	2009	2	300.5	0.01
		COMMON CARP	2009	2	300.5	0.01
		WALLEYE	2009	3	300.5	0.01
		RAINBOW TROUT	2001	25	78.5	0.32
			2002	29	56.5	0.51
	MISSOURI RIVER SEC 10A		2003	17	54	0.31
			2004	7	14.5	0.48
			2005	21	71	0.30
			2006	7	31	0.23
			2008	16	52	0.31
			2009	6	75.5	0.08
			2010	9	20.75	0.43
		BROWN TROUT	2001	1	78.5	0.01
			2002	3	56.5	0.05
			2003	2	54	0.04
			2005	1	71	0.01
			2007	3	28	0.11
			2008	6	52	0.12
		KOKANEE	2002	1	56.5	0.02
			2003	1	54	0.02
			2004	1	14.5	0.07
			2005	3	71	0.04
			2006	1	31	0.03
	MISSOURI RIVER SEC 10A&B	WHITEFISH	2002	1	56.5	0.02
			2003	3	54	0.06
		YELLOW PERCH	2009	2	75.5	0.03
		BURBOT	2001	4	78.5	0.05
			2008	35	52	0.67
		COMMON CARP	2007	4	28	0.14
		WALLEYE	2001	1	78.5	0.01
			2006	1	31	0.03
			2008	2	52	0.04
			2009	146	75.5	1.93
	MISSOURI RIVER SEC 10B	RAINBOW TROUT	2007	4	8	0.50
			2008	25	57	0.44
		BROWN TROUT	2007	1	8	0.13
			2008	5	57	0.09
		WHITEFISH	2007	1	8	0.13
		BURBOT	2008	7	57	0.12
		WALLEYE	2008	1	57	0.02
		RAINBOW TROUT	2008	11	37.5	0.29
			2009	9	48	0.19
			2010	1	51.5	0.02
			2011	5	51.5	0.10

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	MISSOURI RIVER SEC 10B	BROWN TROUT	2008	19	37.5	0.51
			2009	2	48	0.04
		BURBOT	2009	1	48	0.02
		WALLEYE	2011	1	51.5	0.02
	MITTEN LAKE	RAINBOW TROUT	2001	14	11.5	1.22
			2003	25	9	2.78
			2004	16	13	1.23
			2005	8	14	0.57
			2006	3	22	0.14
			2010	20	18	1.11
			2011	28	9	3.11
	MORONY DAM LAKE	SCULPIN	2001	11	66	0.17
		CHANNEL CATFISH	2001	2	66	0.03
		GOLDEYE	2001	12	66	0.18
		FRESHWATER DRUM	2001	5	66	0.08
			2008	1	4	0.25
		SMALLMOUTH BASS	2008	3	4	0.75
		SAUGER	2001	1	66	0.02
		WALLEYE	2001	1	66	0.02
	N FK MUSSELSHELL RIVER	BROOK TROUT	2006	10	3	3.33
			2010	10	5	2.00
		BROWN TROUT	2004	4	1.5	2.67
			2005	2	2.5	0.80
			2009	6	2	3.00
			2010	5	5	1.00
	N FK SUN RIVER	RAINBOW TROUT	2001	8	14	0.57
			2002	30	10	3.00
			2004	32	21.5	1.49
			2008	27	35	0.77
			2009	65	21	3.10
		CUTTHROAT TROUT	2001	4	14	0.29
			2002	40	10	4.00
			2004	144	21.5	6.70
			2008	130	35	3.71
			2009	69	21	3.29
		BROOK TROUT	2001	2	14	0.14
			2002	2	10	0.20
			2004	4	21.5	0.19
			2008	7	35	0.20
		BROWN TROUT	2003	1	8	0.13
		ARCTIC GRAYLING	2001	14	14	1.00
			2002	1	10	0.10
	N FK TETON RIVER	CUTTHROAT TROUT	2001	26	10.5	2.48
			2002	6	5	1.20
			2003	6	4.5	1.33
			2005	9	4.5	2.00
			2009	11	5	2.20
		BROOK TROUT	2008	1	9.5	0.11
			2009	1	5	0.20

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	NEVADA CREEK	CUTTHROAT TROUT	2006	6	2	3.00
		BROOK TROUT	2006	1	2	0.50
	NEWLAN CREEK	RAINBOW TROUT	2005	26	14.5	1.79
			2009	25	41.5	0.60
		CUTTHROAT TROUT	2010	2	2	1.00
		BROOK TROUT	2006	1	8	0.13
		BURBOT	2006	2	8	0.25
			2009	3	41.5	0.07
	NEWLAN CREEK RESERVOIR	RAINBOW TROUT	2001	2	2.5	0.80
			2002	44	11	4.00
			2003	60	90.5	0.66
			2004	3	8	0.38
			2005	68	31.5	2.16
			2006	63	55	1.15
			2007	32	38.5	0.83
			2008	23	29	0.79
			2009	25	37.5	0.67
			2010	7	70	0.10
			2011	9	64	0.14
		CUTTHROAT TROUT	2003	15	90.5	0.17
			2006	5	55	0.09
			2008	1	29	0.03
		BROOK TROUT	2003	4	90.5	0.04
			2007	4	38.5	0.10
		BROWN TROUT	2006	6	55	0.11
			2007	1	38.5	0.03
		KOKANEE	2005	6	31.5	0.19
			2007	5	38.5	0.13
			2008	12	29	0.41
		BURBOT	2006	1	55	0.02
			2008	22	29	0.76
			2009	2	37.5	0.05
			2010	2	70	0.03
	NILAN RESERVOIR	RAINBOW TROUT	2001	115	120.2	0.96
			2002	30	63.7	0.47
			2003	71	57	1.25
			2004	70	47	1.49
			2005	58	97.75	0.59
			2006	41	77.5	0.53
			2007	19	44	0.43
			2008	16	32	0.50
			2010	2	7	0.29
			2011	6	20	0.30
	OTTER CREEK		2005	10	3	3.33
		BROWN TROUT	2006	3	3	1.00
			2007	9	4	2.25
			2008	5	6	0.83
		LONGNOSE SUCKER	2006	2	3	0.67
			2007	1	4	0.25

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	OTTER CREEK	LONGNOSE SUCKER	2008	1	6	0.17
	PELICAN POINT GRAVEL PITS	RAINBOW TROUT	2002	6	20	0.30
			2003	2	21	0.10
			2007	1	6	0.17
		LARGEMOUTH BASS	2001	1	4	0.25
			2002	3	20	0.15
			2003	6	21	0.29
			2005	21	17	1.24
			2006	2	9	0.22
			2007	10	6	1.67
			2008	4	4	1.00
			2009	9	34	0.26
			2010	11	15	0.73
			2011	1	12	0.08
		YELLOW PERCH	2001	26	4	6.50
			2002	76	20	3.80
			2003	138	21	6.57
			2004	3	3	1.00
			2005	148	17	8.71
			2006	27	9	3.00
			2007	15	6	2.50
			2008	83	4	20.75
			2009	291	34	8.56
			2010	187	15	12.47
			2011	70	12	5.83
		CRAPPIE	2011	1	12	0.08
		BLACK BULLHEAD	2009	14	34	0.41
			2010	23	15	1.53
			2011	22	12	1.83
		PUMPKINSEED	2002	1	20	0.05
			2003	7	21	0.33
			2004	10	3	3.33
			2005	77	17	4.53
			2006	9	9	1.00
			2007	9	6	1.50
			2008	2	4	0.50
			2009	54	34	1.59
			2010	9	15	0.60
			2011	3	12	0.25
	PELICAN POINT POND #1	LARGEMOUTH BASS	2006	1	15	0.07
			2007	1	20.5	0.05
			2011	1	8	0.13
		YELLOW PERCH	2005	5	8	0.63
			2006	67	15	4.47
			2007	175	20.5	8.54
			2011	10	8	1.25
		BLACK BULLHEAD	2007	26	20.5	1.27
		PUMPKINSEED	2006	52	15	3.47
			2007	38	20.5	1.85

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	PELICAN POINT POND #2	LARGEMOUTH BASS	2008	1	9	0.11
		YELLOW PERCH	2007	1	3	0.33
			2008	48	9	5.33
		BLACK BULLHEAD	2008	1	9	0.11
		PUMPKINSEED	2008	20	9	2.22
			2009	1	2	0.50
	PETROLIA RESERVOIR	YELLOW PERCH	2007	1	15.5	0.06
			2008	1	2	0.50
			2010	17	31	0.55
		NORTHERN PIKE	2007	3	15.5	0.19
		COMMON CARP	2004	1	2	0.50
			2007	3	15.5	0.19
	PISHKUN RESERVOIR	WALLEYE	2007	18	15.5	1.16
			2009	3	16.5	0.18
			2010	25	31	0.81
		RAINBOW TROUT	2001	4	101.5	0.04
			2003	1	172.5	0.01
			2004	4	53	0.08
			2005	6	85.25	0.07
			2006	4	201.25	0.02
			2007	8	465.5	0.02
			2008	41	458.5	0.09
			2009	33	340.9	0.10
			2010	60	214.5	0.28
			2011	24	129	0.19
	COHO SALMON	BROWN TROUT	2008	1	458.5	0.00
		KOKANEE	2008	4	458.5	0.01
			2009	4	340.9	0.01
			2011	1	129	0.01
		ARCTIC GRAYLING	2001	1	101.5	0.01
	YELLOW PERCH	2009	5	340.9	0.01	
			2010	1	214.5	0.00
			2001	27	101.5	0.27
			2002	337	72	4.68
			2003	483	172.5	2.80
	NORTHERN PIKE		2004	90	53	1.70
			2005	157	85.25	1.84
			2006	879	201.25	4.37
			2007	2147	465.5	4.61
			2008	1944	458.5	4.24
			2009	1330	340.9	3.90
			2010	727	214.5	3.39
			2011	156	129	1.21
	WALLEYE	NORTHERN PIKE	2001	40	101.5	0.39
			2002	8	72	0.11
			2003	69	172.5	0.40
			2004	7	53	0.13
			2005	12	85.25	0.14
			2006	18	201.25	0.09

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)	
4	PISHKUN RESERVOIR	NORTHERN PIKE	2007	74	465.5	0.16	
			2008	32	458.5	0.07	
			2009	3	340.9	0.01	
			2010	16	214.5	0.07	
			2011	5	129	0.04	
	PRICKLEY PEAR CREEK	SALMON	2009	1	340.9	0.00	
		RAINBOW TROUT	2006	3	4.5	0.67	
			2008	4	42.5	0.09	
			2009	1	3	0.33	
			2010	11	34.5	0.32	
S FK JUDITH RIVER	RAINBOW TROUT	BROOK TROUT	2008	7	42.5	0.16	
		2009	2	3	0.67		
		BROWN TROUT	2006	3	4.5	0.67	
			2008	17	42.5	0.40	
			2009	9	3	3.00	
	CUTTHROAT TROUT		2010	19	34.5	0.55	
			2001	32	10	3.20	
			2003	49	12.5	3.92	
			2008	1	5.5	0.18	
			2011	4	2	2.00	
S FK MUSSELSHELL RIVER	RAINBOW TROUT	BROOK TROUT	2001	17	10	1.70	
		2003	5	12.5	0.40		
		2011	4	2	2.00		
		LARGEMOUTH BASS	2001	19	10	1.90	
			2003	7	12.5	0.56	
	CHANNEL CATFISH		2005	1	6	0.17	
			2008	3	5.5	0.55	
			2003	29	12.5	2.32	
			2011	14	2	7.00	
	CUTTHROAT TROUT	RAINBOW TROUT	2001	19	5	3.80	
		2003	17	9.5	1.79		
		2004	1	8	0.13		
		2005	6	10	0.60		
		2006	2	8.75	0.23		
		2011	16	8	2.00		
		BROOK TROUT	2001	2	5	0.40	
		2011	1	8	0.13		
		BROWN TROUT	2001	2	5	0.40	
			2003	1	9.5	0.11	
			2011	4	8	0.50	
	S FK SUN RIVER		2001	9	5	1.80	
			2003	13	9.5	1.37	
			2004	48	8	6.00	
			2005	45	10	4.50	
			2006	18	8.75	2.06	
			2008	30	10	3.00	
			2009	4	7	0.57	
			2011	34	8	4.25	
	RAINBOW TROUT	2001	4	4.5	0.89		

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	S FK SUN RIVER	RAINBOW TROUT	2005	12	2.5	4.80
		CUTTHROAT TROUT	2005	9	2.5	3.60
			2009	5	2	2.50
		BROOK TROUT	2001	6	4.5	1.33
			2009	3	2	1.50
	SHEEP CREEK	RAINBOW TROUT	2001	1	5	0.20
			2002	17	9.5	1.79
			2004	33	15.5	2.13
			2005	133	19.5	6.82
			2006	26	16	1.63
		BROOK TROUT	2002	4	9.5	0.42
			2004	2	15.5	0.13
			2005	1	19.5	0.05
			2005	7	3	2.33
		BROWN TROUT	2004	1	15.5	0.06
		BULLHEAD	2005	1	3	0.33
	SMITH RIVER RESERVOIR	RAINBOW TROUT	2001	13	10.2	1.27
			2002	43	46.7	0.92
			2003	38	36.5	1.04
			2004	2	16	0.13
			2005	1	6	0.17
			2006	3	7	0.43
		BROOK TROUT	2002	1	46.7	0.02
		BROWN TROUT	2006	1	7	0.14
		WHITEFISH	2002	2	46.7	0.04
			2006	1	7	0.14
		LAKE WHITEFISH	2005	1	6	0.17
	SMITH RIVER SEC 01	RAINBOW TROUT	2002	35	12	2.92
			2004	25	6	4.17
			2005	19	11.5	1.65
			2006	24	27	0.89
			2007	1	15	0.07
			2008	14	78	0.18
			2009	18	32.5	0.55
			2011	6	6.5	0.92
		CUTTHROAT TROUT	2002	1	12	0.08
			2009	4	32.5	0.12
		BROOK TROUT	2002	5	12	0.42
		BROWN TROUT	2001	2	2	1.00
			2002	48	12	4.00
			2003	7	3	2.33
			2005	50	11.5	4.35
			2006	39	27	1.44
			2007	3	15	0.20
			2008	15	78	0.19
			2009	26	32.5	0.80
			2010	5	33	0.15
			2011	3	6.5	0.46
		WHITEFISH	2006	3	27	0.11

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	SMITH RIVER SEC 01	WHITEFISH	2008	3	78	0.04
			2009	2	32.5	0.06
		LAKE WHITEFISH	2001	2	2	1.00
		BURBOT	2008	2	78	0.03
	SMITH RIVER SEC 02	RAINBOW TROUT	2002	26	18	1.44
			2003	2	5.5	0.36
			2004	25	22.5	1.11
			2005	2	21	0.10
			2006	13	26	0.50
	SMITH RIVER SEC 03		2009	2	5.5	0.36
			2011	22	17	1.29
		CUTTHROAT TROUT	2009	1	5.5	0.18
		BROWN TROUT	2002	7	18	0.39
			2003	10	5.5	1.82
			2004	7	22.5	0.31
			2005	6	21	0.29
			2006	10	26	0.38
			2009	2	5.5	0.36
			2010	1	3	0.33
			2011	18	17	1.06
	SPLIT ROCK LAKE	WHITEFISH	2002	4	18	0.22
			2004	1	22.5	0.04
			2011	1	17	0.06
		RAINBOW TROUT	2001	13	16	0.81
			2002	19	41.5	0.46
			2008	2	25	0.08
			2010	9	3.5	2.57
		BROWN TROUT	2002	17	41.5	0.41
			2003	5	3	1.67
			2010	3	3.5	0.86
	SPRING MEADOW LAKE	YELLOW PERCH	2002	13	20	0.65
			2003	30	7	4.29
			2006	1	9	0.11
			2009	43	25	1.72
			2010	17	13	1.31
			2011	52	13	4.00
		NORTHERN PIKE	2002	11	20	0.55
			2003	4	7	0.57
			2005	14	16	0.88
			2006	3	9	0.33
			2009	5	25	0.20
			2010	16	13	1.23
			2011	5	13	0.38
	SPRING MEADOW LAKE	RAINBOW TROUT	2003	4	5	0.80
			2009	5	10	0.50
			2010	3	7	0.43
			2011	2	12	0.17
		LARGEMOUTH BASS	2002	2	9	0.22
		SUNFISH	2004	1	4	0.25

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	SPRING MEADOW LAKE	YELLOW PERCH	2002	4	9	0.44
		PUMPKINSEED	2001	2	4	0.50
			2002	1	9	0.11
	SUN RIVER SEC 01	RAINBOW TROUT	2009	1	3	0.33
			2010	4	11	0.36
			2011	1	1	1.00
		BROWN TROUT	2009	3	3	1.00
		CHANNEL CATFISH	2001	4	2	2.00
		GOLDEYE	2011	1	1	1.00
	SUN RIVER SEC 02	RAINBOW TROUT	2002	3	37	0.08
			2003	10	64	0.16
			2005	14	16	0.88
			2006	2	12	0.17
			2007	5	8	0.63
			2008	8	17	0.47
			2010	8	20.5	0.39
		CUTTHROAT TROUT	2008	9	17	0.53
		BROOK TROUT	2003	8	64	0.13
			2006	1	12	0.08
		BROWN TROUT	2002	18	37	0.49
			2003	1	64	0.02
			2005	8	16	0.50
			2006	2	12	0.17
			2007	3	8	0.38
			2008	13	17	0.76
			2010	3	20.5	0.15
		ARCTIC GRAYLING	2003	1	64	0.02
		WHITEFISH	2002	1	37	0.03
	SUTHERLIN RESERVOIR	RAINBOW TROUT	2004	14	13	1.08
			2005	27	27	1.00
			2006	24	31.5	0.76
			2007	36	29	1.24
			2009	66	95.5	0.69
			2010	51	124.5	0.41
			2011	103	93.5	1.10
		BROOK TROUT	2004	1	13	0.08
			2005	30	27	1.11
			2010	2	124.5	0.02
			2011	1	93.5	0.01
		BURBOT	2006	1	31.5	0.03
			2007	1	29	0.03
			2009	27	95.5	0.28
			2010	23	124.5	0.18
			2011	11	93.5	0.12
	TETON RIVER SEC 01	CUTTHROAT TROUT	2001	10	4	2.50
			2005	32	41	0.78
			2009	25	4	6.25
		BROOK TROUT	2005	5	41	0.12
			2009	5	4	1.25

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	TETON RIVER SEC 01	COMMON CARP	2005	2	41	0.05
		GOLDEYE	2002	2	1	2.00
			2005	38	41	0.93
		FLATHEAD CHUB	2006	10	2	5.00
		WHITE SUCKER	2006	1	2	0.50
	TETON RIVER SEC 02	CUTTHROAT TROUT	2003	4	11	0.36
			2006	16	6.5	2.46
			2009	25	6	4.17
			2011	5	16	0.31
		BROOK TROUT	2009	5	6	0.83
			2011	8	16	0.50
TIBER RESERVOIR	RAINBOW TROUT		2004	2	163	0.01
			2006	3	190.5	0.02
			2008	1	311.5	0.00
			2009	3	416	0.01
			2011	1	330.5	0.00
	CUTTHROAT TROUT		2009	1	416	0.00
		LAKE TROUT	2008	15	311.5	0.05
			2009	13	416	0.03
			2010	4	327.65	0.01
			2011	1	330.5	0.00
Y	YELLOW PERCH		2004	3	163	0.02
			2005	11	209.5	0.05
			2006	25	190.5	0.13
			2007	50	298	0.17
			2008	40	311.5	0.13
	NORTHERN PIKE		2009	105	416	0.25
			2010	80	327.65	0.24
			2011	38	330.5	0.11
			2004	4	163	0.02
			2005	11	209.5	0.05
W	BURBOT		2006	6	190.5	0.03
			2007	20	298	0.07
			2008	4	311.5	0.01
			2009	12	416	0.03
			2010	26	327.65	0.08
	COMMON CARP		2011	26	330.5	0.08
			2009	1	416	0.00
			2004	11	163	0.07
			2008	1	311.5	0.00
			2009	25	416	0.06
X	WHITE SUCKER		2011	2	330.5	0.01
			2007	1	298	0.00
			2004	54	163	0.33
			2005	99	209.5	0.47
			2006	118	190.5	0.62
	WALLEYE		2007	110	298	0.37
			2008	136	311.5	0.44
			2009	61	416	0.15

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	TIBER RESERVOIR	WALLEYE	2010	134	327.65	0.41
			2011	59	330.5	0.18
			2004	1	163	0.01
			2007	1	298	0.00
			2008	2	311.5	0.01
			2010	1	327.65	0.00
		RAINBOW TROUT	2002	7	11.5	0.61
			2003	20	15.5	1.29
			2004	8	4	2.00
			2005	8	7.5	1.07
			2006	15	14	1.07
		CUTTHROAT TROUT	2007	2	20	0.10
			2010	1	21	0.05
			2007	13	20	0.65
		ARCTIC GRAYLING	2009	19	7	2.71
			2010	24	21	1.14
			2002	13	11.5	1.13
			2003	20	15.5	1.29
			2004	3	4	0.75
			2005	1	7.5	0.13
			2007	7	20	0.35
			2009	2	7	0.29
			2010	50	21	2.38
			2011	10	6	1.67
	TWO MEDICINE LAKE, LOWER	RAINBOW TROUT	2004	2	12	0.17
			2006	1	8	0.13
			2007	1	12	0.08
			2011	1	8.5	0.12
		BROOK TROUT	2004	3	12	0.25
			2005	2	6	0.33
			2007	1	12	0.08
			2011	2	8.5	0.24
		BULL TROUT	2004	1	12	0.08
WADSWORTH RESERVOIR	RAINBOW TROUT	2009	6	9	0.67	
		LARGEMOUTH BASS	2009	1	9	0.11
		YELLOW PERCH	2003	12	2	6.00
	COMMON CARP	2007	1	2	0.50	
		2008	8	20.5	0.39	
		2009	6	9	0.67	
	WHITE SUCKER	2008	2	20.5	0.10	
		2010	1	3.5	0.29	
	PUMPKINSEED	2006	1	3	0.33	
		2007	1	2	0.50	
		2008	7	20.5	0.34	
		2009	2	9	0.22	
	WALLEYE	2006	1	3	0.33	
		2008	8	20.5	0.39	
		2009	2	9	0.22	
		2010	1	3.5	0.29	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
4	WARM SPRINGS CREEK	RAINBOW TROUT	2001	4	5	0.80
			2002	1	2	0.50
			2003	6	10	0.60
			2006	3	3	1.00
			2011	1	4	0.25
		BROWN TROUT	2003	1	10	0.10
			2004	2	2	1.00
		COMMON CARP	2001	1	5	0.20
		SMALLMOUTH BASS	2001	4	5	0.80
			2002	2	2	1.00
			2003	9	10	0.90
			2006	3	3	1.00
			2007	1	1	1.00
	WILLOW CREEK RESERVOIR	RAINBOW TROUT	2001	21	90	0.23
			2002	45	126.5	0.36
			2003	21	18	1.17
			2003	85	107	0.79
			2004	38	35.1	1.08
			2004	11	8	1.38
			2005	48	45	1.07
			2005	28	45	0.62
			2006	9	39.5	0.23
			2006	7	24	0.29
		CUTTHROAT TROUT	2007	13	52.5	0.25
			2008	9	44	0.20
			2009	2	16	0.13
			2009	1	29.5	0.03
			2010	2	5.5	0.36
			2009	30	29.5	1.02
			2010	42	32	1.31
		BROOK TROUT	2005	1	45	0.02
5	BIGHORN LAKE	ARCTIC GRAYLING	2007	1	52.5	0.02
		WHITE SUCKER	2005	1	45	0.02
		RAINBOW TROUT	2003	2	233.5	0.01
			2005	1	60.5	0.02
			2007	4	114	0.04
			2010	1	120	0.01
		BROWN TROUT	2001	10	377.8	0.03
			2003	14	233.5	0.06
			2006	1	79	0.01
			2007	5	114	0.04
			2009	1	93	0.01
			2010	2	120	0.02
			2011	1	28	0.04
		LARGEMOUTH BASS	2002	1	54	0.02
			2007	1	114	0.01
		YELLOW PERCH	2001	5	377.8	0.01
			2003	8	233.5	0.03
			2004	5	63	0.08
			2005	1	60.5	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	BIGHORN LAKE	YELLOW PERCH	2006	8	79	0.10
			2007	2	114	0.02
			2009	1	93	0.01
		CRAPPIE	2001	1	377.8	0.00
			2003	3	233.5	0.01
		SAUGER/WALLEYE	2001	83	377.8	0.22
		CHANNEL CATFISH	2003	1	233.5	0.00
		BURBOT	2001	2	377.8	0.01
			2005	1	60.5	0.02
			2007	1	114	0.01
		COMMON CARP	2001	13	377.8	0.03
			2002	1	54	0.02
			2003	7	233.5	0.03
			2004	10	63	0.16
			2005	3	60.5	0.05
			2007	1	114	0.01
		GOLDEYE	2010	2	120	0.02
		SMALLMOUTH BASS	2001	107	377.8	0.28
			2002	63	54	1.17
			2003	81	233.5	0.35
			2004	6	63	0.10
			2005	2	60.5	0.03
			2006	87	79	1.10
			2007	46	114	0.40
			2008	52	68.5	0.76
			2009	41	93	0.44
			2010	66	120	0.55
		BLACK CRAPPIE	2001	2	377.8	0.01
			2008	1	68.5	0.01
		WHITE CRAPPIE	2001	1	377.8	0.00
		SAUGER	2001	5	377.8	0.01
			2003	3	233.5	0.01
			2006	25	79	0.32
			2007	6	114	0.05
			2008	3	68.5	0.04
			2009	2	93	0.02
			2010	4	120	0.03
		WALLEYE	2001	233	377.8	0.62
			2003	45	233.5	0.19
			2004	17	63	0.27
			2005	6	60.5	0.10
			2006	10	79	0.13
			2007	24	114	0.21
			2008	6	68.5	0.09
			2009	4	93	0.04
			2010	17	120	0.14
			2011	8	28	0.29
	BIGHORN RIVER SEC 01	RAINBOW TROUT	2001	52	30	1.73
			2003	5	12	0.42

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	BIGHORN RIVER SEC 01	RAINBOW TROUT	2005	234	272.5	0.86
			2006	316	217.5	1.45
			2007	6	33	0.18
			2008	1	1	1.00
			2009	14	34.5	0.41
			2010	39	26	1.50
			2011	15	22	0.68
		BROOK TROUT	2011	11	22	0.50
		BROWN TROUT	2001	13	30	0.43
			2003	1	12	0.08
			2005	370	272.5	1.36
			2006	326	217.5	1.50
			2007	10	33	0.30
			2009	31	34.5	0.90
			2010	28	26	1.08
			2011	10	22	0.45
		WHITEFISH	2006	7	217.5	0.03
		CHANNEL CATFISH	2007	1	33	0.03
			2011	1	22	0.05
			BULLHEAD	4	33	0.12
		COMMON CARP	2006	34	217.5	0.16
		GOLDEYE	2005	4	272.5	0.01
BIGHORN RIVER SEC 02		RAINBOW TROUT	2001	28	53	0.53
			2002	28	64.2	0.44
			2003	14	65.2	0.21
			2004	12	59.5	0.20
			2005	56	150.5	0.37
			2006	98	197	0.50
			2007	128	96	1.33
			2008	78	86	0.91
			2009	167	168	0.99
			2010	134	100	1.34
			2011	73	59	1.24
		BROOK TROUT	2009	5	168	0.03
		BROWN TROUT	2001	38	53	0.72
			2002	31	64.2	0.48
			2003	17	65.2	0.26
			2004	14	59.5	0.24
			2005	68	150.5	0.45
			2006	174	197	0.88
			2007	103	96	1.07
			2008	76	86	0.88
			2009	117	168	0.70
			2010	84	100	0.84
			2011	112	59	1.90
		WHITEFISH	2001	1	53	0.02
		COMMON CARP	2002	2	64.2	0.03
		GOLDEYE	2003	2	65.2	0.03
		2007	12	96	0.13	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	BIGHORN RIVER SEC 02	GOLDEYE	2009	2	168	0.01
	BIGHORN RIVER SEC 03	RAINBOW TROUT	2001	106	287	0.37
			2002	109	211	0.52
			2003	94	181.5	0.52
			2004	40	102.5	0.39
			2005	105	164.5	0.64
			2006	254	287.5	0.88
			2007	629	790	0.80
			2008	487	660.5	0.74
			2009	333	451.5	0.74
			2010	156	323	0.48
			2011	159	329	0.48
		BROOK TROUT	2011	44	329	0.13
		BROWN TROUT	2001	193	287	0.67
			2002	85	211	0.40
			2003	80	181.5	0.44
			2004	90	102.5	0.88
			2005	108	164.5	0.66
			2006	403	287.5	1.40
			2007	968	790	1.23
			2008	787	660.5	1.19
			2009	423	451.5	0.94
			2010	347	323	1.07
			2011	478	329	1.45
		WHITEFISH	2001	1	287	0.00
			2002	1	211	0.00
			2003	1	181.5	0.01
			2006	1	287.5	0.00
			2007	7	790	0.01
			2008	6	660.5	0.01
			2009	4	451.5	0.01
			2010	1	323	0.00
		COMMON CARP	2007	1	790	0.00
		GOLDEYE	2009	2	451.5	0.00
		LONGNOSE SUCKER	2009	3	451.5	0.01
		WHITE SUCKER	2001	1	287	0.00
		SMALLMOUTH BASS	2009	2	451.5	0.00
		SAUGER	2010	5	323	0.02
		WALLEYE	2008	7	660.5	0.01
			2010	7	323	0.02
			2011	5	329	0.02
	BOULDER RIVER SEC 01	RAINBOW TROUT	2001	23	43	0.53
			2002	21	20	1.05
			2003	61	35.5	1.72
			2004	51	25	2.04
			2005	85	35.5	2.39
			2006	13	18.5	0.70
			2007	18	40	0.45
			2008	36	33	1.09

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	BOULDER RIVER SEC 01	RAINBOW TROUT	2009	47	24	1.96
			2010	44	58	0.76
			2011	5	14	0.36
		CUTTHROAT TROUT	2001	56	43	1.30
			2003	7	35.5	0.20
			2004	50	25	2.00
			2005	8	35.5	0.23
			2008	40	33	1.21
			2001	5	43	0.12
			2003	4	35.5	0.11
		BROOK TROUT	2004	5	25	0.20
			2005	1	35.5	0.03
			2006	5	18.5	0.27
			2008	2	33	0.06
			2009	2	24	0.08
			2010	7	58	0.12
		BROWN TROUT	2001	10	43	0.23
			2002	17	20	0.85
			2003	12	35.5	0.34
			2004	3	25	0.12
			2005	10	35.5	0.28
			2006	15	18.5	0.81
BOULDER RIVER SEC 02	BOULDER RIVER SEC 02	RAINBOW TROUT	2007	13	40	0.33
			2008	6	33	0.18
			2010	2	58	0.03
			2011	15	14	1.07
		WHITEFISH	2002	1	20	0.05
			2004	5	25	0.20
		CUTTHROAT TROUT	2001	117	12.5	9.36
			2002	91	14	6.50
			2003	58	17.5	3.31
			2011	10	3	3.33
		BROOK TROUT	2001	11	12.5	0.88
			2002	6	14	0.43
			2003	3	17.5	0.17
			2006	5	5	1.00
BOULDER RIVER SEC 03	BOULDER RIVER SEC 03	BROWN TROUT	2001	7	12.5	0.56
			2002	2	14	0.14
		WHITEFISH	2003	7	17.5	0.40
			2011	3	17.5	0.17
			2011	6	3	2.00
CLARKS FK YELLOWSTONE SEC 1	CLARKS FK YELLOWSTONE SEC 1	RAINBOW TROUT	2011	3	3	1.00
		BROOK TROUT	2011	24	0.5	48.00
		BROOK TROUT	2011	7	0.5	14.00
		RAINBOW TROUT	2007	7	4	1.75
CLARKS FK YELLOWSTONE SEC 2	CLARKS FK YELLOWSTONE SEC 2	BROOK TROUT	2007	2	4	0.50
		BROOK TROUT	2008	15	2	7.50
		GOLDEYE	2003	8	0.7	11.43
		RAINBOW TROUT	2001	5	15	0.33

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	CLARKS FK YELLOWSTONE SEC 2	RAINBOW TROUT	2002	12	4	3.00
			2003	1	7	0.14
			2006	1	6	0.17
			2007	5	14	0.36
			2008	13	20	0.65
			2010	10	36	0.28
		BROWN TROUT	2007	3	14	0.21
		WHITEFISH	2001	84	15	5.60
			2003	13	7	1.86
			2005	18	5	3.60
			2006	3	6	0.50
			2007	22	14	1.57
			2008	11	20	0.55
		BROOK TROUT	2009	3	9	0.33
			2010	11	36	0.31
			2003	8	8	1.00
			2008	14	1	14.00
		BROWN TROUT	2005	5	5	1.00
COONEY RESERVOIR	COONEY RESERVOIR	RAINBOW TROUT	2001	67	141.5	0.47
			2002	66	132	0.50
			2003	6	92.5	0.06
			2004	2	71.25	0.03
			2005	2	45.5	0.04
			2007	12	52	0.23
		CUTTHROAT TROUT	2008	16	78.5	0.20
			2009	8	49.5	0.16
			2010	20	55	0.36
			2001	10	141.5	0.07
			2001	6	141.5	0.04
			2002	1	132	0.01
		COMMON CARP	2001	7	141.5	0.05
			2001	84	141.5	0.59
			2002	59	132	0.45
			2003	16	92.5	0.17
			2004	50	71.25	0.70
			2005	21	45.5	0.46
			2006	3	12.5	0.24
			2007	34	52	0.65
			2008	7	78.5	0.09
			2009	5	49.5	0.10
			2010	1	55	0.02
			2011	37	114	0.32
DEADMANS BASIN RESERVOIR	DEADMANS BASIN RESERVOIR	RAINBOW TROUT	2004	15	41	0.37
			2005	3	8.6	0.35
			2006	6	17	0.35
			2007	6	11	0.55
			2008	2	14	0.14
			2009	10	22	0.45
			2010	14	43.5	0.32

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	DEADMANS BASIN RESERVOIR	RAINBOW TROUT	2011	8	127	0.06
		KOKANEE	2009	1	22	0.05
			2010	4	43.5	0.09
		COMMON CARP	2005	1	8.6	0.12
			2008	2	14	0.14
			2011	3	127	0.02
		WHITE SUCKER	2011	5	127	0.04
		RAINBOW TROUT	2001	15	18.5	0.81
			2002	2	41	0.05
			2003	20	17.1	1.17
EAST ROSEBUD CREEK	EAST ROSEBUD CREEK		2004	1	3	0.33
			2005	5	6	0.83
			2006	9	31	0.29
			2007	13	27	0.48
			2008	6	13.5	0.44
			2009	9	18.5	0.49
		CUTTHROAT TROUT	2003	1	17.1	0.06
		BROOK TROUT	2002	1	41	0.02
			2003	2	17.1	0.12
			2005	1	6	0.17
EAST ROSEBUD LAKE	EAST ROSEBUD LAKE		2008	5	13.5	0.37
		BROWN TROUT	2001	5	18.5	0.27
			2003	6	17.1	0.35
			2004	7	3	2.33
			2005	3	6	0.50
			2006	60	31	1.94
			2007	37	27	1.37
			2008	17	13.5	1.26
			2009	33	18.5	1.78
			2010	1	7	0.14
ECHO LAKE	ECHO LAKE	WHITEFISH	2002	9	41	0.22
			2003	5	17.1	0.29
			2007	1	27	0.04
			2009	1	18.5	0.05
		RAINBOW TROUT	2006	1	4	0.25
		BROWN TROUT	2003	1	2	0.50
			2006	2	4	0.50
			2011	68	36	1.89
		RAINBOW TROUT	2008	1	72.5	0.01
		KOKANEE	2006	22	37.5	0.59
			2008	21	72.5	0.29
			2009	6	140.5	0.04
			2010	6	21	0.29
		WHITEFISH	2008	1	72.5	0.01
			2009	1	140.5	0.01
		LAKE WHITEFISH	2010	5	21	0.24
		LARGEMOUTH BASS	2005	8	14	0.57
			2006	5	37.5	0.13
			2008	37	72.5	0.51

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	ECHO LAKE	LARGEMOUTH BASS	2009	41	140.5	0.29
			2010	3	21	0.14
		SUNFISH	2006	20	37.5	0.53
			2009	39	140.5	0.28
		YELLOW PERCH	2006	168	37.5	4.48
			2008	33	72.5	0.46
			2009	52	140.5	0.37
			2010	14	21	0.67
		LAKE CHUB	2009	5	140.5	0.04
		SALMON	2007	1	4	0.25
	GLACIER LAKE		2008	21	72.5	0.29
			2009	31	140.5	0.22
		RAINBOW TROUT	2001	20	5	4.00
		CUTTHROAT TROUT	2003	7	6	1.17
			2006	57	34	1.68
			2009	15	6	2.50
			2010	3	7	0.43
		BROOK TROUT	2003	3	6	0.50
GLASSTON LAKE	GLASSTON LAKE		2004	15	4	3.75
			2006	5	34	0.15
		YELLOW PERCH	2005	145	79	1.84
			2006	4	22	0.18
			2007	386	121	3.19
			2008	170	60.5	2.81
			2009	409	116.5	3.51
			2010	215	87	2.47
		CUTTHROAT TROUT	2002	1	5	0.20
			2006	2	2	1.00
KERSEY LAKE	KERSEY LAKE	BROOK TROUT	2002	3	5	0.60
			2004	2	1	2.00
			2005	1	3	0.33
			2008	13	4	3.25
			2009	2	2	1.00
			2010	9	6	1.50
		LAKE TROUT	2005	1	3	0.33
		RAINBOW TROUT	2002	19	9	2.11
			2003	4	4.7	0.85
			2006	5	19	0.26
LAKE ELMO	LAKE ELMO		2007	1	2.5	0.40
			2009	3	13	0.23
			2010	15	13	1.15
		YELLOW PERCH	2002	1	9	0.11
			2006	30	19	1.58
			2010	6	13	0.46
		CHANNEL CATFISH	2003	1	4.7	0.21
			2006	2	19	0.11
		BLUEGILL	2009	3	13	0.23
		PUMPKINSEED	2006	2	19	0.11
LAKE FORK ROCK CREEK	LAKE FORK ROCK CREEK	RAINBOW TROUT	2005	3	0.5	6.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	LAKE FORK ROCK CREEK	RAINBOW TROUT	2006	4	2.5	1.60
			2009	1	1	1.00
			2010	3	0.75	4.00
		BROOK TROUT	2004	7	4	1.75
			2005	2	0.5	4.00
			2006	9	2.5	3.60
			2009	2	1	2.00
			2010	3	0.75	4.00
		GOLDEN TROUT	2004	1	4	0.25
	LAKE JOSEPHINE		2010	1	2	0.50
		LARGEMOUTH BASS	2005	1	9.5	0.11
			2006	5	19	0.26
			2007	18	17	1.06
			2008	2	13	0.15
			2009	9	16.1	0.56
		YELLOW PERCH	2004	2	3	0.67
			2006	3	19	0.16
			2007	3	17	0.18
			2008	6	13	0.46
			2009	3	16.1	0.19
	COMMON CARP	CRAPPIE	2003	6	8	0.75
			2004	1	3	0.33
		COMMON CARP	2001	1	1	1.00
			2007	2	17	0.12
			2008	2	13	0.15
			2009	1	16.1	0.06
		SMALLMOUTH BASS	2002	2	1	2.00
		BLUEGILL	2002	5	1	5.00
	LOWER AERO LAKE		2005	13	9.5	1.37
			2006	300	19	15.79
			2007	311	17	18.29
			2008	122	13	9.38
			2009	235	16.1	14.60
		PUMPKINSEED	2003	4	8	0.50
			2006	56	19	2.95
			2007	30	17	1.76
			2008	34	13	2.62
			2009	37	16.1	2.30
			2010	2	2	1.00
	GREEN SUNFISH	GREEN SUNFISH	2006	17	19	0.89
			2007	8	17	0.47
			2008	3	13	0.23
			2009	7	16.1	0.43
			2010	3	2	1.50
		BLACK CRAPPIE	2005	13	9.5	1.37
			2007	1	17	0.06
			2008	2	13	0.15
	CUTTHROAT TROUT	WHITE CRAPPIE	2009	1	16.1	0.06
		CUTTHROAT TROUT	2003	4	14	0.29

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	LOWER AERO LAKE	CUTTHROAT TROUT	2006	11	14.5	0.76
		BROOK TROUT	2002	7	5	1.40
			2005	3	5	0.60
			2006	14	14.5	0.97
			2008	3	10	0.30
			2010	13	5	2.60
	LOWER DEER CREEK	CUTTHROAT TROUT	2009	7	3	2.33
		BROWN TROUT	2009	3	3	1.00
MUSSELSHELL RIVER SEC 01	CHANNEL CATFISH	CHANNEL CATFISH	2001	2	4	0.50
			2006	11	7	1.57
			2007	3	2	1.50
			2008	9	12	0.75
			2009	2	16	0.13
			2010	3	1	3.00
		COMMON CARP	2009	3	16	0.19
		FRESHWATER DRUM	2010	1	1	1.00
		WHITE SUCKER	2009	1	16	0.06
			2010	2	1	2.00
	SMALLMOUTH BASS	SMALLMOUTH BASS	2006	7	7	1.00
			2009	3	16	0.19
MUSSELSHELL RIVER SEC 02	RAINBOW TROUT	RAINBOW TROUT	2006	24	12.5	1.92
			2007	17	14	1.21
			2008	0	19.05	0.00
		BROOK TROUT	2006	3	12.5	0.24
		BROWN TROUT	2002	7	10	0.70
	RAINBOW TROUT		2004	47	25.5	1.84
			2005	8	6	1.33
			2006	20	12.5	1.60
			2007	7	14	0.50
			2008	36	19.05	1.89
			2009	1	7	0.14
			2010	26	12.83	2.03
		CUTTHROAT TROUT	2002	4	0.5	8.00
			2003	14	4	3.50
			2007	4	10	0.40
MYSTIC LAKE	RAINBOW TROUT		2008	10	8	1.25
			2010	2	4	0.50
		CUTTHROAT TROUT	2003	1	4	0.25
			2007	1	10	0.10
			2010	2	4	0.50
	RAINBOW TROUT	RAINBOW TROUT	2001	29	15	1.93
			2002	9	17	0.53
			2003	5	25.2	0.20
			2004	9	32	0.28
			2005	173	218	0.79
ROCK CREEK SEC 01	RAINBOW TROUT		2006	23	44	0.52
			2007	94	100	0.94
			2008	16	15	1.07
			2009	47	88	0.53

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	ROCK CREEK SEC 01	RAINBOW TROUT	2010	127	148	0.86
			2011	69	114.5	0.60
		CUTTHROAT TROUT	2003	30	25.2	1.19
			2005	91	218	0.42
			2006	9	44	0.20
			2007	93	100	0.93
			2009	74	88	0.84
			2010	93	148	0.63
			2011	121	114.5	1.06
		BROOK TROUT	2001	39	15	2.60
			2002	4	17	0.24
			2003	11	25.2	0.44
			2004	3	32	0.09
			2005	7	218	0.03
			2006	1	44	0.02
			2007	1	100	0.01
			2009	1	88	0.01
			2010	7	148	0.05
			2011	5	114.5	0.04
		BROWN TROUT	2002	3	17	0.18
			2003	11	25.2	0.44
			2004	15	32	0.47
			2005	262	218	1.20
			2006	40	44	0.91
			2007	123	100	1.23
			2008	13	15	0.87
			2009	128	88	1.45
			2010	260	148	1.76
			2011	207	114.5	1.81
		BULL TROUT	2006	1	44	0.02
			2007	5	100	0.05
		WHITEFISH	2003	3	25.2	0.12
			2005	7	218	0.03
			2010	3	148	0.02
			2011	1	114.5	0.01
			2004	23	32	0.72
		COMMON CARP	2007	1	100	0.01
			2002	8	4.5	1.78
			2005	3	46.6	0.06
			2006	10	69	0.14
			2007	1	55	0.02
		RAINBOW TROUT	2008	6	51	0.12
			2010	18	60.5	0.30
			2004	67	36	1.86
			2005	47	46.6	1.01
			2006	45	48	0.94
		CUTTHROAT TROUT	2006	93	69	1.35
			2007	77	55	1.40
			2008	48	51	0.94

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	ROCK CREEK SEC 02	CUTTHROAT TROUT	2009	15	19	0.79
			2010	82	60.5	1.36
			2011	19	9	2.11
		BROOK TROUT	2002	1	4.5	0.22
			2011	2	9	0.22
		BROWN TROUT	2004	2	36	0.06
			2005	20	46.6	0.43
			2006	39	48	0.81
			2006	111	69	1.61
			2007	32	55	0.58
			2008	43	51	0.84
			2009	20	19	1.05
			2010	89	60.5	1.47
			2011	8	9	0.89
		WHITEFISH	2008	1	51	0.02
	ROCK ISLAND LAKE	CUTTHROAT TROUT	2001	4	2.5	1.60
			2006	7	2	3.50
			2007	5	2	2.50
			2008	1	4	0.25
			2010	5	6	0.83
		BROOK TROUT	2001	2	2.5	0.80
			2006	1	2	0.50
			2008	12	4	3.00
			2009	1	2	0.50
			2005	9	3	3.00
	ROSEBUD CREEK	RAINBOW TROUT	2007	21	15	1.40
			2005	5	3	1.67
		BROWN TROUT	2007	17	15	1.13
		GOLDEN TROUT	2005	1	3	0.33
STILLWATER RIVER SEC 01	STILLWATER RIVER SEC 01	RAINBOW TROUT	2001	122	118.4	1.03
			2002	119	172.6	0.69
			2003	185	148.8	1.24
			2004	91	111.9	0.81
			2005	66	90.7	0.73
			2006	48	63.5	0.76
			2007	104	96.5	1.08
			2008	34	63.75	0.53
			2009	26	32.5	0.80
			2010	110	150.5	0.73
			2011	34	72.5	0.47
		CUTTHROAT TROUT	2002	1	172.6	0.01
		BROOK TROUT	2003	1	148.8	0.01
			2006	4	63.5	0.06
			2009	3	32.5	0.09
			2010	1	150.5	0.01
			2011	7	72.5	0.10
		BROWN TROUT	2001	43	118.4	0.36
			2002	96	172.6	0.56
			2003	80	148.8	0.54

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	STILLWATER RIVER SEC 01	BROWN TROUT	2004	101	111.9	0.90
			2005	62	90.7	0.68
			2006	43	63.5	0.68
			2007	70	96.5	0.73
			2008	20	63.75	0.31
			2009	9	32.5	0.28
			2010	39	150.5	0.26
			2011	24	72.5	0.33
		GOLDEN TROUT	2003	1	148.8	0.01
		WHITEFISH	2001	29	118.4	0.24
			2002	47	172.6	0.27
	STILLWATER RIVER SEC 02		2003	14	148.8	0.09
			2004	11	111.9	0.10
			2005	2	90.7	0.02
		RAINBOW TROUT	2006	15	63.5	0.24
			2007	9	96.5	0.09
			2008	1	63.75	0.02
			2010	43	150.5	0.29
			2011	36	72.5	0.50
		CUTTHROAT TROUT	2001	68	25.7	2.65
			2002	11	6	1.83
VERNON LAKE	CUTTHROAT TROUT		2003	229	43.5	5.26
			2004	73	38.5	1.90
			2005	57	12.5	4.56
			2008	4	6	0.67
			2010	19	9.5	2.00
		BROOK TROUT	2001	3	25.7	0.12
			2004	17	38.5	0.44
			2007	1	3	0.33
		BROWN TROUT	2001	40	25.7	1.56
			2002	25	6	4.17
	WHITEFISH		2003	65	43.5	1.49
			2004	42	38.5	1.09
			2005	27	12.5	2.16
			2010	8	9.5	0.84
		BROWN TROUT	2002	1	6	0.17
			2003	7	43.5	0.16
			2004	5	38.5	0.13
			2005	1	12.5	0.08
	YELLOW PERCH		2007	2	3	0.67
			2010	12	9.5	1.26
		WHITEFISH	2001	1	25.7	0.04
			2003	16	43.5	0.37
			2004	4	38.5	0.10
	CUTTHROAT TROUT		2006	2	11.75	0.17
			2008	8	6	1.33
			2010	1	9.5	0.11
		CUTTHROAT TROUT	2003	10	43.5	0.23
	VERNON LAKE		2001	2	4	0.50

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	VERNON LAKE	CUTTHROAT TROUT	2002	1	3	0.33
			2003	3	3	1.00
			2006	12	2	6.00
			2008	3	2	1.50
			2010	7	5	1.40
		BROOK TROUT	2001	1	4	0.25
			2002	1	3	0.33
			2003	1	3	0.33
		BROWN TROUT	2006	1	2	0.50
	W FK ROCK CREEK	RAINBOW TROUT	2005	5	7	0.71
			2007	3	0.5	6.00
		BROOK TROUT	2005	25	7	3.57
			2007	2	0.5	4.00
W FK STILLWATER R SEC 01	W FK STILLWATER R SEC 01	RAINBOW TROUT	2001	7	1.5	4.67
			2010	7	3	2.33
			2011	1	7	0.14
		BROOK TROUT	2009	2	1	2.00
		BROWN TROUT	2011	2	7	0.29
	WEST BOULDER RIVER	RAINBOW TROUT	2002	34	50.5	0.67
			2003	26	26	1.00
			2004	1	3	0.33
			2007	4	5	0.80
		CUTTHROAT TROUT	2002	10	50.5	0.20
			2006	1	9.5	0.11
	WEST ROSEBUD CREEK	BROWN TROUT	2002	39	50.5	0.77
			2003	4	26	0.15
			2006	2	9.5	0.21
			2007	3	5	0.60
		WHITEFISH	2003	2	26	0.08
	WEST ROSEBUD CREEK	RAINBOW TROUT	2001	35	30.5	1.15
			2002	8	11.5	0.70
			2003	15	13	1.15
			2005	2	6	0.33
			2006	4	8	0.50
		CUTTHROAT TROUT	2010	2	0.5	4.00
		BROOK TROUT	2001	2	30.5	0.07
			2002	6	11.5	0.52
			2007	2	0.5	4.00
			2008	2	0.5	4.00
WEST ROSEBUD LAKE	WEST ROSEBUD LAKE	BROWN TROUT	2001	74	30.5	2.43
			2002	3	11.5	0.26
			2003	13	13	1.00
		RAINBOW TROUT	2001	22	31	0.71
			2002	47	30	1.57
			2003	28	36	0.78
			2004	9	16.5	0.55
			2005	30	19	1.58
			2007	2	4	0.50
			2008	2	4	0.50

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	WEST ROSEBUD LAKE	RAINBOW TROUT	2009	6	4	1.50
		CUTTHROAT TROUT	2005	1	19	0.05
		BROOK TROUT	2001	1	31	0.03
			2002	4	30	0.13
			2003	2	36	0.06
			2004	2	16.5	0.12
			2009	1	4	0.25
			2010	2	2	1.00
		BROWN TROUT	2001	7	31	0.23
			2002	9	30	0.30
			2003	17	36	0.47
			2004	10	16.5	0.61
			2005	18	19	0.95
			2008	1	4	0.25
			2009	5	4	1.25
		RAINBOW TROUT	2005	1	10.5	0.10
			2008	1	118	0.01
YELLOWSTONE RIVER SEC 03	YELLOWSTONE RIVER SEC 03	BROOK TROUT	2011	1	18	0.06
		BROWN TROUT	2001	1	22	0.05
		WHITEFISH	2005	20	157	0.13
		CHANNEL CATFISH	2001	1	22	0.05
			2002	1	24	0.04
			2005	69	157	0.44
			2006	6	60.5	0.10
			2006	3	3	1.00
			2007	18	56	0.32
			2007	11	28	0.39
			2008	15	42	0.36
			2008	24	118	0.20
			2009	8	61.5	0.13
			2010	8	37	0.22
		BULLHEAD	2005	26	157	0.17
			2005	1	10.5	0.10
			2007	5	28	0.18
			2008	3	118	0.03
6	MISSOURI RIVER SEC 03	BURBOT	2003	1	19	0.05
			2005	5	157	0.03
		COMMON CARP	2001	1	22	0.05
			2002	2	24	0.08
			2004	3	19	0.16
			2005	1	157	0.01
			2007	1	56	0.02
			2007	2	28	0.07
			2009	1	61.5	0.02
			2010	1	37	0.03
			2011	7	18	0.39
		GOLDEYE	2001	218	22	9.91
7	MISSOURI RIVER SEC 03		2002	3	24	0.13
			2003	1	2.5	0.40

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	YELLOWSTONE RIVER SEC 03	GOLDEYE	2003	8	19	0.42
			2004	4	17	0.24
			2005	20	157	0.13
			2005	1	10.5	0.10
			2006	5	60.5	0.08
			2007	3	2	1.50
			2007	9	28	0.32
			2007	7	56	0.13
			2008	15	118	0.13
			2009	11	61.5	0.18
			2010	17	37	0.46
			2011	2	3	0.67
			2011	3	18	0.17
		BLACK BULLHEAD	2002	4	24	0.17
			2005	1	157	0.01
		YELLOW BULLHEAD	2009	2	61.5	0.03
		SMALLMOUTH BASS	2002	5	24	0.21
			2003	5	19	0.26
			2004	4	17	0.24
			2005	37	157	0.24
			2006	3	60.5	0.05
			2007	66	56	1.18
			2008	6	42	0.14
			2008	8	118	0.07
			2009	1	61.5	0.02
			2010	3	37	0.08
		SAUGER	2001	4	22	0.18
			2002	8	24	0.33
			2003	1	19	0.05
			2004	1	17	0.06
			2004	12	19	0.63
			2005	5	157	0.03
			2005	1	10.5	0.10
			2006	32	60.5	0.53
			2007	57	56	1.02
			2008	82	118	0.69
			2008	24	42	0.57
			2009	1	61.5	0.02
			2010	2	37	0.05
		WALLEYE	2004	1	19	0.05
			2007	1	56	0.02
			2008	2	118	0.02
	YELLOWSTONE RIVER SEC 04	RAINBOW TROUT	2003	20	7	2.86
			2005	1	17.5	0.06
			2007	1	7.5	0.13
			2009	11	15	0.73
		CUTTHROAT TROUT	2005	2	17.5	0.11
		BROWN TROUT	2005	3	17.5	0.17
			2007	1	7.5	0.13

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	YELLOWSTONE RIVER SEC 04	WHITEFISH	2009	15	15	1.00
		CHANNEL CATFISH	2008	0	11	0.00
			2009	1	15	0.07
			2010	8	19	0.42
		BULLHEAD	2005	1	17.5	0.06
			2007	8	7.5	1.07
			2011	52	59	0.88
		COMMON CARP	2007	2	7.5	0.27
			2010	2	19	0.11
		GOLDEYE	2001	3	1.5	2.00
			2003	1	7	0.14
			2007	1	7.5	0.13
			2008	3	11	0.27
			2009	12	15	0.80
			2010	3	19	0.16
		WHITE SUCKER	2010	1	19	0.05
		STONECAT	2010	4	19	0.21
		SMALLMOUTH BASS	2009	1	15	0.07
YELLOWSTONE RIVER SEC 05		RAINBOW TROUT	2001	17	17	1.00
			2002	4	3	1.33
			2003	10	13.2	0.76
			2004	4	13.75	0.29
			2005	2	9	0.22
			2007	14	15	0.93
			2008	51	39	1.31
			2009	88	70.5	1.25
			2010	50	49.5	1.01
		BROWN TROUT	2001	1	17	0.06
			2002	1	3	0.33
			2003	3	13.2	0.23
			2004	2	13.75	0.15
			2005	2	9	0.22
			2007	2	15	0.13
			2008	23	39	0.59
			2009	29	70.5	0.41
			2010	33	49.5	0.67
			2011	2	7.5	0.27
WHITEFISH		WHITEFISH	2003	1	13.2	0.08
			2005	1	9	0.11
			2007	1	15	0.07
			2009	2	70.5	0.03
			2010	3	49.5	0.06
		BULLHEAD	2004	2	13.75	0.15
		COMMON CARP	2003	1	13.2	0.08
			2009	1	70.5	0.01
		GOLDEYE	2001	8	17	0.47
			2002	2	3	0.67
			2003	8	13.2	0.61
			2004	7	13.75	0.51

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	YELLOWSTONE RIVER SEC 05	GOLDEYE	2007	1	15	0.07
		SMALLMOUTH BASS	2009	1	70.5	0.01
			2010	1	49.5	0.02
		RAINBOW TROUT	2001	21	52.7	0.40
			2002	38	91	0.42
			2003	149	136.5	1.09
			2004	44	75.5	0.58
			2004	120	149	0.81
			2005	97	96	1.01
			2005	15	17	0.88
5	YELLOWSTONE RIVER SEC 06		2006	71	108	0.66
			2006	3	4	0.75
			2007	43	84	0.51
			2008	27	77.5	0.35
			2008	6	16	0.38
			2009	59	87.2	0.68
			2010	5	14	0.36
		CUTTHROAT TROUT	2002	3	91	0.03
			2003	1	136.5	0.01
			2004	2	149	0.01
5	BROWN TROUT		2005	18	96	0.19
			2007	1	84	0.01
			2009	1	87.2	0.01
		BROOK TROUT	2002	3	91	0.03
		BROWN TROUT	2001	13	52.7	0.25
			2002	12	91	0.13
			2003	38	136.5	0.28
			2004	18	75.5	0.24
			2004	38	149	0.26
			2005	1	17	0.06
5	WHITEFISH		2005	21	96	0.22
			2006	1	4	0.25
			2006	38	108	0.35
			2007	11	84	0.13
			2008	20	77.5	0.26
			2008	5	16	0.31
			2009	11	87.2	0.13
			2010	5	14	0.36
			2002	3	91	0.03
			2003	11	136.5	0.08
5	BULLHEAD		2004	4	149	0.03
			2008	3	16	0.19
			2010	1	14	0.07
		GOLDEYE	2005	5	17	0.29
			2001	4	52.7	0.08
5	SMALLMOUTH BASS		2003	2	136.5	0.01
			2005	1	96	0.01
			2007	1	84	0.01
			2001	1	52.7	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	Yellowstone River Sec 06B	RAINBOW TROUT	2007	14	16	0.88
			2008	4	9	0.44
			2009	4	6.5	0.62
			2010	61	186	0.33
			2011	13	101.5	0.13
		BROOK TROUT	2010	3	186	0.02
		BROWN TROUT	2007	6	16	0.38
			2008	4	9	0.44
			2010	18	186	0.10
			2011	6	101.5	0.06
	YELLOWSTONE RIVER SEC 07	RAINBOW TROUT	2008	5	6.5	0.77
			2009	54	44	1.23
			2010	7	6	1.17
			2011	11	16	0.69
		CUTTHROAT TROUT	2010	3	6	0.50
		BROWN TROUT	2008	1	6.5	0.15
			2009	2	44	0.05
			2010	2	6	0.33
			2011	8	16	0.50
	YELLOWSTONE RIVER SEC 07A	RAINBOW TROUT	2008	1	6.5	0.15
			2009	24	44	0.55
			2001	13	16	0.81
			2002	19	38.5	0.49
			2003	24	28.5	0.84
			2006	14	20	0.70
			2007	9	18	0.50
		CUTTHROAT TROUT	2008	2	10	0.20
			2009	1	7.5	0.13
			2010	10	5	2.00
			2011	4	5	0.80
	YELLOWTAIL AFTERBAY	BROWN TROUT	2006	2	20	0.10
			2001	3	16	0.19
			2002	20	38.5	0.52
		WHITEFISH	2003	12	28.5	0.42
			2006	4	20	0.20
			2007	1	18	0.06
			2008	3	10	0.30
		GOLDEYE	2009	1	7.5	0.13
			2011	1	5	0.20
			2001	4	16	0.25
			2002	20	38.5	0.52
		SMALLMOUTH BASS	2002	1	38.5	0.03
		RAINBOW TROUT	2007	20	18	1.11
		BROWN TROUT	2001	5	24	0.21
			2003	5	8.5	0.59
			2007	4	75.5	0.05
			2001	22	24	0.92
		WHITEFISH	2007	1	75.5	0.01
			2009	1	48	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	YELLOWTAIL AFTERBAY	BROWN TROUT	2010	2	83	0.02
		LARGEMOUTH BASS	2007	10	75.5	0.13
		YELLOW PERCH	2005	5	23.25	0.22
			2007	6	75.5	0.08
		CHANNEL CATFISH	2005	1	23.25	0.04
			2010	2	83	0.02
		BURBOT	2007	2	75.5	0.03
			2010	1	83	0.01
		COMMON CARP	2007	1	75.5	0.01
		SMALLMOUTH BASS	2004	3	8	0.38
			2005	13	23.25	0.56
			2006	25	7	3.57
			2007	56	75.5	0.74
			2008	13	7	1.86
			2010	5	83	0.06
		BLACK CRAPPIE	2007	2	75.5	0.03
YELLOWTAIL LAKE	RAINBOW TROUT	SAUGER	2007	8	75.5	0.11
			2009	7	48	0.15
			2010	4	83	0.05
		WALLEYE	2001	4	24	0.17
			2005	1	23.25	0.04
			2007	12	75.5	0.16
			2009	3	48	0.06
			2010	15	83	0.18
		RAINBOW TROUT	2004	1	52	0.02
		BROWN TROUT	2004	2	52	0.04
			2009	3	27	0.11
			2011	5	37.5	0.13
		YELLOW PERCH	2004	10	52	0.19
		CHANNEL CATFISH	2004	5	52	0.10
			2005	3	20	0.15
			2007	3	18	0.17
5	SMALLMOUTH BASS		2008	2	33	0.06
			2009	3	27	0.11
			2011	8	37.5	0.21
		BURBOT	2009	1	27	0.04
			2011	2	37.5	0.05
		SMALLMOUTH BASS	2004	33	52	0.63
			2005	1	20	0.05
			2007	3	18	0.17
			2008	35	33	1.06
			2009	36	27	1.33
			2011	2	37.5	0.05
		SAUGER	2004	1	52	0.02
			2007	7	18	0.39
			2008	25	33	0.76
			2009	30	27	1.11
		WALLEYE	2004	8	52	0.15
			2005	3	20	0.15

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
5	YELLOWTAIL LAKE	WALLEYE	2008	1	33	0.03
6	BAILEY RESERVOIR	RAINBOW TROUT	2008	0	20.5	0.00
		YELLOW PERCH	2001	11	14	0.79
			2003	48	9.5	5.05
			2007	18	6	3.00
			2011	20	19	1.05
		CRAPPIE	2001	6	14	0.43
		NORTHERN PIKE	2008	18	20.5	0.88
			2009	1	8	0.13
			2010	53	15.5	3.42
			2011	35	19	1.84
		BLACK CRAPPIE	2011	1	19	0.05
	BEARPAW LAKE	RAINBOW TROUT	2001	44	29.5	1.49
			2002	35	28.2	1.24
			2003	13	17.5	0.74
			2004	36	22	1.64
			2005	42	35.5	1.18
			2006	5	6	0.83
			2007	22	15	1.47
			2008	14	9.5	1.47
			2009	24	19	1.26
			2010	40	17.5	2.29
			2011	6	22	0.27
		CUTTHROAT TROUT	2001	10	29.5	0.34
			2007	2	15	0.13
			2008	2	9.5	0.21
			2009	1	19	0.05
		BROOK TROUT	2001	1	29.5	0.03
		YELLOW PERCH	2009	20	19	1.05
		SMALLMOUTH BASS	2001	10	29.5	0.34
			2002	31	28.2	1.10
			2003	27	17.5	1.54
			2005	13	35.5	0.37
			2006	1	6	0.17
			2007	9	15	0.60
			2008	1	9.5	0.11
			2010	34	17.5	1.94
			2011	150	22	6.82
		WALLEYE	2001	2	29.5	0.07
			2005	1	35.5	0.03
			2010	13	17.5	0.74
			2011	10	22	0.45
	BEAVER CREEK	BROOK TROUT	2004	10	10	1.00
			2005	10	3	3.33
			2006	10	18	0.56
		YELLOW PERCH	2008	1	7.5	0.13
		NORTHERN PIKE	2006	2	18	0.11
			2007	1	11.5	0.09
		CHANNEL CATFISH	2007	1	11.5	0.09

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	BEAVER CREEK	CHANNEL CATFISH	2008	1	7.5	0.13
		BULLHEAD	2006	1	18	0.06
		GOLDEYE	2006	5	18	0.28
			2007	1	11.5	0.09
			2008	1	7.5	0.13
		WALLEYE	2006	3	18	0.17
			2007	2	11.5	0.17
			2008	1	7.5	0.13
	BEAVER CREEK RESERVOIR	RAINBOW TROUT	2001	49	128.8	0.38
			2002	158	124.3	1.27
			2003	210	260.5	0.81
			2004	199	109	1.83
			2005	120	169.5	0.71
			2006	61	141.5	0.43
			2007	27	14	1.93
			2007	95	68.5	1.39
			2008	30	24	1.25
			2008	15	40	0.38
			2009	13	101	0.13
			2010	16	52	0.31
			2010	1	42	0.02
			2011	9	22	0.41
		CUTTHROAT TROUT	2005	2	169.5	0.01
			2007	1	14	0.07
			2008	1	40	0.03
		BROOK TROUT	2002	2	124.3	0.02
			2006	1	141.5	0.01
			2007	2	14	0.14
			2008	1	40	0.03
		YELLOW PERCH	2001	216	128.8	1.68
			2002	129	124.3	1.04
			2003	687	260.5	2.64
			2004	188	109	1.72
			2005	209	169.5	1.23
			2006	454	141.5	3.21
			2007	154	68.5	2.25
			2008	200	40	5.00
			2008	45	24	1.88
			2009	318	101	3.15
			2010	87	42	2.07
			2010	93	52	1.79
			2011	4	22	0.18
		NORTHERN PIKE	2001	1	128.8	0.01
			2002	2	124.3	0.02
			2003	5	260.5	0.02
			2004	2	109	0.02
			2005	19	169.5	0.11
			2006	4	141.5	0.03
			2009	1	101	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	BEAVER CREEK RESERVOIR	NORTHERN PIKE	2010	1	42	0.02
			2010	21	52	0.40
		UTAH CHUB	2004	2	109	0.02
		SMALLMOUTH BASS	2001	83	128.8	0.64
			2002	11	124.3	0.09
			2003	105	260.5	0.40
			2005	15	169.5	0.09
			2006	15	141.5	0.11
			2007	1	14	0.07
			2007	2	68.5	0.03
			2009	21	101	0.21
			2010	204	52	3.92
			2011	20	22	0.91
		WALLEYE	2001	24	128.8	0.19
			2002	62	124.3	0.50
			2003	18	260.5	0.07
			2004	2	109	0.02
			2005	3	169.5	0.02
			2006	3	141.5	0.02
			2007	1	68.5	0.01
			2009	32	101	0.32
			2010	68	52	1.31
			2010	7	42	0.17
			2011	13	22	0.59
BEAVER CREEK SEC 01	RAINBOW TROUT	RAINBOW TROUT	2001	31	4	7.75
			2002	4	5	0.80
			2003	3	3	1.00
			2004	34	32.5	1.05
			2005	1	1	1.00
			2008	31	11	2.82
			2009	21	9	2.33
			2011	127	20.5	6.20
		BROOK TROUT	2002	3	5	0.60
			2007	4	0.5	8.00
			2011	2	20.5	0.10
BEAVER CREEK SEC 02	RAINBOW TROUT	BROWN TROUT	2001	2	4	0.50
			2007	2	0.5	4.00
			2008	1	11	0.09
		BULL TROUT	2009	12	9	1.33
		YELLOW PERCH	2004	62	32.5	1.91
			2008	3	11	0.27
		UTAH CHUB	2004	6	32.5	0.18
		WHITE SUCKER	2004	2	32.5	0.06
		SMALLMOUTH BASS	2008	1	11	0.09
		WALLEYE	2008	4	11	0.36
BEAVER CREEK SEC 02	RAINBOW TROUT	RAINBOW TROUT	2001	2	10	0.20
			2003	1	1.5	0.67
		BROWN TROUT	2001	1	10	0.10
		WHITEFISH	2001	1	10	0.10

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	DRY FORK RESERVOIR	RAINBOW TROUT	2005	3	64.6	0.05
			2006	1	69.5	0.01
		SCULPIN	2007	10	42.5	0.24
		YELLOW PERCH	2005	11	64.6	0.17
			2006	89	69.5	1.28
			2007	154	42.5	3.62
			2008	508	38	13.37
		CRAPPIE	2006	3	69.5	0.04
		NORTHERN PIKE	2005	37	64.6	0.57
			2006	37	69.5	0.53
			2007	21	42.5	0.49
			2008	3	38	0.08
		WALLEYE	2005	1	64.6	0.02
			2007	6	42.5	0.14
			2008	5	38	0.13
	EAST FORK RESERVOIR	YELLOW PERCH	2001	56	30.5	1.84
			2003	11	5	2.20
		NORTHERN PIKE	2001	11	30.5	0.36
			2002	3	7	0.43
			2003	2	5	0.40
	FABER RESERVOIR	RAINBOW TROUT	2003	7	10.5	0.67
			2007	3	2	1.50
			2008	9	4	2.25
			2009	1	18	0.06
			2011	7	28	0.25
		SMALLMOUTH BASS	2003	2	10.5	0.19
		WALLEYE	2006	4	4	1.00
			2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
	FORT PECK DREDGE CUTS	NORTHERN PIKE	2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
		CHANNEL CATFISH	2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
		BURBOT	2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
		SAUGER	2011	1	133	0.01
			2011	1	133	0.01
			2011	1	133	0.01
		WALLEYE	2006	13	21	0.62
			2009	9	10	0.90
			2011	4	133	0.03
	FORT PECK LAKE	RAINBOW TROUT	2005	1	857	0.00
			2007	1	775.5	0.00
			2008	1	959.25	0.00
			2010	1	1321	0.00
		LAKE TROUT	2001	21	1868	0.01
			2002	23	1132	0.02
			2003	43	1405	0.03
			2004	7	530.5	0.01
			2005	74	857	0.09
			2006	44	961.5	0.05
			2007	38	775.5	0.05
			2008	17	959.25	0.02
			2009	63	1033.5	0.06
			2010	27	1321	0.02
			2011	9	779	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	FORT PECK LAKE	KOKANEE	2002	1	1132	0.00
			2003	10	1405	0.01
		WHITEFISH	2002	1	1132	0.00
		LARGEMOUTH BASS	2003	15	1405	0.01
			2009	3	1033.5	0.00
		YELLOW PERCH	2001	49	1868	0.03
			2002	159	1132	0.14
			2003	25	1405	0.02
			2005	12	857	0.01
			2006	4	961.5	0.00
			2007	6	775.5	0.01
			2008	4	959.25	0.00
			2009	7	1033.5	0.01
			2010	56	1321	0.04
			2011	133	779	0.17
		CRAPPIE	2001	1	1868	0.00
			2002	24	1132	0.02
			2009	5	1033.5	0.00
		NORTHERN PIKE	2001	134	1868	0.07
			2002	102	1132	0.09
			2003	72	1405	0.05
			2004	24	530.5	0.05
			2005	28	857	0.03
			2006	41	961.5	0.04
			2007	41	775.5	0.05
			2008	66	959.25	0.07
			2009	80	1033.5	0.08
			2010	256	1321	0.19
			2011	198	779	0.25
		CHANNEL CATFISH	2001	3	1868	0.00
			2002	22	1132	0.02
			2003	2	1405	0.00
			2006	4	961.5	0.00
			2007	2	775.5	0.00
			2008	5	959.25	0.01
			2009	5	1033.5	0.00
			2010	4	1321	0.00
		BULLHEAD	2011	11	779	0.01
		BURBOT	2003	1	1405	0.00
		PADDLEFISH	2006	1	961.5	0.00
			2010	1	1321	0.00
		PEAMOUTH	2007	1	775.5	0.00
		COMMON CARP	2001	1	1868	0.00
			2002	2	1132	0.00
			2003	2	1405	0.00
			2004	1	530.5	0.00
			2005	3	857	0.00
			2008	1	959.25	0.00
			2009	2	1033.5	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	FORT PECK LAKE	COMMON CARP	2010	2	1321	0.00
			2011	1	779	0.00
		GOLDEYE	2001	7	1868	0.00
			2002	173	1132	0.15
			2003	22	1405	0.02
			2004	30	530.5	0.06
			2005	45	857	0.05
			2006	120	961.5	0.12
			2007	138	775.5	0.18
			2008	17	959.25	0.02
			2009	39	1033.5	0.04
			2010	3	1321	0.00
		FRESHWATER DRUM	2001	7	1868	0.00
			2002	2	1132	0.00
			2003	2	1405	0.00
			2004	3	530.5	0.01
			2005	5	857	0.01
			2006	5	961.5	0.01
			2007	3	775.5	0.00
			2008	2	959.25	0.00
			2009	3	1033.5	0.00
			2010	11	1321	0.01
		BLACK BULLHEAD	2011	5	779	0.01
		YELLOW BULLHEAD	2009	1	1033.5	0.00
		WHITE BASS	2008	4	959.25	0.00
		SMALLMOUTH BASS	2001	32	1868	0.02
			2002	39	1132	0.03
			2003	31	1405	0.02
			2004	24	530.5	0.05
			2005	11	857	0.01
			2006	11	961.5	0.01
			2007	40	775.5	0.05
			2008	101	959.25	0.11
			2009	233	1033.5	0.23
			2010	252	1321	0.19
			2011	79	779	0.10
		BLACK CRAPPIE	2002	5	1132	0.00
			2003	8	1405	0.01
			2005	1	857	0.00
			2006	3	961.5	0.00
			2009	6	1033.5	0.01
			2010	7	1321	0.01
		WHITE CRAPPIE	2002	4	1132	0.00
			2003	1	1405	0.00
			2005	5	857	0.01
			2006	1	961.5	0.00
			2008	2	959.25	0.00
			2009	1	1033.5	0.00
			2010	3	1321	0.00

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	FORT PECK LAKE	ROCK BASS	2003	1	1405	0.00
		SAUGER	2001	9	1868	0.00
			2002	10	1132	0.01
			2003	19	1405	0.01
			2004	2	530.5	0.00
			2005	7	857	0.01
			2006	5	961.5	0.01
			2007	26	775.5	0.03
			2008	6	959.25	0.01
			2009	4	1033.5	0.00
			2010	32	1321	0.02
		WALLEYE	2001	569	1868	0.30
			2002	443	1132	0.39
			2003	464	1405	0.33
			2004	177	530.5	0.33
			2005	205	857	0.24
			2006	295	961.5	0.31
			2007	394	775.5	0.51
			2008	493	959.25	0.51
			2009	652	1033.5	0.63
			2010	986	1321	0.75
			2011	316	779	0.41
		IOWA DARTER	2001	48	1868	0.03
		PYGMY WHITEFISH	2001	11	1868	0.01
		CHINOOK SALMON	2003	1	1405	0.00
			2006	1	961.5	0.00
			2009	1	1033.5	0.00
			2011	2	779	0.00
		SALMON	2003	1	1405	0.00
			2007	1	775.5	0.00
			2008	0	959.25	0.00
			2009	5	1033.5	0.00
			2010	2	1321	0.00
			2011	1	779	0.00
		PALLID STURGEON	2002	2	1132	0.00
		CISCO	2009	1	1033.5	0.00
	FOSS RESERVOIR	WALLEYE	2001	2	3.5	0.57
	FRESNO RESERVOIR	RAINBOW TROUT	2011	4	259.5	0.02
		WHITEFISH	2005	7	285.5	0.02
			2007	80	160	0.50
			2008	22	181.5	0.12
			2011	1	259.5	0.00
		LAKE WHITEFISH	2006	2	138	0.01
			2008	10	181.5	0.06
			2009	2	191	0.01
			2011	4	259.5	0.02
		YELLOW PERCH	2001	10	43.5	0.23
			2003	4	47	0.09
			2004	27	100.1	0.27

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	FRESNO RESERVOIR	YELLOW PERCH	2005	8	285.5	0.03
			2006	4	138	0.03
			2007	43	160	0.27
			2008	27	181.5	0.15
			2009	3	191	0.02
			2010	17	314.5	0.05
		CRAPPIE	2007	1	160	0.01
			2008	1	181.5	0.01
			2011	6	259.5	0.02
		NORTHERN PIKE	2001	7	43.5	0.16
			2003	14	47	0.30
			2004	45	100.1	0.45
			2005	139	285.5	0.49
			2006	153	138	1.11
			2007	176	160	1.10
			2008	55	181.5	0.30
			2009	18	191	0.09
			2010	19	314.5	0.06
			2011	69	259.5	0.27
		BURBOT	2007	2	160	0.01
		GOLDEYE	2007	2	160	0.01
		SMALLMOUTH BASS	2010	9	314.5	0.03
		BLACK CRAPPIE	2008	2	181.5	0.01
		SAUGER	2009	2	191	0.01
		WALLEYE	2001	81	43.5	1.86
			2002	12	28	0.43
			2005	11	285.5	0.04
			2006	6	138	0.04
			2007	36	160	0.23
			2008	139	181.5	0.77
			2009	150	191	0.79
			2010	140	314.5	0.45
			2011	172	259.5	0.66
	GLASGOW AIR FORCE BASE POND	RAINBOW TROUT	2007	10	10	1.00
		YELLOW PERCH	2007	4	10	0.40
			2008	60	16.5	3.64
			2009	13	4	3.25
		NORTHERN PIKE	2008	1	16.5	0.06
	GRASSHOPPER RESERVOIR	RAINBOW TROUT	2007	11	13.5	0.81
	GULL WING RESERVOIR		2008	0	1	0.00
	HANSON RESERVOIR		2008	20	9.5	2.11
	HAVRE AIR FORCE BASE POND		2001	1	0.5	2.00
			2002	2	1	2.00
			2003	26	1.7	15.29
	LYONS RESERVOIR	NORTHERN PIKE	2001	44	50	0.88
			2002	38	25.5	1.49
			2003	38	46.5	0.82
			2004	30	31.5	0.95
			2005	10	14.5	0.69

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	LYONS RESERVOIR	NORTHERN PIKE	2008	6	4	1.50
		RAINBOW TROUT	2003	4	4	1.00
	MCCHESNEY RESERVOIR	CUTTHROAT TROUT	2003	2	4	0.50
		BROWN TROUT	2003	3	4	0.75
		SUNFISH	2011	6	10	0.60
		YELLOW PERCH	2002	6	4	1.50
			2006	1	5	0.20
			2008	0	2	0.00
			2011	1	10	0.10
		CRAPPIE	2002	1	4	0.25
			2008	0	2	0.00
			2011	8	10	0.80
		NORTHERN PIKE	2007	20	6	3.33
			2011	6	10	0.60
		BLUEGILL	2002	34	4	8.50
			2006	20	5	4.00
			2007	16	6	2.67
			2008	0	2	0.00
			2009	12	10	1.20
MILK RIVER SEC 01	NORTHERN PIKE	NORTHERN PIKE	2006	2	13.5	0.15
		CHANNEL CATFISH	2005	5	6	0.83
	COMMON CARP		2006	14	13.5	1.04
			2009	1	7	0.14
		COMMON CARP	2005	2	6	0.33
			2006	1	13.5	0.07
		GOLDEYE	2001	4	6	0.67
			2005	3	6	0.50
			2006	7	13.5	0.52
			2009	4	7	0.57
MILK RIVER SEC 02	SMALLMOUTH BASS	SMALLMOUTH BASS	2006	1	13.5	0.07
		NORTHERN PIKE	2003	2	10	0.20
	CHANNEL CATFISH	CHANNEL CATFISH	2003	11	10	1.10
			2007	15	31	0.48
			2009	3	8	0.38
		COMMON CARP	2003	2	10	0.20
			2007	8	31	0.26
		GOLDEYE	2006	11	3.5	3.14
			2007	18	31	0.58
		FRESHWATER DRUM	2003	1	10	0.10
		WHITE SUCKER	2007	2	31	0.06
			2009	1	8	0.13
MILK RIVER SEC 03	STONECAT	STONECAT	2007	7	31	0.23
		SMALLMOUTH BASS	2007	1	31	0.03
	WALLEYE	WALLEYE	2003	2	10	0.20
		RAINBOW TROUT	2005	1	1	1.00
		BROWN TROUT	2001	1	52	0.02
		NORTHERN PIKE	2003	1	91	0.01
			2005	2	1	2.00
	CHANNEL CATFISH	CHANNEL CATFISH	2001	6	52	0.12

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MILK RIVER SEC 03	CHANNEL CATFISH	2002	3	16	0.19
			2003	61	91	0.67
		BULLHEAD	2004	20	5	4.00
		COMMON CARP	2001	2	52	0.04
			2003	1	91	0.01
		GOLDEYE	2001	9	52	0.17
			2002	4	16	0.25
		WHITE SUCKER	2001	8	52	0.15
			2009	2	6	0.33
		STONECAT	2001	3	52	0.06
			2007	10	6	1.67
			2009	3	6	0.50
		YELLOW BULLHEAD	2007	15	6	2.50
		WALLEYE	2001	1	52	0.02
			2003	10	91	0.11
			2006	4	2	2.00
			2009	1	6	0.17
			2011	1	2	0.50
MILK RIVER SEC 04	RAINBOW TROUT	RAINBOW TROUT	2007	1	29.5	0.03
			2009	4	21	0.19
			2011	1	39	0.03
		WHITEFISH	2001	2	58.2	0.03
	LAKE WHITEFISH		2002	4	39	0.10
			2004	1	31.5	0.03
			2007	1	29.5	0.03
		LAKE WHITEFISH	2003	3	16.5	0.18
	YELLOW PERCH		2007	3	29.5	0.10
			2009	2	21	0.10
		YELLOW PERCH	2001	9	58.2	0.15
			2002	3	39	0.08
	CRAPPIE		2003	3	16.5	0.18
			2005	1	40.5	0.02
			2007	27	29.5	0.92
			2009	1	21	0.05
	NORTHERN PIKE	CRAPPIE	2001	2	58.2	0.03
		NORTHERN PIKE	2001	2	58.2	0.03
			2002	9	39	0.23
			2003	3	16.5	0.18
			2004	13	31.5	0.41
			2005	15	40.5	0.37
			2006	2	26.5	0.08
			2007	7	29.5	0.24
			2008	1	3.5	0.29
			2009	1	21	0.05
			2010	1	19	0.05
			2011	7	39	0.18
	CHANNEL CATFISH	CHANNEL CATFISH	2002	1	39	0.03
			2003	1	16.5	0.06
			2004	5	31.5	0.16

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MILK RIVER SEC 04	CHANNEL CATFISH	2010	1	19	0.05
		BURBOT	2002	1	39	0.03
		COMMON CARP	2004	5	31.5	0.16
			2005	2	40.5	0.05
			2010	6	19	0.32
		GOLDEYE	2003	3	16.5	0.18
			2005	1	40.5	0.02
		FRESHWATER DRUM	2003	1	16.5	0.06
		LONGNOSE SUCKER	2001	6	58.2	0.10
			2002	8	39	0.21
			2004	16	31.5	0.51
			2005	3	40.5	0.07
		WHITE SUCKER	2002	3	39	0.08
			2005	7	40.5	0.17
			2006	11	26.5	0.42
			2007	8	29.5	0.27
			2009	1	21	0.05
			2010	2	19	0.11
			2011	9	39	0.23
		STONECAT	2001	6	58.2	0.10
			2002	1	39	0.03
			2003	2	16.5	0.12
			2005	1	40.5	0.02
			2006	9	26.5	0.34
			2007	7	29.5	0.24
			2010	5	19	0.26
			2011	2	39	0.05
		YELLOW BULLHEAD	2001	11	58.2	0.19
			2002	2	39	0.05
			2004	20	31.5	0.63
			2006	1	26.5	0.04
			2011	40	39	1.03
		SAUGER	2002	1	39	0.03
		WALLEYE	2001	66	58.2	1.13
			2002	73	39	1.87
			2003	1	16.5	0.06
			2004	2	31.5	0.06
			2005	4	40.5	0.10
			2006	11	26.5	0.42
			2007	11	29.5	0.37
			2009	5	21	0.24
			2010	32	19	1.68
			2011	17	39	0.44
	MISSOURI RIVER DRAINAGE	CUTTHROAT TROUT	2007	4	4	1.00
		LARGEMOUTH BASS	2001	3	29	0.10
			2002	3	6	0.50
		YELLOW PERCH	2001	32	29	1.10
			2002	6	6	1.00
			2003	3	8	0.38

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MISSOURI RIVER DRAINAGE	CRAPPIE	2002	2	6	0.33
		NORTHERN PIKE	2001	16	29	0.55
			2002	1	6	0.17
		BLUEGILL	2001	176	29	6.07
			2002	40	6	6.67
			2003	49	8	6.13
		BLACK CRAPPIE	2003	27	8	3.38
		WHITE CRAPPIE	2001	5	29	0.17
		NORTHERN PIKE	2011	1	44.5	0.02
		CHANNEL CATFISH	2009	2	17	0.12
		PADDLEFISH	2010	4	18	0.22
		FRESHWATER DRUM	2009	2	17	0.12
		SMALLMOUTH BASS	2011	3	44.5	0.07
		SAUGER	2002	3	12	0.25
			2009	1	17	0.06
			2011	41	44.5	0.92
		WALLEYE	2011	46	44.5	1.03
MISSOURI RIVER SEC 01	MISSOURI RIVER SEC 01	RAINBOW TROUT	2001	4	86	0.05
			2004	15	13	1.15
			2008	1	34.75	0.03
		NORTHERN PIKE	2002	7	97.5	0.07
			2003	1	75	0.01
			2008	1	34.75	0.03
			2011	1	16.5	0.06
		CHANNEL CATFISH	2001	12	86	0.14
			2002	4	97.5	0.04
			2003	4	75	0.05
			2008	1	34.75	0.03
			2011	1	16.5	0.06
		BURBOT	2001	5	86	0.06
			2002	2	97.5	0.02
			2009	2	17	0.12
		PADDLEFISH	2010	1	8	0.13
MISSOURI RIVER SEC 05	MISSOURI RIVER SEC 05	COMMON CARP	2002	1	97.5	0.01
		GOLDEYE	2001	2	86	0.02
			2006	1	5	0.20
			2008	11	11.25	0.98
			2008	2	34.75	0.06
			2011	1	16.5	0.06
		FRESHWATER DRUM	2001	1	86	0.01
		SMALLMOUTH BASS	2008	1	34.75	0.03
		SAUGER	2001	10	86	0.12
			2002	6	97.5	0.06
			2003	2	75	0.03
			2008	9	11.25	0.80
			2009	3	17	0.18
			2011	4	16.5	0.24
		WALLEYE	2001	1	86	0.01
			2002	1	97.5	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MISSOURI RIVER SEC 05	WALLEYE	2003	2	75	0.03
			2008	2	11.25	0.18
			2008	6	34.75	0.17
			2009	5	17	0.29
			2011	10	16.5	0.61
	MISSOURI RIVER SEC 06	PALLID STURGEON	2002	1	97.5	0.01
		CHANNEL CATFISH	2006	7	45	0.16
		BURBOT	2006	1	45	0.02
			2009	1	36	0.03
		PADDLEFISH	2006	3	45	0.07
MISSOURI RIVER SEC 06A	FRESHWATER DRUM	2006	11	45	0.24	
		SAUGER	2009	2	36	0.06
		WALLEYE	2006	5	45	0.11
			2009	2	36	0.06
		RAINBOW TROUT	2001	3	51	0.06
	CUTTHROAT TROUT	2006	1	114	0.01	
		BROWN TROUT	2009	2	110.5	0.02
		LAKE TROUT	2010	1	68	0.01
		CRAPPIE	2003	1	231	0.00
		NORTHERN PIKE	2003	1	231	0.00
MISSOURI RIVER SEC 06A	CHANNEL CATFISH		2008	1	166	0.01
		2001	4	51	0.08	
			2002	10	108	0.09
			2003	112	231	0.48
			2004	10	144.5	0.07
	BULLHEAD		2005	4	78.5	0.05
			2006	3	114	0.03
			2007	3	140	0.02
			2008	26	166	0.16
			2009	4	110.5	0.04
MISSOURI RIVER SEC 06A	BURBOT		2010	19	68	0.28
			2011	12	125	0.10
		BULLHEAD	2003	27	231	0.12
			2006	50	114	0.44
		BURBOT	2003	2	231	0.01
	PADDLEFISH		2004	1	144.5	0.01
			2005	2	78.5	0.03
			2006	1	114	0.01
			2008	2	166	0.01
			2011	1	125	0.01
MISSOURI RIVER SEC 06A	PADDLEFISH		2002	3	108	0.03
			2003	9	231	0.04
			2004	2	144.5	0.01
			2005	2	78.5	0.03
			2006	3	114	0.03
	WALLEYE		2007	4	140	0.03
			2008	3	166	0.02
			2009	1	110.5	0.01
			2010	2	68	0.03

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MISSOURI RIVER SEC 06A	PADDLEFISH	2011	3	125	0.02
		COMMON CARP	2002	6	108	0.06
			2003	20	231	0.09
			2004	2	144.5	0.01
			2008	4	166	0.02
			2009	6	110.5	0.05
			2010	1	68	0.01
			2011	2	125	0.02
		GOLDEYE	2002	111	108	1.03
			2003	68	231	0.29
			2004	20	144.5	0.14
			2007	7	140	0.05
			2008	24	166	0.14
			2009	40	110.5	0.36
			2011	11	125	0.09
		UTAH CHUB	2002	16	108	0.15
			2003	2	231	0.01
			2007	4	140	0.03
		FRESHWATER DRUM	2001	1	51	0.02
			2002	2	108	0.02
			2003	7	231	0.03
			2006	1	114	0.01
			2007	2	140	0.01
			2009	13	110.5	0.12
			2010	7	68	0.10
			2011	1	125	0.01
		WHITE SUCKER	2002	1	108	0.01
		STONECAT	2003	4	231	0.02
			2004	7	144.5	0.05
			2008	4	166	0.02
			2009	2	110.5	0.02
		BLACK BULLHEAD	2002	13	108	0.12
			2003	39	231	0.17
		YELLOW BULLHEAD	2002	1	108	0.01
			2011	3	125	0.02
		SMALLMOUTH BASS	2008	11	166	0.07
			2009	11	110.5	0.10
		SAUGER	2001	7	51	0.14
			2002	4	108	0.04
			2003	36	231	0.16
			2004	16	144.5	0.11
			2005	4	78.5	0.05
			2006	1	114	0.01
			2007	2	140	0.01
			2008	3	166	0.02
			2009	7	110.5	0.06
			2010	1	68	0.01
			2011	2	125	0.02
		WALLEYE	2003	4	231	0.02

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	MISSOURI RIVER SEC 06A	WALLEYE	2004	8	144.5	0.06
			2005	4	78.5	0.05
			2006	6	114	0.05
			2007	6	140	0.04
			2008	14	166	0.08
			2009	3	110.5	0.03
			2010	2	68	0.03
		PALLID STURGEON	2001	2	51	0.04
			2008	1	166	0.01
NELSON RESERVOIR	YELLOW PERCH	YELLOW PERCH	2001	82	83.5	0.98
			2002	2	77.5	0.03
			2003	16	93	0.17
			2004	21	35.2	0.60
			2004	135	46	2.93
			2005	7	13.9	0.50
			2005	172	75	2.29
			2006	50	101	0.50
			2006	31	87.7	0.35
			2007	379	245	1.55
CRAPPIE	CRAPPIE	CRAPPIE	2008	362	252.1	1.44
			2009	21	129.5	0.16
			2010	12	153.3	0.08
			2001	9	83.5	0.11
			2002	6	77.5	0.08
		NORTHERN PIKE	2001	11	83.5	0.13
			2002	6	77.5	0.08
			2003	4	93	0.04
			2004	7	46	0.15
			2004	9	35.2	0.26
COMMON CARP	COMMON CARP	COMMON CARP	2005	3	13.9	0.22
			2005	15	75	0.20
			2006	19	101	0.19
			2006	10	87.7	0.11
			2007	66	245	0.27
			2008	22	252.1	0.09
			2009	2	5	0.40
			2009	32	129.5	0.25
			2010	7	153.3	0.05
			2003	46	93	0.49
GOLDEYE	GOLDEYE	GOLDEYE	2005	1	13.9	0.07
			2006	3	87.7	0.03
		FATHEAD MINNOW	2002	8	77.5	0.10
			2010	5	153.3	0.03
			2001	17	83.5	0.20
			2002	38	77.5	0.49
			2003	56	93	0.60
			2004	8	46	0.17
			2004	17	35.2	0.48
			2005	15	75	0.20
WHITE CRAPPIE	WHITE CRAPPIE	WHITE CRAPPIE	2001	17	83.5	0.20

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
6	NELSON RESERVOIR	WALLEYE	2006	6	87.7	0.07
			2006	11	101	0.11
			2007	47	245	0.19
			2008	160	252.1	0.63
			2009	105	129.5	0.81
			2010	106	153.3	0.69
			2011	20	125	0.16
7	CASTLE ROCK LAKE	LARGEMOUTH BASS	2003	1	22.2	0.05
			2004	1	9	0.11
			2007	3	43	0.07
			2010	2	61.5	0.03
			2011	3	30	0.10
		SUNFISH	2005	5	22	0.23
			2007	2	43	0.05
		CRAPPIE	2005	4	22	0.18
			2007	1	43	0.02
		NORTHERN PIKE	2001	8	33	0.24
			2002	5	24	0.21
			2003	10	22.2	0.45
			2004	5	9	0.56
			2005	7	22	0.32
			2007	9	43	0.21
			2008	1	41	0.02
			2009	1	36	0.03
			2010	1	61.5	0.02
		SMALLMOUTH BASS	2003	12	22.2	0.54
			2004	8	9	0.89
			2007	2	43	0.05
			2008	1	41	0.02
			2010	1	61.5	0.02
8	LAKE PELTON	BLUEGILL	2001	6	33	0.18
			2003	35	22.2	1.58
			2004	5	9	0.56
			2006	35	4	8.75
			2007	20	43	0.47
			2008	70	41	1.71
			2009	47	36	1.31
			2010	114	61.5	1.85
			2011	4	30	0.13
			2006	2	4	0.50
		GREEN SUNFISH	2007	10	43	0.23
			2008	8	41	0.20
			2009	15	36	0.42
			2010	18	61.5	0.29
		BLACK CRAPPIE	2003	1	22.2	0.05
		WHITE CRAPPIE	2010	53	61.5	0.86
		WALLEYE	2001	5	33	0.15
			2002	1	24	0.04
			2003	3	22.2	0.14

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	CASTLE ROCK LAKE	WALLEYE	2004	9	9	1.00
			2005	2	22	0.09
			2007	22	43	0.51
			2008	31	41	0.76
			2009	41	36	1.14
			2010	37	61.5	0.60
			2011	26	30	0.87
GARDNER, DOUG RESERVOIR #2	RAINBOW TROUT	2004	2	19	0.11	
		2002	47	8.3	5.66	
		2003	5	4.5	1.11	
	YELLOW PERCH	2004	47	19	2.47	
		2002	21	8.3	2.53	
		2003	11	4.5	2.44	
	CRAPPIE	2002	5	8.3	0.60	
		2003	22	4.5	4.89	
GARTSIDE LAKE	LARGEMOUTH BASS	2005	29	25.5	1.14	
		2006	4	9	0.44	
	YELLOW PERCH	2001	1	8	0.13	
		2005	23	25.5	0.90	
		2006	15	9	1.67	
	NORTHERN PIKE	2005	1	25.5	0.04	
		2006	1	9	0.11	
O'FALLON CREEK	BLUEGILL	2005	250	25.5	9.80	
		2006	47	9	5.22	
	CHANNEL CATFISH	2009	11	4	2.75	
	COMMON CARP	2009	1	4	0.25	
	GREEN SUNFISH	2009	5	4	1.25	
POWDER RIVER	WHITE CRAPPIE	2009	1	4	0.25	
		2002	5	4	1.25	
	CHANNEL CATFISH	2003	8	3	2.67	
		2002	1	4	0.25	
		2003	4	3	1.33	
SPOTTED EAGLE RESERVOIR	LARGEMOUTH BASS	2006	1	7	0.14	
		2008	5	15	0.33	
	YELLOW PERCH	2010	1	1.5	0.67	
		2002	4	7	0.57	
		2002	1	7	0.14	
	CRAPPIE	2006	2	7	0.29	
		2006	1	7	0.14	
	CHANNEL CATFISH	2008	5	15	0.33	
		2009	2	5	0.40	
		2011	2	6	0.33	
		2011	4	6	0.67	
		2006	3	7	0.43	
	BLACK BULLHEAD	2008	41	15	2.73	
		2009	19	5	3.80	
		2010	1	1.5	0.67	
	YELLOW BULLHEAD	2009	1	5	0.20	
	SMALLMOUTH BASS	2002	3	7	0.43	

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)	
7	SPOTTED EAGLE RESERVOIR	BLUEGILL	2006	6	7	0.86	
			2007	6	2	3.00	
			2008	2	15	0.13	
			2009	2	5	0.40	
			2010	7	1.5	4.67	
		WHITE CRAPPIE	2007	1	2	0.50	
	TONGUE RIVER RESERVOIR		2001	13	405.5	0.03	
			2002	1	157.3	0.01	
			2004	2	131.5	0.02	
			2007	2	155.5	0.01	
			2008	2	263.5	0.01	
	SUNFISH	2008	1	263.5	0.00		
	YELLOW PERCH	2001	11	405.5	0.03		
		2006	1	93	0.01		
		2008	3	263.5	0.01		
		2010	2	103.5	0.02		
		2011	35	94	0.37		
	CRAPPIE	2001	314	405.5	0.77		
		2002	240	157.3	1.53		
		2003	120	73.5	1.63		
		2004	500	131.5	3.80		
		2005	97	121.5	0.80		
		2006	325	93	3.49		
		2007	408	155.5	2.62		
		2008	465	263.5	1.76		
		2009	243	124	1.96		
		2010	45	103.5	0.43		
		2011	36	94	0.38		
	NORTHERN PIKE	2001	7	405.5	0.02		
		2002	2	157.3	0.01		
		2004	1	131.5	0.01		
		2005	1	121.5	0.01		
		2006	1	93	0.01		
		2007	1	155.5	0.01		
		2008	3	263.5	0.01		
		2009	2	124	0.02		
		2010	1	103.5	0.01		
		2011	1	94	0.01		
	CHANNEL CATFISH	2002	2	157.3	0.01		
		2004	1	131.5	0.01		
		2008	1	263.5	0.00		
		2010	2	103.5	0.02		
	BULLHEAD	2001	2	405.5	0.00		
		2002	9	157.3	0.06		
		2004	7	131.5	0.05		
		2006	170	93	1.83		
		2008	17	263.5	0.06		
		2009	3	124	0.02		
	COMMON CARP	2005	1	121.5	0.01		

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	TONGUE RIVER RESERVOIR	BLACK BULLHEAD	2004	20	131.5	0.15
			2008	10	263.5	0.04
			2010	2	103.5	0.02
		YELLOW BULLHEAD	2001	1	405.5	0.00
			2002	12	157.3	0.08
			2003	4	73.5	0.05
			2004	14	131.5	0.11
			2005	68	121.5	0.56
			2006	2	93	0.02
			2008	3	263.5	0.01
			2009	3	124	0.02
			2011	1	94	0.01
		SMALLMOUTH BASS	2001	65	405.5	0.16
			2002	40	157.3	0.25
			2003	5	73.5	0.07
			2004	4	131.5	0.03
			2005	43	121.5	0.35
			2006	14	93	0.15
			2007	36	155.5	0.23
			2008	99	263.5	0.38
			2009	51	124	0.41
			2010	41	103.5	0.40
			2011	3	94	0.03
		BLUEGILL	2005	1	121.5	0.01
			2007	12	155.5	0.08
			2009	1	124	0.01
		PUMPKINSEED	2005	1	121.5	0.01
			2009	1	124	0.01
			2010	4	103.5	0.04
		GREEN SUNFISH	2009	18	124	0.15
			2010	56	103.5	0.54
		BLACK CRAPPIE	2002	164	157.3	1.04
			2003	3	73.5	0.04
			2004	3	131.5	0.02
			2005	221	121.5	1.82
			2006	46	93	0.49
			2008	17	263.5	0.06
			2009	7	124	0.06
			2010	2	103.5	0.02
		WHITE CRAPPIE	2001	7	405.5	0.02
			2002	110	157.3	0.70
			2004	69	131.5	0.52
			2005	233	121.5	1.92
			2006	100	93	1.08
			2007	70	155.5	0.45
			2008	17	263.5	0.06
		WALLEYE	2001	66	405.5	0.16
			2002	8	157.3	0.05
			2004	1	131.5	0.01

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	TONGUE RIVER RESERVOIR	WALLEYE	2005	3	121.5	0.02
			2006	1	93	0.01
			2007	12	155.5	0.08
			2008	58	263.5	0.22
			2009	6	124	0.05
			2010	2	103.5	0.02
			2011	4	94	0.04
	TONGUE RIVER SEC 01	LARGEMOUTH BASS	2006	3	8	0.38
		CRAPPIE	2009	9	10.5	0.86
		CHANNEL CATFISH	2001	2	6	0.33
			2006	17	8	2.13
			2007	4	3	1.33
			2008	6	5	1.20
			2009	5	10.5	0.48
		BULLHEAD	2009	20	10.5	1.90
		COMMON CARP	2009	1	10.5	0.10
		GOLDEYE	2001	1	6	0.17
			2006	1	8	0.13
			2007	22	3	7.33
			2008	4	5	0.80
			2009	2	10.5	0.19
		UTAH CHUB	2006	1	8	0.13
		FLATHEAD CHUB	2007	3	3	1.00
			2008	2	5	0.40
			2009	1	10.5	0.10
		STONECAT	2006	3	8	0.38
			2007	1	3	0.33
			2008	2	5	0.40
			2009	2	10.5	0.19
		BLACK BULLHEAD	2008	1	5	0.20
			2009	1	10.5	0.10
		SMALLMOUTH BASS	2001	1	6	0.17
			2008	1	5	0.20
			2009	1	10.5	0.10
		GREEN SUNFISH	2006	2	8	0.25
		WALLEYE	2001	3	6	0.50
	TONGUE RIVER SEC 02	RAINBOW TROUT	2002	3	7	0.43
			2003	1	24	0.04
			2004	6	18	0.33
			2005	9	15	0.60
		CHANNEL CATFISH	2003	8	24	0.33
			2004	11	18	0.61
			2005	3	15	0.20
		COMMON CARP	2002	1	7	0.14
			2003	1	24	0.04
		SMALLMOUTH BASS	2002	27	7	3.86
			2003	109	24	4.54
			2004	79	18	4.39
			2005	24	15	1.60

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	TONGUE RIVER SEC 02	SMALLMOUTH BASS	2008	14	4	3.50
		BLACK CRAPPIE	2002	2	7	0.29
		ROCK BASS	2002	1	7	0.14
			2003	2	24	0.08
			2004	10	18	0.56
			2005	4	15	0.27
		WALLEYE	2007	1	1	1.00
			2009	50	6	8.33
		RAINBOW TROUT	2001	3	1.5	2.00
		SUNFISH	2006	10	30	0.33
7	TONGUE RIVER SEC 03	YELLOW PERCH	2008	1	4	0.25
		CRAPPIE	2006	400	30	13.33
			2007	25	9	2.78
			2010	9	21.5	0.42
			2011	9	18	0.50
		NORTHERN PIKE	2006	2	30	0.07
			2009	1	13.5	0.07
		BULLHEAD	2006	60	30	2.00
			2010	3	21.5	0.14
		COMMON CARP	2006	1	30	0.03
7	YELLOWSTONE RIVER SEC 01		2009	1	13.5	0.07
		YELLOW BULLHEAD	2009	2	13.5	0.15
		SMALLMOUTH BASS	2006	54	30	1.80
			2008	1	4	0.25
			2009	12	13.5	0.89
		PUMPKINSEED	2006	7	30	0.23
			2008	26	4	6.50
		GREEN SUNFISH	2008	5	4	1.25
		BLACK CRAPPIE	2003	28	38.5	0.73
			2006	23	30	0.77
7	YELLOWSTONE RIVER SEC 01		2009	19	13.5	1.41
		WHITE CRAPPIE	2003	123	38.5	3.19
			2006	11	30	0.37
			2009	50	13.5	3.70
		WALLEYE	2006	2	30	0.07
			2011	2	18	0.11
		RAINBOW TROUT	2003	1	34	0.03
			2005	7	31.75	0.22
		WHITEFISH	2006	2	13	0.15
		LARGEMOUTH BASS	2003	15	34	0.44
7	YELLOWSTONE RIVER SEC 01	NORTHERN PIKE	2003	1	34	0.03
		CHANNEL CATFISH	2001	16	22	0.73
			2002	33	51.5	0.64
			2004	3	36	0.08
			2005	1	31.75	0.03
			2006	4	13	0.31
			2007	68	84	0.81
			2009	2	24	0.08
			2011	2	27.5	0.07

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	YELLOWSTONE RIVER SEC 01	PADDLEFISH	2002	1	51.5	0.02
			2003	1	34	0.03
			2005	1	31.75	0.03
			2006	3	13	0.23
			2011	3	27.5	0.11
		COMMON CARP	2002	6	51.5	0.12
			2006	1	13	0.08
			2007	19	84	0.23
		GOLDEYE	2001	2	22	0.09
			2002	39	51.5	0.76
			2003	1	34	0.03
			2004	14	36	0.39
			2005	1	31.75	0.03
			2006	3	13	0.23
			2007	73	84	0.87
			2008	1	31	0.03
			2009	3	24	0.13
			2010	4	31	0.13
			2011	1	27.5	0.04
		UTAH CHUB	2003	1	34	0.03
		FRESHWATER DRUM	2001	1	22	0.05
			2002	10	51.5	0.19
		FLATHEAD CHUB	2009	2	24	0.08
		RIVER CARPSUCKER	2002	1	51.5	0.02
		YELLOW BULLHEAD	2004	1	36	0.03
			2009	1	24	0.04
		SAUGER	2002	3	51.5	0.06
			2003	27	34	0.79
			2004	13	36	0.36
			2005	12	31.75	0.38
			2006	1	13	0.08
			2007	10	84	0.12
			2008	12	31	0.39
			2009	12	24	0.50
			2010	14	31	0.45
			2011	4	27.5	0.15
		WALLEYE	2002	1	51.5	0.02
			2004	3	36	0.08
			2008	1	31	0.03
			2010	2	31	0.06
	YELLOWSTONE RIVER SEC 02	RAINBOW TROUT	2003	3	27.5	0.11
			2005	6	71.5	0.08
		WHITEFISH	2001	1	55	0.02
			2005	7	71.5	0.10
		LARGEMOUTH BASS	2006	20	46	0.43
		CRAPPIE	2009	1	361.5	0.00
		SAUGER/WALLEYE	2002	22	61.5	0.36
		NORTHERN PIKE	2002	1	61.5	0.02
		CHANNEL CATFISH	2001	2	55	0.04

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	YELLOWSTONE RIVER SEC 02	CHANNEL CATFISH	2002	4	61.5	0.07
			2004	4	73	0.05
			2005	5	71.5	0.07
			2006	11	46	0.24
			2007	41	166	0.25
			2008	87	181.35	0.48
			2009	161	361.5	0.45
			2010	16	97	0.16
			2011	3	55	0.05
		BULLHEAD	2008	5	181.35	0.03
			2009	53	361.5	0.15
			2010	8	97	0.08
		BURBOT	2004	1	73	0.01
			2008	3	181.35	0.02
			2009	1	361.5	0.00
		COMMON CARP	2001	1	55	0.02
			2004	3	73	0.04
			2007	5	166	0.03
			2008	12	181.35	0.07
			2009	36	361.5	0.10
			2011	3	55	0.05
		GOLDEYE	2001	24	55	0.44
			2002	6	61.5	0.10
			2004	9	73	0.12
			2005	3	71.5	0.04
			2006	1	46	0.02
			2007	9	166	0.05
			2008	46	181.35	0.25
			2009	158	361.5	0.44
			2011	17	55	0.31
		FRESHWATER DRUM	2008	12	181.35	0.07
			2009	38	361.5	0.11
			2011	2	55	0.04
		LONGNOSE SUCKER	2008	23	181.35	0.13
		WHITE SUCKER	2005	1	71.5	0.01
			2008	15	181.35	0.08
			2009	1	361.5	0.00
		BLACK BULLHEAD	2010	2	97	0.02
		SMALLMOUTH BASS	2002	29	61.5	0.47
			2003	15	27.5	0.55
			2004	44	73	0.60
			2005	24	71.5	0.34
			2006	2	46	0.04
			2007	105	166	0.63
			2008	241	181.35	1.33
			2009	28	361.5	0.08
			2010	21	97	0.22
		WHITE CRAPPIE	2002	1	61.5	0.02
		SAUGER	2001	16	55	0.29

Region	Waterbody	Species	Year	# Caught	Hours Fished	Catch Rate (Fish/Hr)
7	YELLOWSTONE RIVER SEC 02	SAUGER	2002	59	61.5	0.96
			2003	4	27.5	0.15
			2005	10	71.5	0.14
			2006	2	46	0.04
			2007	42	166	0.25
			2008	31	181.35	0.17
			2009	85	361.5	0.24
			2010	17	97	0.18
			2011	8	55	0.15
		WALLEYE	2002	5	61.5	0.08
			2003	3	27.5	0.11
			2004	2	73	0.03
			2005	17	71.5	0.24
			2006	5	46	0.11
			2007	19	166	0.11
			2008	19	181.35	0.10
			2009	13	361.5	0.04
			2010	8	97	0.08
			2011	12	55	0.22